5.2.8

Aditya Mishra-EE25BTECH11005

October 2, 2025

Question

Solve the equations:

$$\begin{cases} 5x - 3y = 11\\ -10x + 6y = -22 \end{cases}$$

Forming Augmented Matrix

$$\begin{pmatrix}
5 & -3 & | & 11 \\
-10 & 6 & | & -22
\end{pmatrix}$$

Row Operations

$$\begin{pmatrix} 5 & -3 & | & 11 \\ -10 & 6 & | & -22 \end{pmatrix} \xrightarrow{R_2 \to R_2 + 2R_1} \begin{pmatrix} 5 & -3 & | & 11 \\ 0 & 0 & | & 0 \end{pmatrix}$$

The second row turns out to be all zeros, meaning the system is dependent and consistent.


Solution

From the first row:

$$5x - 3y = 11 \implies x = \frac{11 + 3y}{5}$$

Let $\mathbf{y} = \lambda, \lambda \in \mathbb{R}$ Then, the general solution is:

$$\mathbf{x} = \left(rac{11}{5} \ 0
ight) + \lambda \left(rac{3}{5} \ 1
ight), \quad \lambda \in \mathbb{R}$$



Codes

For Codes, refer to the URL below:

https://github.com/Aditya-Mishra11005/ee1030-2025/tree/temp/ee25btech11005/matgeo/5.2.8/Codes