

2021

Time : 3 hours

Full Marks : 50

*Candidates are required to give their answers in
their own words as far as practicable.*

The figures in the margin indicate full marks.

*Answer from **all** the Sections as directed.*

Section – A

(Objective Type Questions)

1. [A] Fill in the blanks : 1×5 = 5

(a) According to Prof. R. A. Fisher, there
are 4 criteria of a good
estimate.

(b) The sum of squares of n independent standard normal variates is a chi-square variate with n degrees of freedom.

(c) For testing $H_0: \mu = \mu_0$, the suitable test-statistic is $H_0: \mu_1 = \mu_2$

(d) For $v = 1$ the student's t distribution becomes _____

(e) There are 3 basic designs.

[B] Four options are given for each, select the suitable one : $1 \times 5 = 5$

(i) The arithmetic mean of the simple random sample is _____ estimate of the population mean.

☒ (i) Unbiased

☐ (ii) Maximum likelihood

☐ (iii) Both (i) and (ii)

☐ (iv) None of these

(ii) For large n $\sqrt{2n}^2$ is normally distributed with :

☐ (i) Mean $\sqrt{2n}$; variance 0

☒ (ii) Mean $\sqrt{2n}$; variance 1

☐ (iii) Mean $\sqrt{2n-1}$; variance 0

☐ (iv) None of these

(iii) The suitable test - statistic for testing

$H_0: \sigma^2 = \sigma_0^2$ is :

☒ (i) $\frac{nS^2}{\sigma_0^2}$

☐ (ii) $\frac{\sum (x_i - \bar{x})^2}{\sigma_0^2}$

(III) Both (I) and (II)

(IV) None of these

(iv) The probability of committing type I error is :

(I) α

(II) β

(III) $1 - \alpha$

(IV) $1 - \beta$

(v) For C. R. D., the experimental units must be :

(I) Homogeneous

(II) Heterogeneous

(III) Both (I) and (II)

(IV) None of these

Section - B

(Short-answer Type Questions)

Answer any four questions : $3 \times 4 = 12$

(i) What are the criteria of a good estimate.

Explain any one.

(ii) Obtain the maximum likelihood estimate of the parameter of the Poisson distribution.

(iii) Describe χ^2 as a test of independence.

(iv) Obtain m. g. f. of χ^2 .

(v) Why do prefer R. B. D. over C. R. D.

(vi) Define Latin square design.

Section - C

3. Answer any four questions of the following :

7×4 = 28

(i) What is maximum likelihood estimate ?

Obtain m. l. e. of the Parameters of normal distribution.

(ii) Define student's t. Show that for this distribution

with v degrees of freedom

$$\mu_{2r} = \frac{1.3.5 \dots (2r-1)}{(v-2)(v-4) \dots (v-2r)} \cdot u^r.$$

(iii) Define simple hypothesis, composite hypothesis, null hypothesis and alternative hypothesis, two kinds of error.

(iv) Name the test-statistic for testing

(a) $H_0 : \mu = \mu_0$ (b) $H_0 : \mu_1 = \mu_2$

Also describe the procedures for testing.

(v) What is analysis of variance technique ?

Give the assumptions involves in it.

$$\sum_{i=1}^k \sum_{j=1}^r (y_{ij} - \bar{y})^2 = \sum_{i=1}^k \sum_{j=1}^r (y_{ij} - \bar{y}_i)^2 + \sum_{i=1}^k r(\bar{y}_i - \bar{y})^2$$

(vi) Give the analysis of Latin square design.

———— ❖ ————