BCA-301

OPERATING SYSTEM

Time Allotted: 3 Hours

Full Marks: 70

The questions are of equal value.

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

GROUP A (Multiple Choice Type Questions)

| | (Multiple Cl | noice Type Questions) | |
|-------|---|--|--------------------|
| • | Answer all questions. | | $10 \times 1 = 10$ |
| (i) | Which one of the following process states is not a valid process state? | | |
| | (A) blocked (C) running | (B) load (D) none of these | |
| (ii) | The scheduler, which selects jobs from ready queue is | n the pool of jobs and loads them to the | |
| | (A) long term scheduler | (B) medium term scheduler | |
| | (C) short term scheduler | (D) none of these | |
| (iii) | Page fault occurs when | | |
| | (A) the page is corrupted by application | software | |
| | (B) the page is in main memory | | |
| | (C) the page is not in main memory | | • |
| | (D) none of these | | |
| (iv) | In which of the following scheduling police | cies context switching will never take place | |
| | (A) round robin | | |
| • | (B) first cum-first served | | • |
| | (C) pre-emptive | | |
| | (D) shortest remaining time next (SRTN | | |
| | • | | |

CS/BCA/Odd/Sem-3rd/BCA-301/2014-15

| | (C) command | (D) none of these | |
|--------|--|--|--|
| (x) | CREATE is a (A) system call | (B) user's program call | |
| (ix) | Cipher text is (A) normal text (C) plain text | (B) encrypted text (D) none of these | |
| (viii) | A process is (A) a program (C) execution state of a program | (B) a job (D) none of these | |
| (vII) | The Banker's algorithm is used (A) to prevent deadlock in operating sys (B) to detect deadlock in operating sys (C) to rectify a deadlock state (D) none of these | | |
| (::N | (A) creation of new job (C) increment of task priority | (B) termination of a job(D) none of these | |
| (vi) | Fork() is | | |
| | (A) 0 (C) 2 | (B) 1 (D) 4 | |

3025

2.

Answer any three questions.

Explain with examples the difference between preemptive and non-preemptive

priority scheduling. Distinguish between 'starvation' and 'deadlock'.

 $3 \times 5 = 15$

3+2

CS/BCA/Odd/Sem-3rd/BCA-301/2014-15

- 3. Explain PCB with a neat diagram. Write down the different process states. 3+2
- 4. Describe thrashing. Explain the demand paging in memory management scheme. 2+3
- 5. Suppose that the following processes arrive for execution at the time indicated:

| Process | Arrival time | Burst time |
|---------|--------------|------------|
| P1 | 0 | 8 |
| P2 | 1 | 4 |
| P3 | 2 | 9 |
| P4 | 3 | 5 |

What is the average waiting time for these processes with

- (i) FCFS scheduling algorithm
- (ii) SJF scheduling algorithm
- (iii) RR scheduling algorithm
- 6. "Multi-programming implies multi-tasking, but the vice-versa is not true" Explain.

GROUP C (Long Answer Type Questions)

Answer any three questions.

 $3 \times 15 = 45$

3

5

5

- 7. (a) Explain the difference between process and program. Briefly discuss about process creation and termination.
 - (b) Consider the following set of processes. CPU Burst time of them are given below in millisecond and priority of each processes are given.

| Process | CPU Burst Time | Priority | Arrival Time |
|---------|----------------|----------|--------------|
| P1 | 8 | 3 | 0.0 |
| P2 | 4 | 1 | 0.4 |
| P3 | 1 | 2 | 1.0 |

Draw the Gantt chart for priority scheduling and SRTF scheduling. Calculate the average waiting time and average turnaround time also.

[Turn over]

CS/BCA/Odd/Sem-3rd/BCA-301/2014-15

- 8. (a) What is critical section problem? What are the requirements that the solution to critical section problem must satisfy?
- 10
- (b) What is Semaphore? How is it accessed? Explain the Dining Philosopher's problem and give the solution of it, using Semaphore.
- 5

9. (a) What is swapping? What is its purpose?

3

(b) Consider the following sequence of memory references generated by a single program in a pure paging system:

4+4+4

10, 11, 104, 170, 173, 177, 309, 245, 246, 247, 458, 364.

Determine the number of page faults for each of the following page replacement policies assuming three (3) page frames are available and all are initially empty. The size of a page is 100 words:

- (i) LRU
- (ii) FIFO
- (iii) Optimal page replacement.
- 10.(a) What is system deadlock? Explain necessary conditions of deadlock.

5

(b) Explain resource allocation algorithm with proper example.

5

| (c) | Process | Allocated resources | Maximum requirement of resources |
|-----|---------|---------------------|----------------------------------|
| | Α | 4 | 14 |
| | В | 5 | 8 |
| - | C | 3 | 7 |

Available resource in the system: 15. Check whether it is in safe state or not with proper reasoning.

11. Write short notes on any three of the following:

3×5

- (a) FIFO disk scheduling algorithm
- (b) Process State Diagram
- (c) Virtual memory
- (d) Context switch
- (e) Virtual machine