




# Instructions for Operation and Admin

**Work Tracking System** 

# **Contents**

C	ontents		2
1	Quick G	uide	4
	1.1.1	Loading admin page	4
	1.1.2	Adding a jobs	4
	1.1.3	Users	4
	1.1.4	Clocking On and Off	4
2	Usage G	uide	5
	2.1 Sta	tions Error! Bookmark no	ot defined.
	2.1.1	Adding Scanner Locations	5
	2.1.2	Deleting Locations	5
	2.2 Rou	utes	6
	2.2.1	Adding new routes	7
	2.2.2	Editing routes	7
	2.2.3	Renaming Route	7
	2.2.4	Deleting routes	7
	2.3 Add	ding jobs	7
	2.3.1	Adding a job manually	7
	2.3.2	Adding a job with CSV files	8
	2.4 Ma	naging users	9
	2.4.1	Adding users	9
	2.4.2	Deleting users	9
	2.5 Pro	ducts	10
	2.5.1	Add product	10
	2.6 Sto	ppage Reasons	11
	2.6.1	Adding stoppage reason	11
	2.7 Wc	ork hours	12
	2.7.1	Lunch Period Times (configuration option at install)	12
	2.8 Clo	cking On and Off	13
	281	Clocking On and Off in App	14





	,	34		15
	2.8.2	2	Failure to clock off	17
	2.8.3	3	Viewing currently clocked on users	17
	2.9	Curr	ent jobs	18
	2.9.	1	System overview	18
	2.10	Job	Record	20
	2.10	.1	Updating job details	20
	2.10	.2	Delete job	20
	2.10	.3	Duplicating a record	20
	2.10	.4	Marking a Job as Complete	20
	2.10	.5	Stoppages Log	21
	2.10	.6	Work Log	21
	2.10	.7	Work Log Record	22
	2.11	Revi	lewing timesheets	23
	2.12	Stat	ion server connection	23
2.13 Record Quantity Completed		Reco	ord Quantity Completed (configuration option at install)	24
	2.13	.1	Recording Quantity	24
	2.13	.2	Reviewing Quantity Records	24
3 Trouble sho		ıble s	shooting	25
	3.1	Wor	k time or duration negative	25
		Use	rs not being clocked off at midnight	25
		Scar	nner indicator LED Red	25
			nner indicator LED Flashing Red	25
			Jobs with CSV "No Request" message	25
	3.6 QR		code not present when linked clicked	25

## 1 Quick Guide

This Work Tracking system records the amount of time a job spends at different stages of production, for example, how long a product is worked on at the welding location and then at the painting location.

#### 1.1.1 Loading admin page

To load the admin pages in a browser, on a network connected to the server, navigate to:

<Server IP Address>/timelogger/pages/overview\_client.php

replacing '<Server IP Address>' with the relevant IP address for the server set up on the network.

## 1.1.2 Adding a job

On the Add Jobs page jobs can be added manually or by uploading a CSV file containing information for multiple jobs.

To add jobs manually enter the details required for the job and press the 'Add job' button.

If adding jobs using a CSV file first create a CSV file with the relevant headers, a template of which can be downloaded from the Add Jobs page. Browse for the file and press the 'Upload file' button. A list of jobs will be displayed including any jobs that could not be added, with the reason it was not added.

If a Job ID is not entered one will be generated automatically and displayed.

#### 1.1.3 **Users**

On the Users page users can be added, deleted and their QR code downloaded. To add a user, enter their name into the input box and press the 'Add User' button, a unique ID will be generated as well as a QR code which should be downloaded and printed.

#### 1.1.4 Clocking On and Off

A user can clock onto or off a job using the app. This is done by selecting a location from the dropdown menu, which will display locations specified through the web interface, and then using the camera view displayed in the app to scan a user QR code and a job QR code. The current status of the job at the selected location (work in progress, stage complete, or (job) complete) should be chosen from the dropdown.

Once the details entered are correct, press the send button to submit them. The server will determine whether the user is clocking on or off, and an appropriate message will be displayed at the bottom of the app.

# 2 Usage Guide

#### 2.1 Locations

Each production area should have a location name associated with it, for example welding, assembly or painting.

Multiple scanners (phone or tablets) can have the same location name so that, for example, if a large area of the factory floor is being utilised for welding, with more than one scanner named welding, the staff can clock on through one unit and clock out of another.

Alternatively each user can carry a phone or tablet with them and select what location they are clocking on or off from.




Figure 1: Stations Page

#### 2.1.1 Adding Scanner Locations

Scanner locations are the location names that the app will use. To add additional location names:

- Using the navigation bar navigate to the Scanners page.
- Enter the location name into the New Location Name text box.
- Click Add New Location Name. If this succeeds a confirmation message will be displayed.

#### 2.1.2 Deleting Locations

Extra location names may be deleted from the system.

- Using the navigation bar navigate to the Scanners page.
- Select the desired location from the Delete Location Name dropdown.
- Press the 'Delete Location Name' button. Once this is complete a confirmation message will be shown.

#### 2.2 Routes

A Route is a list of stations and their order of usage that a product follows to reach its completed state. For example, a part might be processed at a CNC station, assembly station and a painting station in that order. Such a part's route could be called 'Main\_Production\_Route' and would be as follows:




Figure 2: Routes Page

A route may be built up by adding the names of locations. Locations are specified on the Scanners page.

By using routes the current production stage recorded for the job, as shown on the Overview page, will display the current stage in the route that a job has progressed to. The current production stage will not show any locations that are not on the route or activity on previous stations in the route after it has progressed beyond it.

If the requireStageComplete configuration option was selected at installation an entry in the time log must be marked as stage complete at a location before the current production stage will indicate the next stage in the route. (By default this option is not selected)

Notes:

- -Routes are an optional feature and do not have to be used for the system to function fully and correctly.
- -Route names are case sensitive.

#### 2.2.1 Adding new routes

- Enter the name of the new route in the 'Route Name' box.
- Choose the name of the location to be added to the route from the 'Add Route Stage' dropdown and press 'Append to list' button.
- Add all locations required in the order they are to be visited.
- Press 'Save this route' before navigating away from the page or changing route name selection.

# 2.2.2 Editing routes

- Select route to be edited from 'Load Existing Route' dropdown.
- To add a location, select from the 'Add Route Stage' dropdown and press 'Append to list'.
- To change a Route's order locations must be removed accordingly using 'Delete last stage' button
  and then added in the required order. Route locations can only be removed using the last stage
  button.
- Press 'Save this route' before navigating away from page or changing route name selection.

### 2.2.3 Renaming Route

- Select route to be renamed from 'Load Existing Route' dropdown.
- Enter the new name of the route in the 'Route Name' box.
- Press 'Save this route' before delete the old route name from the current routes

## 2.2.4 Deleting routes

- Select route to be deleted from 'Load Existing Route' drop down.
- Press 'Delete this route' before navigating away from the page or changing route name selection

## 2.3 Adding jobs




Figure 3: Add New Jobs Page

# 2.3.1 Adding a job manually

- Enter job details:
  - o all input fields are optional
  - if a Job ID is not entered one will generate automatically and display in the Job ID input box once the job has been created

- o a Job ID can only be made up of letter, numbers and underscores. It must also not start with any of the prefixes the system uses which are 'Job\_', 'user\_', 'stpg\_' and 'prtd\_'.
- o changing a Route Description on this page will change the actual route unless a new route name is entered.
- Press 'Add Job Details' before navigating away from the page.
- Download and print the QR code, this can also be done from this job's Record page, accessible from the current job's table. It is advised that when printed QR codes should be no smaller than 15mm.

# 2.3.2 Adding a job with CSV files

- Create CSV following the format described below.
- Populate all details required for the jobs into the CSV file.
- On the Add New Jobs page, on the right-hand side, press the 'Browse...' button, select the new CSV file and press 'Upload File'.
- The jobs will be displayed including any jobs that could not be added with the reason it was not added.
- Format

The headings for the CSV file are:

jobId, expected Duration, description, route Name, due Date, total Charge To Customer, unit Count, total Parts, product Id, priority, customer Name

These **exact headings** must be used, they are case sensitive, their order does not matter. Headers must be on row 1, immediately followed by data and no other data information should be included below jobs.

The values entered in the CSV file must meet the conditions:

- jobld- 20 characters or less, made up of letters, numbers and underscores. It must also not start with any of the prefixes the system uses which are 'Job\_', 'user\_', 'stpg\_' and 'prtd\_'.
- expectedDuration- given in the form HH:MM
- description- 200 characters or less
- routeName- an existing route when adding jobs from a CSV file
- dueDate- in the form YY/MM/DD or YYYY/MM/DD or YY-MM-DD or YYYY-MM-DD
- totalChargeToCustomer- as ££.pp pounds & pence or pounds ££ and cannot be negative
- unitCount- cannot be negative
- totalParts- cannot be negative
- productId- existing product
- priority- number 0-4 (None-0, Low-1, Medium-2, Hight-3, Urgent-4)
- customerName- 50 characters or less

# 2.4 Managing users




Figure 4: Manage Users Page

## 2.4.1 Adding users

- Enter the user name to be displayed for the employee.
- Press 'Add user', a user ID will be assigned automatically by the system.
- Download and print QR code using generated link or Existing Users table.
   It is advised that when printed QR codes should be no smaller than 15mm.

## 2.4.2 Deleting users

- Confirm that they are not clocked on.
- In the existing users table locate the user.
- Press the 'Delete user' button on the relevant row.

#### Notes:

-Clock on events of deleted users in Works Logs will be listed as 'User Deleted'.

#### 2.5 **Products**



Figure 5: Products Page

Products can be used if a particular job is to be run repeatedly so that a new QR code does not have to be printed each time. A QR code for a product can be used like a job QR code, however, all the time logged will be placed on that product's Current Job.

When adding jobs select the product from the drop down or enter it into the CSV file. When a new job is added for a product it is set as its Current Job, consequently a product can only have a single job being worked on at a time, the previous job should be complete before adding another.


# 2.5.1 Add product

- Enter the ID for the product; it can only be made up of letters, numbers and underscores.
- Press 'Add Product' and a QR code download link should appear.
- Download and print QR code using generated link or Existing Products table.
   It is advised that when printed QR codes should be no smaller than 15mm.

Notes:

-Products are an optional feature and do not have to be used for the system to function fully and correctly.

## 2.6 Stoppage Reasons



**Figure 6: Stoppages Reasons Page** 

The stoppages functionality can be used to log the time, location and reason for stoppages on a job. A list of stoppages recorded for a job can be viewed on a job's record page. A stoppage can be recorded at a scanner using a stoppage reason QR code from a set located at the scanner and a job QR code or on a job's record page.

#### 2.6.1 Adding stoppage reason

- Enter a name for the stoppage reason.
- Press 'Add user', a user ID will be assigned automatically by the system.
- Download and print QR code using generated link or Existing Users table.
   It is advised that when printed QR codes should be no smaller than 15mm.

Notes:

-Stoppages are an optional feature and do not have to be used for the system to function fully and correctly.

#### 2.7 Work hours




Figure 7: Work Hours Page

Work hours are used so that the time workers spend outside normal operating hours on a particular job can be recorded as 'Overtime'. The amount of overtime spent on a job is shown on the Overview page table and on the job's record page. If a day is not normally a work day, the start and end times should be set to 00:00. In this case, any time on that day will be considered overtime.

# 2.7.1 Lunch Period Times (configuration option at install)

If the addLunchBreak configuration option was selected at installation (by default not selected) then times for a lunch period can be selected on this page. If a user clocks on before the lunch period starts and only clocks off after lunch, a break will be added for the defined lunch period. Adding a break will split the entry in two separate entries in the time log the first ending at the start of lunch and the second entry starting at the end of lunch.

If in addition to addLunchBreak trimLunch configuration option is also selected then any work time is prevented from being added to jobs during lunch. If a user clocks off during lunch the time recorded will be altered to the start of lunch. Similarly if a user clocks on during the lunch period this will be altered to start at the end of the lunch. Finally if a user clocks on and off during lunch they will be recorded as clocking off at the same time they clocked on so that zero time will be added to the job.

Notes:

- -The system does not support a 24 Hr operating schedule.
- -It is recommended to only make changes to these settings when no users are clocked on.

## 2.8 Time sheets

The system can produce timesheets for users. This will show the total time spent on jobs for each day in the selected time period. The generated table of times can be downloaded as a CSV file.




Figure 8: Timesheet generation

To generate a timesheet for a user:


- Select a user from the select user dropdown menu
- Select start and end dates that the timesheet will be generated for
- Click fetch time sheet

# 2.9 Clocking On and Off

# 2.9.1 Clocking On and Off in App

#### 2.9.1.1 Select a Station

If not using the App as a static station select the correct station from the drop down.



**Figure 9- Selecting Station** 

#### 2.9.1.2 Scan or Enter User Id

Using the camera code scanner or by entering the code manually to fill the User Id field. If entering manually then the 'user\_' prefix does not need to be enter, only the 4 digit number e.g. '0052' has to be entered.




Figure 10- Scanning (left) and manually entering (right) User ID

#### 2.9.1.3 Scan or Enter Job Id

Using the camera code scanner or by entering the code manually to fill the Job Id field. Any prefix MUST be included




Figure 11- Manually entering Job Id code

#### 2.9.1.4 Select Status

If clocking off a job select a job status from the three available options. (When clocking on job status will always automatically be set to work in progress no matter what is selected)

Work in progress- All work has NOT been finished at the current stage of production.

Stage Complete- All work has been finished at the current stage of production. (if server configuration option requireStageComplete is set to true then the routes current stage will not progress until the previous stage has an entry marked Stage Complete)

Complete- All work has been finished on the job.




Figure 12- Selecting Work Status

#### 2.9.1.5 Send and Wait for response

Once the details entered are correct press the send button to submit it and wait for confirmation message which will indicate if you clocked on or off.




Figure 13- Clocked ON (left) and Clocked OFF (right)

## 2.9.1.6 Enter Quantity Complete

If the 'Record Quantity Complete' app settings option is switched on and the user has just clocked off a pop up will be shown asking them to enter the number of units complete while they were clocked on.




Figure 14- Quantity Complete Dialogue Box

#### 2.9.2 Failure to clock off

If a user fails to clock off they will automatically be clocked off at midnight and recorded as clocking off at the same time as they clocked on so that the duration for the record will be shown as 00:00. In the event of an automatic clock off at midnight no time will be added to the Total Worked Time for the job and the Job Status at station for this record will be recorded as 'Unknown'.

## 2.9.3 Viewing currently clocked on users

To view users currently clocked on and which jobs they are working on, navigate to the 'Clocked On Users' page.

Users can be individually clocked off jobs by admin from this page by pressing the 'Clock Off' button for that user. The work status in the log will be recorded as "Unknown" when clocked off by admin in this way.




Figure 15: Current Users Page

# 2.10 Current jobs

#### 2.10.1 System overview

- On the system Overview page all jobs in the system can be viewed in table form.
- Jobs can be sorted, searched and filtered using start/end date, search text, completed and priority etc
- Under Display options use the top two check boxes to select which jobs to highlight.
   If 'Highlight jobs with close/overdue deadline' is checked, use the 'Close deadline day count' to highlight jobs with deadlines within the specified number of days.
- Subsequent check boxes select which columns to include in the table.
- Stoppages column shows the reason and location of the last two unresolved stoppages.
- To access a jobs record page and logs, click on the relevant row in the table.



• The display options selection can be retained using the last check box. This will cause the overview table column selection to be stored and used next time the overview page is loaded.

Figure 16: Overview Page



Figure 17: Jobs table with jobs close to overdue and priority



Figure 18: Jobs table ordered by due date and sub sorted by priority

#### 2.11 Job Record

From a job's record page, the details of the page can be viewed and edited, the list of stoppages can be viewed, a stoppage can be recorded and a log of time spent clocked onto the job can be viewed.

To access, click on the relevant entry in the table on the system overview page.




Figure 19: Job Record Page

# 2.11.1 Updating job details

To update details, amend the required information and press 'Save'

before navigating away from page.

#### 2.11.1.1 Changing job ID

If the job ID is changed the QR code will also change and will need to be reprinted.

#### 2.11.2 **Delete job**

Deleting a job will permanently delete all records of a job including work log and stoppages log.

## 2.11.3 Duplicating a record

Duplicating a record will save any changes to the current job and copy all user changeable values to a new job with an automatically generated ID (this can be changed). Values such as worked times, stoppages stage and status will not be moved across to the duplicate.

## 2.11.4 Marking a Job as Complete

To mark a job as complete the 'Mark Job Complete' button can be pressed on the job details page and reversed if necessary to mark the job as in progress again by pressing the same button. A job will also be marked as complete if the 'Stage complete button on the front of a scanner is pressed when clocking of the last stage in a route.

# 2.11.5 Stoppages Log

The stoppages log lists the location, reason, time and date of all recorded stoppages for the individual job.

To record stoppages select a station, reason and press 'Add Stoppage'.

Marking a stoppage as resolved can be used for internal purposes and will hide this stoppage from being displayed on the overview page.

## 2.11.6 **Work Log**




Figure 20: Work Log on Job Record Page

The work log displays a list of all the entries of users clocked on to the individual job including the location, date, durations, clock on time and clock off time.

The job status at a station, at time of clock off, is by default "Work in Progress" but can be marked as "Stage Complete" when clocking off at a scanner. If a user fails to clock off and so is clocked off when clocking on another job, at midnight or by admin the status of the job for this log will be recorded as 'unknown'.

The link directly above the table will download a csv file of the table currently displayed.

#### 2.11.6.1 Collapse Records

Collapsing a job's work log will shrink the table so entries for each individual station are reduced to a single row, the total duration and overtime spent at that station can be viewed with the last status recorded at the station.

## 2.11.7 Work Log Record




Figure 21: Work log event page for a closed and open record

To view and edit an individual work log record click on its (uncollapsed) row in the work log table on the job's record page.

When changing start or end times make sure the user was not clocked onto any other job at this time as the system will not prevent this. Changing the status of the log will not change the current status of the job, even if the log record being edited is the most recent.

#### 2.11.7.1 Manually Inserting a Break

Manually adding a break will split the recorded time into two separate logs, the first ending at the start of the break and the second starting at the end of the break.

#### Notes:

-Both Duration and Overtime are rounded down to closest minute.

# 2.12 Reviewing timesheets

To review the amount of time a user has spent clocked onto jobs:

- Navigate to the 'Time Sheets' page
- Select the user from the drop down menu
- Enter the date range to be viewed
- Press the 'Fetch Time Sheet' button.

Total timed worked and overtime worked will only be displayed if users are not allowed to clock onto multiple jobs.

#### 2.13 Station server connection

For Instructions on setting and changing the app server IP please see 'Work\_Tracking App\_Instructions.pdf' in the software folder 'Work\_Tracking\_Software', a copy of which should be included in Home folder on your server.

#### 2.14 Record Quantity Completed (configuration option at install)

The quantity of units completed can be recorded when clocking off and then reviewed in the jobs Time Log. Recording quantity is a configuration option that can be selected at install and in app settings; see installation and app instructions, a copy of which should be included in 'Work\_Tracking\_Software' folder on your server, for information on how to select configuration options.

## 2.14.1 Recording Quantity

When clocking off at a scanner, after presenting the two QR codes, if the user was successful in clocking off the screen will prompt them to enter a quantity. Using the keypad or keyboard the user should enter the quantity of units completed while clocked on followed by pressing enter. If the user does not want to enter a quantity then they can press enter without inputting a quantity value.

#### 2.14.1.1 Multi User Clock Off

If multiple user clocking has been selected as a configuration option the user will only be prompted to enter a quantity completed if a single user is scanned and they are clocking off.

Notes:

-If there is a significant delay between key presses the scanner will timeout at this point the user has already clocked off and so no more action needs to be taken.

## 2.14.2 Reviewing Quantity Records

The number of units completed can be reviewed in the Work Log on the jobs Record page. By default the work log will show all individual records, if the "Collapse Record" option is selected it will shrink the table so entries for each individual station are reduced to a single row with the total number quantity completed at that station. When records are collapsed the additional column titled outstanding will be displayed which show the number of units for the job minus the number completed giving the number of units still to be completed at that station (this will not be displayed if a date range is being used). The quantity completed while clocked on can be edited on the logs record page by clicking on the entry in the work log while not collapsed.

# 3 Trouble shooting

#### 3.1 Work time or duration negative

If a work time or duration is negative this indicates that users are not automatically being clocked off at midnight so, please see this troubleshooting section.

## 3.2 Users not being clocked off at midnight

- Confirm the start\_job\_tracking\_server.sh script is being run correctly on the server as a crontab job and set up as in installation instructions specifies
- On the Machine the server is running on open a browser window and load page localhost/pypmyadmin
- On left hand side bar expand work tracking
- Click on Events from the options available under work\_tracking in the side bar
- Ensure that 'Event scheduler status' on the page is set as ON
- Ensure that Event autoClockOff's status is ENABLED

#### 3.3 Scanner indicator LED Red

- If there is a significant delay between presenting the QR codes the scanner will time out and indicate an error. Wait for the error message to clear and the LED to return to the light blue colour, before attempting to clock on/off again.
- If the scanner loses connection with the server the indicator LED will turn red, wait momentarily and the connection should return automatically. If the problem persists check the network connection.

## 3.4 Scanner indicator LED Flashing Red

• A red flashing indicator LED on start-up indicates that the screen has a malfunction, notify admin as the screen's connections need to be checked and may have to be replaced.

## 3.5 Add Jobs with CSV "No Request" message

• Close and restart the browser

#### 3.6 QR code not present when linked clicked

- Notify admin.
- Check that 'Image' and 'qrcode' libraries are installed on the server.