

Part IA - Differential Equations

Definitions

Lectured by M. G. Worster

Michaelmas 2014

Basic calculus

Informal treatment of differentiation as a limit, the chain rule, Leibnitz's rule, Taylor series, informal treatment of O and o notation and l'Hôpital's rule; integration as an area, fundamental theorem of calculus, integration by substitution and parts. [3]

Informal treatment of partial derivatives, geometrical interpretation, statement (only) of symmetry of mixed partial derivatives, chain rule, implicit differentiation. Informal treatment of differentials, including exact differentials. Differentiation of an integral with respect to a parameter. [2]

First-order linear differential equations

Equations with constant coefficients: exponential growth, comparison with discrete equations, series solution; modelling examples including radioactive decay.

Equations with non-constant coefficients: solution by integrating factor. [2]

Nonlinear first-order equations

Separable equations. Exact equations. Sketching solution trajectories. Equilibrium solutions, stability by perturbation; examples, including logistic equation and chemical kinetics. Discrete equations: equilibrium solutions, stability; examples including the logistic map. [4]

Higher-order linear differential equations

Complementary function and particular integral, linear independence, Wronskian (for second-order equations), Abel's theorem. Equations with constant coefficients and examples including radioactive sequences, comparison in simple cases with difference equations, reduction of order, resonance, transients, damping. Homogeneous equations. Response to step and impulse function inputs; introduction to the notions of the Heaviside step-function and the Dirac delta-function. Series solutions including statement only of the need for the logarithmic solution. [8]

Multivariate functions: applications

Directional derivatives and the gradient vector. Statement of Taylor series for functions on \mathbb{R}^n . Local extrema of real functions, classification using the Hessian matrix. Coupled first order systems: equivalence to single higher order equations; solution by matrix methods. Non-degenerate phase portraits local to equilibrium points; stability.

Simple examples of first- and second-order partial differential equations, solution of the wave equation in the form $f(x + ct) + g(x - ct)$. [5]

Contents

1	Differentiation	4
1.1	Differentiation	4
1.2	Small o and big O notations	4
1.3	Methods of differentiation	4
1.4	Taylor's theorem	4
1.5	L'Hopital's rule	4
2	Integration	5
2.1	Integration	5
2.2	Methods of integration	5
3	Partial differentiation	6
3.1	Partial differentiation	6
3.2	Chain rule	6
3.3	Implicit differentiation	6
3.4	Differentiation of an integral w.r.t. parameter in the integrand	6
4	First-order differential equations	7
4.1	The exponential function	7
4.2	Homogeneous linear ordinary differential equations	7
4.2.1	Discrete equations	7
4.2.2	Series solution	7
4.3	Forced (inhomogeneous) equations	7
4.3.1	Constant forcing	7
4.3.2	Eigenfunction forcing	7
4.4	Non-constant coefficients	7
4.5	Non-linear equations	7
4.5.1	Separable equations	7
4.5.2	Exact equations	8
4.6	Solution curves (trajectories)	8
4.7	Fixed (equilibrium) points and stability	8
4.7.1	Perturbation analysis	8
4.7.2	Autonomous systems	8
4.7.3	Logistic Equation	8
4.8	Discrete equations (Difference equations)	8
5	Second-order differential equations	9
5.1	Constant coefficients	9
5.1.1	Complementary functions	9
5.1.2	Second complementary function	9
5.1.3	Phase space	9
5.2	Particular integrals	9
5.2.1	Guessing	9
5.2.2	Resonance	9
5.2.3	Variation of parameters	9
5.3	Linear equidimensional equations	9
5.3.1	Solving by eigenfunctions	10
5.3.2	Solving by substitution	10

5.3.3	Degenerate solutions	10
5.4	Difference equations	10
5.4.1	Complementary functions	10
5.4.2	Particular integrals	10
5.5	Transcients and damping	10
5.5.1	Free (natural) response $f = 0$	10
5.5.2	Underdamping	10
5.5.3	Critically damping	10
5.5.4	Overdamping	10
5.5.5	Forcing	10
5.6	Impulses and point forces	10
5.6.1	Dirac delta function	10
5.7	Heaviside step function	10
6	Series solutions	12
6.1	Ordinary points	12
6.2	Regular singular points	12
6.3	Behaviour near $x = x_0$	12
7	Directional derivative	13
7.1	Stationary points	13
7.2	Taylor series for multi-variable functions	13
7.3	Classification of stationary points	13
7.3.1	Determination of definiteness	13
7.3.2	Contours of $f(x, y)$	13
8	Systems of linear differential equations	14
8.1	Nonlinear dynamical systems	14
8.1.1	Equilibrium (fixed) points	14
8.1.2	Stability	14
9	Partial differential equations (PDEs)	15
9.1	First-order wave equation	15
9.2	Second-order wave equation	15
9.3	The diffusion equation	15

1 Differentiation

1.1 Differentiation

Definition (Derivative of function). The *derivative* of a function $f(x)$ with respect to x , interpreted as the rate of change of $f(x)$ with x , is

$$\frac{df}{dx} = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}.$$

A function $f(x)$ is differentiable at x if the limit exists (i.e. the left-hand and right-hand limits are equal).

1.2 Small o and big O notations

Definition (O and o notations).

(i) $f(x) = o(g(x))$ as $x \rightarrow x_0$ if $\lim_{x \rightarrow x_0} \frac{f(x)}{g(x)} = 0$. Intuitively, $f(x)$ is much smaller than $g(x)$.

(ii) $f(x) = O(g(x))$ as $x \rightarrow x_0$ if $\frac{f(x)}{g(x)}$ is bounded as $x \rightarrow x_0$. Intuitively, $f(x)$ is about as big as $g(x)$.

Note: $\lim_{x \rightarrow x_0} \frac{f(x)}{g(x)}$ need not exist for $f(x) = O(g(x))$.

1.3 Methods of differentiation

1.4 Taylor's theorem

1.5 L'Hopital's rule


2 Integration

2.1 Integration

Definition (Integral). An *integral* is the limit of a sum, e.g.

$$\int_a^b f(x) \, dx = \lim_{\Delta x \rightarrow 0} \sum_{n=0}^N f(x_n) \Delta x.$$

For example, we can take $\Delta x = \frac{b-a}{N}$ and $x_n = a + n\Delta x$. Note that an integral need not be defined with this particular Δx and x_n . The term “integral” simply refers to any limit of a sum. (The usual integrals we use are a special kind known as Riemann integral, c.f. Analysis I) Pictorially, we have



2.2 Methods of integration

3 Partial differentiation

3.1 Partial differentiation

Definition (Partial derivative). Given a function of several variables $f(x, y)$, the *partial derivative* of f with respect to x is the rate of change of f as x varies, keeping y constant. It is given by

$$\left. \frac{\partial f}{\partial x} \right|_y = \lim_{\delta x \rightarrow 0} \frac{f(x + \delta x, y) - f(x, y)}{\delta x}$$

3.2 Chain rule

3.3 Implicit differentiation

3.4 Differentiation of an integral w.r.t. parameter in the integrand

4 First-order differential equations

4.1 The exponential function

Definition (Exponential function). $\exp(x) = e^x$ is the unique function f satisfying $f'(x) = f(x)$ and $f(0) = 1$.

4.2 Homogeneous linear ordinary differential equations

Definition (Eigenfunction). An *eigenfunction* under the differential operator is a function whose functional form is unchanged by the operator. Only its magnitude is changed. i.e.

$$\frac{df}{dx} = \lambda f$$

Definition (Linear differential equation). A differential equation is *linear* if the dependent variable (y, y', y'' etc.) appears only linearly.

Definition (Homogeneous differential equation). A differential equation is *homogeneous* if $y = 0$ is a solution.

Definition (Differential equation with constant coefficients). A differential equation has *constant coefficients* if the independent variable x does not appear explicitly.

Definition (First-order differential equation). A differential equation is *first-order* if only first derivatives are involved.

4.2.1 Discrete equations

4.2.2 Series solution

4.3 Forced (inhomogeneous) equations

4.3.1 Constant forcing

4.3.2 Eigenfunction forcing

4.4 Non-constant coefficients

4.5 Non-linear equations

4.5.1 Separable equations

Definition (Separable equation). A first-order differential equation is *separable* if it can be manipulated into the following form:

$$q(y) dy = p(x) dx.$$

in which case the solution can be found by integration

$$\int q(y) dy = \int p(x) dx.$$

4.5.2 Exact equations

Definition (Exact equation). $Q(x, y) \frac{dy}{dx} + P(x, y) = 0$ is an *exact equation* iff the differential form $Q(x, y) dy + P(x, y) dx$ is *exact*, i.e. there exists a function $f(x, y)$ for which

$$df = Q(x, y) dy + P(x, y) dx$$

Definition (Simply-connected domain). A domain \mathcal{D} is simply-connected if it is connected and any closed curve in \mathcal{D} can be shrunk to a point in \mathcal{D} without leaving \mathcal{D} .

4.6 Solution curves (trajectories)

4.7 Fixed (equilibrium) points and stability

Definition (Equilibrium/fixed point). An *equilibrium point* or a *fixed point* of a differential equation is a solution with $\frac{dy}{dt} = 0$ for all t . This happens when $y = c$ for some constant c .

Definition (Stability of fixed point). An equilibrium is *stable* if when y is deviated slightly from the constant solution $y = c$, $y \rightarrow c$ as $t \rightarrow \infty$. An equilibrium is *unstable* if the deviation grows as $t \rightarrow \infty$.

4.7.1 Perturbation analysis

4.7.2 Autonomous systems

Definition (Autonomous system). An *autonomous system* is a system in the form $\dot{y} = f(y)$, where the derivative is only (explicitly) dependent on y .

4.7.3 Logistic Equation

4.8 Discrete equations (Difference equations)

5 Second-order differential equations

5.1 Constant coefficients

5.1.1 Complementary functions

Definition (Characteristic equation). The *characteristic equation* of a (second-order) differential equation $ay'' + by' + c = 0$ is

$$a\lambda^2 + b\lambda + c = 0.$$

5.1.2 Second complementary function

5.1.3 Phase space

Definition (Wronskian). Given a differential equations with solutions y_1, y_2 , the *Wronskian* is the determinant

$$W(x) = \begin{vmatrix} y_1 & y_2 \\ y_1' & y_2' \end{vmatrix}.$$

Definition (Independent solutions). Two solutions $y_1(x)$ and $y_2(x)$ are *independent* solutions of the differential equation if and only if \mathbf{Y}_1 and \mathbf{Y}_2 are linearly independent as vectors in the phase space, i.e. iff the Wronskian is non-zero.

5.2 Particular integrals

5.2.1 Guessing

5.2.2 Resonance

5.2.3 Variation of parameters

5.3 Linear equidimensional equations

Definition (Equidimensional equation). An equation is *equidimensional* if it has the form

$$ax^2y'' + bxy' + cy = f(x),$$

where a, b, c are constants. It is “equidimensional” since if a, b, c are dimensionless numbers and x, y have dimensions of, say pressure and length, then the three terms on the left have the same dimension.

5.3.1 Solving by eigenfunctions

5.3.2 Solving by substitution

5.3.3 Degenerate solutions

5.4 Difference equations

5.4.1 Complementary functions

5.4.2 Particular integrals

5.5 Transients and damping

5.5.1 Free (natural) response $f = 0$

5.5.2 Underdamping

5.5.3 Critically damping

5.5.4 Overdamping

5.5.5 Forcing

5.6 Impulses and point forces

5.6.1 Dirac delta function

Definition (Dirac delta function). The *Dirac Delta function* is defined by

$$\delta(x) = \lim_{\epsilon \rightarrow 0} D(x; \epsilon)$$

on the understanding that we can only use its integral properties. For example, when we write

$$\int_{-\infty}^{\infty} g(x) \delta(x) \, dx,$$

we actually mean

$$\lim_{\epsilon \rightarrow 0} \int_{-\infty}^{\infty} g(x) D(x; \epsilon) \, dx.$$

In fact, this is equal to $g(0)$.

More generally, $\int_a^b g(x) \delta(x - c) \, dx = g(c)$ if $c \in (a, b)$ and 0 otherwise, provided g is continuous at $x = c$.


5.7 Heaviside step function

Definition (Heaviside step function). Define the Heaviside step function as:

$$H(x) = \int_{-\infty}^x \delta(t) \, dt$$

We have

$$H(x) = \begin{cases} 0 & x < 0 \\ 1 & x > 0 \\ \text{undefined} & x = 0 \end{cases}$$



By the fundamental theorem of calculus,

$$\frac{dH}{dx} = \delta(x)$$

But remember that these functions and relationships can only be used inside integrals.

6 Series solutions

Definition (Ordinary and singular points). The point $x = x_0$ is an *ordinary point* of the differential equation if $\frac{q}{p}$ and $\frac{r}{p}$ have Taylor series about x_0 (i.e. “analytic”, c.f. Complex Analysis). Otherwise, x_0 is a *singular point*.

If x_0 is a singular point but the equation can be written

$$P(x)(x - x_0)^2 y'' + Q(x)(x - x_0)y' + R(x)y = 0,$$

and $\frac{Q}{P}$ and $\frac{R}{P}$ have Taylor series about x_0 , then x_0 is a *regular singular point*

6.1 Ordinary points

6.2 Regular singular points

6.3 Behaviour near $x = x_0$

7 Directional derivative

Definition (Directional derivative). The *directional derivative* of f in the direction of $\hat{\mathbf{s}}$ is

$$\frac{df}{ds} = \hat{\mathbf{s}} \cdot \nabla f.$$

Definition (Gradient vector). The *gradient vector* ∇f is defined by

$$\frac{df}{ds} = \hat{\mathbf{s}} \cdot \nabla f$$

7.1 Stationary points

7.2 Taylor series for multi-variable functions

Definition (Hessian matrix). The *Hessian matrix* is the matrix

$$\nabla \nabla f = \begin{pmatrix} f_{xx} & f_{xy} \\ f_{yx} & f_{yy} \end{pmatrix}$$

7.3 Classification of stationary points

7.3.1 Determination of definiteness

Definition (Signature of Hessian matrix). The *signature* of H is the pattern of the signs of the subdeterminants:

$$\underbrace{f_{xx}}_{|H_1|}, \underbrace{\begin{vmatrix} f_{xx} & f_{xy} \\ f_{yx} & f_{yy} \end{vmatrix}}_{|H_2|}, \dots, \underbrace{\begin{vmatrix} f_{xx} & f_{xy} & \cdots & f_{xz} \\ f_{yx} & f_{yy} & \cdots & f_{yz} \\ \vdots & \vdots & \ddots & \vdots \\ f_{zx} & f_{zy} & \cdots & f_{zz} \end{vmatrix}}_{|H_n|=|H|}$$

7.3.2 Contours of $f(x, y)$

8 Systems of linear differential equations

8.1 Nonlinear dynamical systems

8.1.1 Equilibrium (fixed) points

Definition (Equilibrium point). An *equilibrium* point is a point in which $\dot{x} = \dot{y} = 0$ at $\mathbf{x}_0 = (x_0, y_0)$.

8.1.2 Stability

9 Partial differential equations (PDEs)

9.1 First-order wave equation

9.2 Second-order wave equation

9.3 The diffusion equation