CSE-4002 LAB-6 Assignment

Academic year: 2020-2021 Semester: WIN

Faculty Name: Dr. Prabha Selvaraj Mam Date: 10 /03//2021

Student name: Katta Sekhar Reddy Reg. no.: 19BCE7353

Floating Button App

1.Design a Floating action button demo. Initially only the pink button should display when the the pink button is click the rest of the three buttons should be displayed. When each button is clicked then a toast message should be displayed. When the pink button is pressed again the three buttons should hide.

CODE:

```
activity_main.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</pre>
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout width="match parent"
   android:layout height="match parent"
   tools:context=".MainActivity">
   <com.google.android.material.floatingactionbutton.FloatingActionButton</pre>
       android:id="@+id/fab1"
       android:layout width="62dp"
       android:layout height="100dp"
       android:layout marginEnd="36dp"
       android:layout marginBottom="120dp"
       android:clickable="true"
       app:layout constraintBottom toBottomOf="parent"
       app:layout_constraintEnd_toEndOf="parent"
       app:srcCompat="@android:drawable/ic input add"
```

```
tools:ignore="SpeakableTextPresentCheck" />
<com.google.android.material.floatingactionbutton.FloatingActionButton</pre>
    android:id="@+id/fab2"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout marginEnd="64dp"
    android:layout marginBottom="48dp"
    android:clickable="true"
    app:backgroundTint="#FAF757"
    app:fabSize="mini"
    app:layout constraintBottom toTopOf="@+id/fab1"
    app:layout constraintEnd toEndOf="parent"
    app:srcCompat="@android:drawable/ic delete"
    tools:ignore="MissingConstraints,SpeakableTextPresentCheck" />
<com.google.android.material.floatingactionbutton.FloatingActionButton</pre>
    android:id="@+id/fab3"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout marginStart="208dp"
    android:layout marginBottom="84dp"
    android:clickable="true"
    app:backgroundTint="#51E151"
    app:fabSize="mini"
    app:layout constraintBottom toBottomOf="parent"
    app:layout constraintEnd toStartOf="@+id/fab1"
    app:layout constraintHorizontal bias="0.377"
    app:layout constraintStart toStartOf="parent"
    app:srcCompat="@android:drawable/ic btn speak now"
    tools:ignore="SpeakableTextPresentCheck" />
<com.google.android.material.floatingactionbutton.FloatingActionButton</pre>
    android:id="@+id/fab4"
    android:layout width="wrap content"
    android:layout height="wrap content"
    android:layout marginStart="220dp"
    android:layout marginBottom="36dp"
    android:clickable="true"
    android:minWidth="32dp"
    android:minHeight="32dp"
    app:backgroundTint="#FF6F00"
    app:fabSize="mini"
    app:layout constraintBottom toTopOf="@+id/fab3"
    app:layout constraintStart toStartOf="parent"
    app:srcCompat="@android:drawable/ic lock lock"
    tools:ignore="SpeakableTextPresentCheck" />
```

```
android:id="@+id/textView"
       android:layout width="wrap content"
       android:layout height="wrap content"
       android:layout marginTop="84dp"
       android:background="#9780B3"
       android:text="Floating Button"
       android: textSize="24sp"
       android:textStyle="bold"
       app:layout constraintEnd toEndOf="parent"
       app:layout constraintHorizontal bias="0.474"
       app:layout constraintStart toStartOf="parent"
       app:layout constraintTop toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
______
package com.example.floatingbutton;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle; import android.view.View;
import android.view.animation.Animation; import
android.view.animation.AnimationUtils; import android.widget.Toast;
import com.google.android.material.floatingactionbutton.FloatingActionButton;
public class MainActivity extends AppCompatActivity {
   @Override
   protected void onCreate(Bundle savedInstanceState) {
super.onCreate(savedInstanceState); setContentView(R.layout.activity main);
       final boolean[] flag = {false};
       FloatingActionButton fab1 = (FloatingActionButton) findViewById(R.id.fab1);
       final FloatingActionButton fab2 = (FloatingActionButton)
findViewById(R.id.fab2);
       final FloatingActionButton fab3 = (FloatingActionButton)
findViewById(R.id.fab3);
       final FloatingActionButton fab4 = (FloatingActionButton)
findViewById(R.id.fab4);
       final Animation in =
AnimationUtils.loadAnimation(getApplicationContext(),R.anim.show);
```

```
final Animation out =
AnimationUtils.loadAnimation(getApplicationContext(), R.anim.hide);
       fab1.setOnClickListener(new View.OnClickListener() {
           @Override
           public void onClick(View v) { if (flag[0]) {
               Toast.makeText(getApplicationContext(), "fba1",
Toast.LENGTH SHORT).show();
               fab2.startAnimation(in); fab3.startAnimation(in);
fab4.startAnimation(in);
           }
           else
               fab2.startAnimation(out); fab3.startAnimation(out);
fab4.startAnimation(out);
           }
               flag[0] =!flag[0];
           }
       });
       fab2.setOnClickListener(new View.OnClickListener() { @Override
       public void onClick(View v) {
           Toast.makeText(getApplicationContext(), "fba2",
Toast.LENGTH SHORT).show();
       }
       });
       fab3.setOnClickListener(new View.OnClickListener() { @Override
       public void onClick(View v) {
           Toast.makeText(getApplicationContext(), "fba3",
Toast.LENGTH SHORT) .show();
       }
       });
       fab4.setOnClickListener(new View.OnClickListener() { @Override
       public void onClick(View v) {
           Toast.makeText(getApplicationContext(), "fba4",
Toast.LENGTH SHORT) .show();
       }
       });
  }
}
```

hide.xml


```
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android"</pre>
android:fillAfter="true">
   <translate</pre>
       android:duration="1000"
       android:fromXDelta="0%"
       android:fromYDelta="0%"
       android:interpolator="@android:anim/linear_interpolator"
       android:toXDelta="100%"
       android:toYDelta="100%"></translate>
   <alpha
       android:duration="2000"
       android:fromAlpha="1.0"
       android:interpolator="@android:anim/accelerate interpolator"
       android:toAlpha="0.0"></alpha>
</set>
Show.xml
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android"</pre>
android:fillAfter="true">
   <rotate
       android:duration="500"
       android: fromDegrees="30"
       android:interpolator="@android:anim/linear interpolator"
       android:pivotX="50%"
       android:pivotY="50%"
       android:repeatCount="4"
       android:repeatMode="reverse"
       android:toDegrees="0"></rotate>
   <translate</pre>
       android:duration="1000"
       android:fromXDelta="170%"
       android:fromYDelta="25%"
       android:interpolator="@android:anim/linear interpolator"
       android:toXDelta="0%"
       android:toYDelta="0%"></translate>
```

<alpha

```
android:duration="2000"
android:fromAlpha="0.0"
android:interpolator="@android:anim/decelerate_interpolator"
android:toAlpha="1.0"></alpha>
```

</set>

OUTPUT:



2. Design an App to scale one image big and one image small and vice versa.

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
android:layout height="match parent" tools:context=".MainActivity">
```

```
<ImageView</pre>
       android:id="@+id/imageView"
       android:layout width="wrap content"
       android:layout height="wrap content"
       app:layout constraintBottom toTopOf="@+id/imageView1"
       app:layout constraintEnd toEndOf="parent"
       app:layout constraintStart toStartOf="parent"
       app:layout constraintTop toTopOf="parent"
       app:srcCompat="@android:drawable/ic menu gallery"
       tools:ignore="ContentDescription" />
   <ImageView</pre>
       android:id="@+id/imageView1"
       android:layout width="wrap content"
       android:layout height="wrap content"
       app:layout constraintBottom toBottomOf="parent"
       app:layout constraintEnd toEndOf="parent"
       app:layout constraintStart toStartOf="parent"
       app:layout constraintTop toTopOf="parent"
       app:layout constraintVertical bias="0.823"
app:srcCompat="?android:attr/galleryItemBackground"
       android:contentDescription="TODO"
       tools:ignore="ContentDescription, HardcodedText" />
</androidx.constraintlayout.widget.ConstraintLayout>
Zoom in.xml
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:tools="http://schemas.android.com/tools"</pre>
   xmlns:android="http://schemas.android.com/apk/res/android">
   <scale
       xmlns:android="http://schemas.android.com/apk/res/android"
android:duration="1000"
       android:fromXScale="0"
       android:fromYScale="0"
       android:pivotX="50%"
       android:pivotY="50%"
       android:toXScale="1"
       android:toYScale="1"
       tools:ignore="RedundantNamespace">
   </scale>
</set>
Zoom_out.xml
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android">
   <scale
       android:duration="1000"
```

```
android: fromXScale="1"
       android:fromYScale="1"
       android:pivotX="50%"
       android:pivotY="50%"
       android:toXScale="0"
       android:toYScale="0" />
</set>
MainActivity.java
package com.example.animation;
import androidx.appcompat.app.AppCompatActivity; import android.os.Bundle;
import android.view.animation.Animation; import
android.view.animation.AnimationUtils; import android.widget.ImageView;
public class MainActivity extends AppCompatActivity { @Override
protected void onCreate(Bundle savedInstanceState) {
super.onCreate(savedInstanceState); setContentView(R.layout.activity main);
   final ImageView iv1=(ImageView)findViewById(R.id.imageView); final ImageView
iv2=(ImageView) findViewById(R.id.imageView1);
   final Animation animZoomIn =
AnimationUtils.loadAnimation(getApplicationContext(), R.anim.zoom_in);
   final Animation animZoomIn2 =
AnimationUtils.loadAnimation(getApplicationContext(),R.anim.zoom_in);
   final Animation animZoomOut =
AnimationUtils.loadAnimation(getApplicationContext(), R.anim.zoom out);
   final Animation animZoomOut2 =
AnimationUtils.loadAnimation(getApplicationContext(),R.anim.zoom_out);
   iv1.startAnimation(animZoomIn); iv2.startAnimation(animZoomOut2);
   animZoomIn.setAnimationListener(new Animation.AnimationListener() { @Override
   public void onAnimationStart(Animation animation) {
                                                          } @Override
  public void onAnimationEnd(Animation animation) {
iv1.startAnimation(animZoomOut);
       @Override
       public void onAnimationRepeat(Animation animation) { } });
   animZoomOut.setAnimationListener(new Animation.AnimationListener()
   {
       @Override
       public void onAnimationStart(Animation animation) {
                                                              } @Override
   public void onAnimationEnd(Animation animation) { iv1.startAnimation(animZoomIn);
   }
       @Override
       public void onAnimationRepeat(Animation animation) { } });
```

```
animZoomIn2.setAnimationListener(new Animation.AnimationListener() { @Override
  public void onAnimationStart(Animation animation) {
                                                          } @Override
  public void onAnimationEnd(Animation animation) {
iv2.startAnimation(animZoomOut2);
   }
       @Override
      public void onAnimationRepeat(Animation animation) { } });
   animZoomOut2.setAnimationListener(new Animation.AnimationListener() {
       @Override
      public void onAnimationStart(Animation animation) {
                                                              } @Override
      public void onAnimationEnd(Animation animation) {
iv2.startAnimation(animZoomIn2);
       }
       @Override
      public void onAnimationRepeat(Animation animation) {
       }
  });
}
```

OUTPUT:

