Git

Tags

Action	Command
Create a tag (annotated)	git tag -a -m 'MESSAGE' TAGNAME [COMMIT]
List tags (and NUM lines of annotation)	git tag -l -nNUM
Delete tag	git tag -d TAGNAME

References

• Tag naming conventions (Stack Overflow)

Completely remove a Git submodule

Source: http://davidwalsh.name/git-remove-submodule

- Delete section from .gitmodules: 3 lines, starting with [submodule "MODULE"]
- 2. Stage .gitmodules: git add .gitmodules
- Delete section from .git/config: 2 lines, starting with [submodule "MODULE"]
- 4. git rm —cached path/to/submodule
- 5. rm -rf .git/modules/MODULE
- 6. git commit -m 'Removed module MODULE'
- 7. rm -rf path/to/submodule (removes now untracked submodule files)

Extract a subproject with Git Subtree

You have a project app where one of the modules, widget, would better be kept in a separate Git repository. We'll assume widget now resides in a directory immediately under the project root ~/projects/app/widget/. The app project is on Github, at git@github.com:user/app.git.

The goal is to have widget as a separate project ~/projects/widget/, with its own Github repository git@github.com:user/widget.git. We'll assume this repository has been created and is still empty.

- 1. Go to project root:
 - \$ cd ~/projects/app/
- 2. Create a branch that contains only commits for files in widget:
 - \$ git subtree split --prefix=widget/ --branch=subtree/widget

3. Push this new branch to its own repository:

```
$ git push git@github.com:user/widget.git subtree/widget:master
```

4. Create widget project directory:

```
$ mkdir ~/projects/widget/; cd ~/projects/widget/
```

5. Pull the widget project from Github into its own directory:

```
$ git clone git@github.com:user/widget.git
```

6. Maybe do some more development, and release the first version:

```
$ git tag -a -m 'First stable release' v1.0.0
$ git push --tags
```

At this time, you have two separate repositories. However, app/widget/ is still part of the original repository. However, now it should be maintained in its own repository, and changes should be pulled into app from widget:

1. Remove the widget directory from the app project:

```
$ cd ~/projects/app/
$ git rm -rf widget/
$ rm -rf widget/ # delete ignored files that were left behind
```

2. Fetch the widget release from Github (-squash "summarizes" all changes as single commit):

```
$ git subtree add --prefix=widget/ --squash github.com:user/widget.git tags/v1.0.0
```

References

- http://ariya.ofilabs.com/2014/07/extracting-parts-of-git-repository-and-keeping-the-history.html
- https://git.kernel.org/cgit/git/git.git/tree/contrib/subtree/git-subtree.txt