

Mock exam

Inventory Management

Thomas Kirschstein

Task 1: MRP



The company “DeEffimero” is a producer of coffee machines and faces a cyber attack (presumably from a competitor). The attack causes severe damage in the MRP system. Therefore, all planning processes have to be done by hand. Luckily, the customer demands and inventory levels for the next week have been printed out. Therefore, it is known that for the two main products “Magnifico” (Mag) and “Professione” (Pro) total orders of 31 and 22 are given. Inventory records for the raw materials (R1,...,R4) and components (C1,...,C3) are as follows:

material id	R1	R2	R3	R4	C1	C2	C3
inventory level	125	163	225	183	47	95	41

Information about the assembly processes are scattered. The only surviving piece of information is the following deranged matrix of direct production coefficients:

##	R1	Mag	Pro	C1	C3	R4	C2	R3	R2
## C1	0	1	3	0	0	0	0	0	0
## R1	0	3	0	5	3	0	4	0	0
## R4	0	0	3	2	5	0	3	0	0
## Pro	0	0	0	0	0	0	0	0	0
## R3	0	1	3	0	2	0	6	0	0
## C3	0	0	0	1	0	0	0	0	0
## R2	0	1	0	3	1	0	2	0	0
## Mag	0	0	0	0	0	0	0	0	0
## C2	0	1	0	2	2	0	0	0	0


1. Help the management and draw a tree graph of the production process. Determine the production stages of each material. (10 points)



The production stages are


material id	R1	R2	R3	R4	C1	C2	C3
prod. stage	4	4	4	4	1	3	2

2. Deduce the Gozinto graph of the production process and calculate the net demand of all materials. (15 points)




Task 2: Forecasting

Procurement processes at “DeEffimero” are typically highly automatized. Particularly, the forecasts of C-material demands are usually automatically submitted to the corresponding raw material suppliers. However, due to the system break down the procurement manager has to calculate the forecasts by hand. For raw material R3 the following weekly demands have been found in the remnants of the MRP system:



1. In first trial, the procurement manager intends to forecasts the demand of week 13 with simple moving average with $n = 4$ week. Calculate the forecast of week 13 and forecast errors for the previous weeks. Add the forecasts to the diagram and calculate the root mean squared error (RMSE) for this forecasting method. (10 points)



period	y	\hat{y}_t^{MA}	error ϵ	sq. error ϵ^2
1	62			
2	78			
3	81			
4	65			
5	63	71.5	8.5	72.2
6	91	71.8	-19.2	368.6
7	82	75.0	-7.0	49.0
8	68	75.2	7.2	51.8
9	80	76.0	-4.0	16.0
10	92	80.2	-11.8	139.2
11	96	80.5	-15.5	240.2
12	58	84.0	26.0	676.0
13		81.5		
RMSE				14.2

2. The procurement manager perceives the RMSE of the simple moving average forecasts as too high. She tries to improve the forecasts by applying 2nd order exponential smoothing with $\alpha = 0.5$ and $\beta = 0.5$ as well as $a_0 = 60$ and $b_0 = 1$. Calculate the forecast for week 13 and the RMSE for this method. (10 points)

period	y	\hat{y}_t^{2ndES}	error ϵ	sq. error ϵ^2
1	62	61.0	-1.0	1.0
2	78	62.8	-15.2	231.0
3	81	75.4	-5.6	31.4
4	65	84.7	19.7	388.1
5	63	76.4	13.4	179.6
6	91	67.9	-23.1	533.6
7	82	83.4	1.4	2.0
8	68	86.3	18.3	334.9
9	80	76.2	-3.8	14.4
10	92	78.1	-13.9	193.2
11	96	88.5	-7.5	56.2
12	58	97.6	39.6	1568.2
13		73.2		
RMSE				17.2

3. Do you think the procedure outlined in 2. is best suited for forecasting the time series? What could be done to find better forecasts? (5 points)

Probably, the forecasting accuracy can be improved by a) tuning the parameters of forecasting methods (α , β , initial values, ...) and b) a more sophisticated forecasting model. As the time series seems to show a cyclic pattern possibly 3rd order exponential smoothing or an seasonal ARIMA model would deliver better forecasting results.

Hint: Round to 1 digit in all calculations of task 2.

Task 3: (s, q) optimization

For raw material “R1” an (s, q) policy is pursued. The sole supplier charges 250 Euro for each order placed. The raw material has a unit price of 1.50 Euro and the “DeEffimero” calculates with a holding cost rate of 1% per Euro and week. The procurement manager remembers that the supplier is quite reliable and delivers orders within 2 weeks once an order is placed. Additionally, she expects the weekly demand to be independent and normally distributed with $\mu = 50$ and $\sigma = 25$.

1. What is the risk period in this case? How is the demand in the risk period distributed? (5 points)

The risk periods equals the order lead time and is 2 weeks. The risk period demand (i.e., the demand during two weeks) is independently normally distributed with $Y^{RP} \sim N(2 \cdot 50, 2 \cdot 25^2)$.

2. Calculate the optimal values of s and q when the procurement manager intends to achieve a β service level of 98%. (15 points)

Set $c^{sh} = 0.01 \cdot 1.5 = 0.015$ and $c^{or} = 250$

```
##      iter      q      ef      s      lambda
##  1.00000 1290.99445 25.81989 80.67983 27.36611
##      iter      q      ef      s      lambda
##  2.00000 1326.98103 26.53962 79.66969 27.74703
##      iter      q      ef      s      lambda
##  3.00000 1328.47761 26.56955 79.62798 27.76289
```

```
##      iter      q      ef      s      lambda
##  4.00000 1328.54043 26.57081 79.62623 27.76355
##      iter      q      ef      s      lambda
##  5.00000 1328.54307 26.57086 79.62615 27.76358
##      iter      q      ef      s      lambda
##  6.00000 1328.54318 26.57086 79.62615 27.76358
```

```
## [1] 79.62615 1328.54318
```

-> Using the tabulated values you would step at iteration 3

3. How do you assess the appropriateness of the outlined procedure? What aspects could be reconsidered to improve the results? (5 points)

Under the given information, the procedure seems to be appropriate. However, if the β service level should be that very high, it is probably worthwhile to analyze the lead time more closely such that variations in the lead time can be included in the safety stock calculation.

Task 4: Joint Economic Lot Sizing

The components C1 to C6 are all produced on the same machine. The production manager thinks about switching to a make-to-stock production for these components due to the IT system break-down. The production-specific information are summarized as follows:

component	C1	C2	C3	C4	C5	C6
holding cost rate c_i^{sh}	0.01	0.05	0.1	0.25	0.02	0.08
setup cost c_i^{or}	120	250	85	375	200	110
demand rate y_i	70	25	55	30	95	100
production rate p_i	400	300	380	350	650	500
setup time s_i	0.2	0.5	0.3	0.1	0.2	0.1

1. Calculate the independent solution and the associated total cost. Is this solution feasible? (10 points)

The independent solution is calculated as $T_i = \sqrt{\frac{2 \cdot c_i^{or}}{c_i^{sh} \cdot y_i \cdot (1 - \rho_i)}}$

cycle time T_i	20.4	20.9	6.0	10.5	15.7	5.9
batch time b_i	3.8	2.2	1.2	1.0	2.5	1.3
cost C_i	11.8	23.9	28.3	71.7	25.5	37.5

The total cost is 198.7. There is (probably) no feasible sequence as the idle time between 2 batches of products 3 and 6 is just $5.9 - 1.2 - 1.3 = 3.4$ which is larger than the batch time of product 1 (3.8) which has to be scheduled somewhere between two batches of products 3 and 6.

2. Find a feasible solution with power-of-2 heuristic. What are the total cost of this solution? (15 points)

- 1st iteration

	1	2	3	4	5	6
multiplier m_i	3.5	3.6	1.0	1.8	2.7	1.0
rounded multiplier $[m_i]$	4.0	4.0	1.0	2.0	2.0	1.0
batch times m_i	4.2	2.4	1.1	1.1	1.9	1.2

As $B = 5.7$ no feasible sequence can be found.

Thus, we reduce the multiplier for the product with the largest batch time $\Rightarrow m_1 = 2$

- *2nd iteration*

	1	2	3	4	5	6
rounded multiplier $[m_i]$	2.0	4.0	1.0	2.0	2.0	1.0
batch times m_i	2.3	2.5	1.2	1.1	1.9	1.3

As $B = 6$ and due to the large batch time of product 2 no feasible solution can be found

Thus, we reduce the multiplier of product 2 $\Rightarrow m_2 = 2$

- *3rd iteration*

	1	2	3	4	5	6
rounded multiplier $[m_i]$	2.0	2.0	1.0	2.0	2.0	1.0
batch times m_i	2.5	1.6	1.2	1.2	2.1	1.4
Cost C_i	13.0	26.7	28.4	73.4	25.9	37.7

As $B = 6.5$ a feasible sequence can be found:

	$m = 1$			$m = 2$		
	i	$\sum b_i$	rest	i	$\sum b_i$	rest
1	3+6	2.6	3.9	2+5	3.7	0.2
2	3+6	2.6	3.9	1+4	3.7	0.2

The total cost is 205.1