



Chapter 1

Constraints and Deadlines



Constraints

What are Constraints?

Constraints are defined as conditions upon which a project must be managed against which can negatively affect budget, quality, schedule and scope.

Some typical constraints might include a lack of:

- Money
- Skilled resources
- Requirements for the project
- Equipment
- Management support
- Time

Even though the above constraints are important to the success of a project, Project 2010 cannot account for these constraints. However, the constraints Project 2010 can help you with are dates.

Tasks may require a target date or start at a specific date, end at a specific date, or require scheduling at the beginning or ending of a timeframe.

Date constraints can be used to refine the project schedule when greater control is needed for specific tasks start or finish dates. Using date constraints, however, will also remove flexibility from the schedule. It is for this reason that the use of constraints be kept to a minimum. Some of the date constraints are more flexible than others available. The flexible constraints will be the most beneficial during scheduling.



Manual Scheduled tasks can not use constraints. They are used for **Automatically** Scheduled tasks only.

Constraint Types

Constraints are used when a task must be scheduled with a specific date in mind or within a specific time period. When setting constraints, the following pieces of information must be known:

- Constraint type
- Date for the constraint

There are 8 constraint types available in the Project 2010 and all are date dependent:

1. **As Soon As Possible (ASAP)** - default constraint applied to all tasks when a project is scheduled from the project start date. Tasks will be scheduled as early as possible within a timeframe.
2. **As Late As Possible (ALAP)** - default constraint applied to tasks when a project is scheduled from the finish date of the project. Tasks will be scheduled as late as possible within a timeframe.
3. **Finish No Earlier Than (FNET)** - applied to a task that must finish no earlier than a specified date. The constraint date will be applied to the finish date of the task and the task will move forward in time to the date specified for this constraint.
4. **Finish No Later Than (FNLТ)** - applied to a task that must finish no later than a specified date. During tracking, tasks will move forward in the schedule. Tasks with Finish No Later Than constraints will move forward and stop at the constraint date.
5. **Start No Earlier Than (SNET)** - applied to a task that must start no earlier than a specified date. The constraint date will be applied to the start date of the task and the task will move forward in time to the date specified for this constraint.
6. **Start No Later Than (SNLT)** - applied to a task that must be started by a specified date. During tracking, tasks will move forward in the schedule. Tasks with a Start No Later Than constraints will move forward and stop at the constraint date.
7. **Must Start On** – applied when a task has a hard start date. The task will move to the constraint date and is fixed on that date.
8. **Must Finish On** - applied when a task has a hard finish date. The task will move to the constraint date and is fixed on that date.

To create a task constraint:

- Double click on a **task** to open the Task Information dialog box
- Click **Advanced** tab



- Click **Down Arrow** to the right of Constraint type and select a constraint type
- Click **Down Arrow** to the right of Constraint date and assign a date for the constraint
- Click **OK**

The screenshot shows the 'Task Information' dialog box with the 'Advanced' tab selected. The 'Name' field contains 'Place orders for new furniture' and the 'Duration' is '2 days'. The 'Constraint task' section has a 'Deadline' set to 'NA'. The 'Constraint type' dropdown is open, displaying a list of options: 'As Soon As Possible', 'As Late As Possible', 'As Soon As Possible' (highlighted), 'Finish No Earlier Than', 'Finish No Later Than', 'Must Finish On', 'Must Start On', 'Start No Earlier Than', and 'Start No Later Than'. The 'Constraint date' is also set to 'NA'. Other options include 'Task type', 'Calendar', 'WBS code', 'Earned value method', and a checkbox for 'Mark task as milestone'. The 'Effort driven' checkbox is checked, and 'Scheduling ignores resource calendars' is unchecked. Buttons for 'Help', 'OK', and 'Cancel' are at the bottom.

Figure 1-1 PLACEHOLDER

To remove a task constraint:

- Double click on a task to open the Task Information dialog box
- Click **Advanced** tab
- Click **Down Arrow** to the right of the constraint title and select **As soon as possible**
- Click **OK**




Avoiding Accidental Constraints

The project manager ~~will manually~~ create constraints when entering a constraint type and date for a task. Constraints can be created in other ways as well.



~~Automatic Constraints apply only when using Automatic Scheduling mode.~~



If a Start date is entered for an Automatically scheduled task, a Start No Earlier Than constraint will be applied to the task. If a finish date is entered, a Finish No Earlier Than constraint will be applied.

~~In the example below, a finish date was entered in the finish column for task 7. The result is that a “Finish No Earlier Than” constraint was placed on the task. The task will move out to the date entered and a green triangle will be shown in the date field. The constraint is also shown by an indicator in the indicator column. Hover you mouse pointer over the indicator to see the explanation shown below.~~

| | | | | | | | |
|---|--|---|---------|---------|---------|----|--|
| 5 | | Create a moving-expense receipt file | 1 day | 3/5/12 | 3/5/12 | 3 | |
| 6 | | Create a moving binder | 1 day | 3/5/12 | 3/5/12 | 3 | |
| 7 | | Planning the Move completed | 0 days | 3/16/12 | 3/16/12 | 6 | |
| 8 | | This task has a 'Finish No Earlier Than' constraint on 3/16/12. | 11 days | 3/6/12 | 3/20/12 | 12 | |
| 9 | | | 11 days | 3/6/12 | 3/20/12 | 12 | |

~~Figure 1-2~~ PLACEHOLDER

~~In the next example, a start date has been entered in the start column for task 12. The result is that a “Start No Earlier Than” constraint was created for the task. Creating a constraint will often break relationships between tasks as shown below.~~

| | | | | | | | |
|----|--|--|--------|---------|---------|----|--|
| 11 | | Verify that your belongings are insured for the move | 1 day | 3/20/12 | 3/20/12 | 10 | |
| 12 | | Appraise valuables specifically insured | 2 days | 3/12/12 | 3/13/12 | 6 | |
| 13 | | This task has a 'Start No Earlier Than' constraint on 3/12/12. | 1 day | 3/6/12 | 3/6/12 | 6 | |

~~Figure 1-3~~ PLACEHOLDER

In both cases, the error messages shown below appeared after the date values were entered warning that the constraint created is not advised and the reason why. The error message was triggered by the Planning Wizard.




Figure 1-4 PLACEHOLDER



Planning Wizard messages are optional and can be turned off. If they are turned off, you will not be alerted to possible scheduling errors that might be created as a result of creating a constraint or other scheduling issues. The newer Project 2010 user will gain benefit from leaving this option turned on. As the project manager becomes more experienced, it may be turned off.

To change the planning message options for the Planning Wizard:
Click **File** → **Options** → **Advanced**:




Figure 1-5 PLACEHOLDER

When the Planning Wizard is turned off and a value is entered in the start or finish columns a smart tag will appear and offer the following options:




Figure 1-6 PLACEHOLDER



If your scheduling style is to enter dates on each task, it is recommended that you use a manual scheduling approach instead of automatic scheduling. This will allow for tasks to be scheduled to the dates entered and will not be subject to the automatic scheduling engine of the software. If a task is scheduled using manual scheduling, the tasks can be changed to automatic scheduling at any time. There is also an option available that will keep tasks within 1 business day of the manually scheduled date when changed to automatic scheduling.

To set the option to schedule tasks on the nearest working day when changing to Automatically Scheduled mode:

- Click on File → Options → Schedule

Scheduling options for this project:

Selling house A.mpp

New tasks created:

Manually Scheduled

Auto scheduled tasks scheduled on:

Project Start Date

Duration is entered in:

Days

Work is entered in:

Hours

Default task type:

Fixed Units

☐ New tasks are effort driven

☐ Autolink inserted or moved tasks

☒ Split in-progress tasks

☒ Update Manually Scheduled tasks when editing links

☒ Tasks will always honor their constraint dates

☒ Show that scheduled tasks have estimated durations

☒ New scheduled tasks have estimated durations

☒ Keep task on nearest working day when changing to Automatically Scheduled mode

Figure 1-7 PLACEHOLDER



Constraints will also be entered as a result of the tracking process which will be discussed in a future module.

Effects of Constraints

Constraints may cause errors in the scheduling of a project that are not readily apparent. Look at the example below and see if you can identify the error.




Figure 1-8 PLACEHOLDER

There is an error in the calculation of the date for the task 9 “Initial Planning Complete”. The relationship line after task 8, “Selection of Internal Auditors” flows backwards in time. The reason for this is that task 8 is scheduled to complete on April 17, one day later than the milestone target date of April 16. Tasks that are dependent on task 9 will also be miscalculated.

Monitoring for errors of this type in the schedule is important. In the diagram below, the Total Slack column has been inserted into the table view. One of the uses of the Total Slack column is it can help monitor when task scheduling issues arise. Large positive total slack values might be an indication that dependencies have not been assigned to the task. If the task has negative total slack values, check to see if the task has a constraint.



Think about the Total Slack column as your checkbook. Positive numbers are good and negative numbers are bad.

To add Total Slack column to the view:

- Right click on the column heading to the right of where you want to insert the column
- Click on Insert Column
- Click on the T on the keyboard
- Click on “Total Slack”

In the example below, the Total Slack column shows -1 day of slack for tasks 1-9. This negative slack is caused by the constraint and resulting

~~error on task 9.~~




Figure 1-9 PLACEHOLDER

~~Without the indicator column at the left, it is not evident that there is a constraint on the task. Because of this, it is good practice to insert the indicator column in tables when necessary. Below is the same view with the indicator column added to the table.~~




Figure 1-10 PLACEHOLDER

Best Practices:

- Constraints ~~are to be~~ used sparingly.
- Do not enter a constraint based on a random target date. All constraints should have a purpose and a reason why they are created. If you feel you must use constraints or enter start or finish dates for most of your tasks, manual scheduling might be your scheduling style.

- ~~Keep the Total Slack column handy and watch for the negative values.~~
- ~~Negative total slack values are indicators of errors in the schedule. They should be resolved before the schedule is approved.~~

Deadlines

Task Deadlines

Task deadlines are not part of the scheduling of Project 2010 and are treated differently by the software. Deadlines become an objective or a goal for a task. The scheduling of tasks with deadlines will not stop tasks from moving forward the way that other date constraints will. Deadlines enable the user to avoid some of the scheduling errors discussed in the previous lesson. Using deadlines gives the project manager a helpful way of marking target goals within a project schedule and receiving an alert when a deadline is exceeded.

To set a deadline:



1. Double click on a task to open the Task Information box
2. Click **Advanced** tab
3. Enter a Deadline date
4. Click **OK**

Task Information

General | Predecessors | Resources | Advanced | Notes | Custom Fields

Name: Scope complete Duration: 0 days ☐ Estimated

Constrain task

Deadline: 4/23/13

Constraint type: As Soon As Possible Constraint date: NA

Task type: Fixed Units ☒ Effort driven

Calendar: None ☐ Scheduling ignores resource calendars

WBS code: 1.1.5

Earned value method: % Complete

☒ Mark task as milestone

Help OK Cancel

Fig 1-11 PLACEHOLDER



A deadline of April 23, 2013 has been assigned to the “Scope Complete” task below. The deadline is represented by the green arrow on the Gantt Chart and does not appear in the Indicator column.




Figure 1-12 PLACEHOLDER

During project execution and tracking of the schedule, tasks will move forward in time. If a task with a deadline moves beyond the deadline arrow, the task will be considered late. Below is an example of the warning that

will appear in the Indicator column if a deadline is not met. Notice the red diamond in the indicator column explaining that the task date has exceeded the deadline date.




Figure 1-13 PLACEHOLDER

Another indicator to watch would be the Total Slack column. A negative value indicates that tasks are late and have missed or exceeded the deadline. The negative value indicates how many days the deadline was missed by. It is also an indicator of the amount of recovery time required to get the project back on track.




Figure 1-14 PLACEHOLDER

Unlike constraints, deadlines are not part of the schedule calculation but are more of a visual indicator giving you flags when deadline targets are missed.



Deadlines can be used in both manual or automatic scheduling mode.



Best Practices:

- Substitute deadlines for constraints when possible.

- Place deadlines on milestones to help manage short term goals. As long as the deadlines stay on the left side of the milestones, you are doing well.
- ~~When presenting high level management reports, it is easy to see how the milestone is positioned in relationship to the deadline. It will be easy to measure how the plan is comparing to short term goals.~~
- If a deadline date has been exceeded, check the Total Slack column to see how much time needs to be made up to get back on schedule.
- ~~The default formatting for a deadline is a framed green arrow which is hard to see. Change for formatting to a solid green arrow for better visibility. Changes to Gantt Charts are unique to a Gantt Chart. Changing the formatting on one chart will not affect other Gantt Charts.~~

~~To change the formatting for the deadline indicator on a Gantt Chart:~~

- ~~Right click on the Gantt Chart area~~
- ~~Select the Bar Styles option~~
- ~~Scroll down in the top section until the Deadline line (it is the last line) click on Deadline~~
- ~~In the bottom section on the left select the pull down arrow for type~~
- ~~Select Solid~~
- ~~Click ok to close the box~~




Figure 1-15 PLACEHOLDER

~~Removing a Deadline~~



Fic tem archilitatum enihill aborio es autem eos aut es voluptis volorum quam aut untis qui aut asi autas autat odiae del maximus doluptas nim ut ex ea archili gnatquis sum as nobit facia consed etus, nus.

Lutatis milis di cusdae. Itae remque necabo. Accupti officiendel ipis dis minullatio. Te que quiditiam landam ratemposapis del et, omnimincta volupta tumquid maio. Et ut alicilissin ped quis dicias eatur? Im num, coris mo optaque vendend erisquos et maxim que natemolesti te volorum ipsunte porest labore prepel ium facimaiorror sequiam int maximen imusape diciis sit imo eicitati culparitatur as porestiis estio consed quam excepel exceper ovitat.

Sita non ped modigenditia cum aceaquaspis num excero dus inulpa non ped es estiistrum iliquae et, quis veligenist laut as et rerissequis quam eaquo delenihil id quis sunt officipsam videnih ilibus aliquam a peditate ne consedis expeliciaspe illenes sectorehenda pa secesto rumqui doluptae consend erchill orepudigenet aut qui nobitae nonsequo modit elesectatius dolupta et ex excepedis et fuga. Et dolore nist, none dolo doluptatur, nobitem accus pa et veribus, exero es eumquundam, voluptas ut min ea volo te sitaeped essum eaquas andeles suntem quae expla aut quamus, quam liquam fugitin velluptati dolorporia autae etur?

Id ma sitat que officid quibus, conse consequi si dolor soluptia sum res volo evellan ihicitionem quo offic to bere aspedit volupta tiatemporis ullibus cienduc illiqui delessime consecatet mostem ut et excepelitem dolut omnihil ignam, id magnam re nim sequisimus debisqui tet ut eariorr ovidunt otatquibus pora consequi tet ipsum fugia excerit istiis peraeped quo tempor molorioresti comnimus, quis exeribus aut eum quam qui ut quatendent ipist qui to verions ediate pliquaspel et od et endam ilignatio ex et is evelluptati dunt fugitatem fugit ex eos reprem faceperum re ni doluptur, quiatem del est et faccatur rem autest, undae rem quibus seque sum, arum faccum quo mos sae nonserion excernat.

Split Tasks

Splitting Tasks


There will be times during project scheduling that will require an interruption of work for a particular task. For example when planning a task, some of the work will occur on Monday and the remainder will occur on Monday the following week. In this situation two tasks could be entered or creating a split task would also work. Split tasks are designed for scheduling tasks that start then stop and start again.

When to use split tasks:

- When the work of a long task is required to work around other tasks. Some of the work would be done before a hard date and the remaining portion of the work would be scheduled after the hard date.
- Splits tasks may be used to help even out the resource work load
- 100% of the work for a task is not required to be performed without interruption and could be broken up over time.

To split a task:

- Click on Task → Gantt chart view
- Click on the split task icon Task → Split task



- Hover the split task mouse pointer over the Gantt bar of the task to be split.

The screen below will show the information box that will appear.

- As the mouse pointer is dragged the length of the Gantt bar, the date will change in the box. Clicking the mouse pointer will split the task and leave a gap between tasks.




Figure 1-17 PLACEHOLDER

If the schedule has used “day” durations of tasks as the default scheduling increment, the gap in the split task will advance in 1 day increments or 1 week increments if “weeks” was used. A split task is shown in the view below.



Figure 1-18 PLACEHOLDER

The dots between the sections of the task are the split task indicators showing that the task has been split. The individual parts may be dragged back and forth as necessary to achieve timeframes that will work best for the task. Dragging the pieces back together to eliminate the split status for the task.



There are a few rules, however that you should be aware of when working with split tasks:

- When a task is split, it is still one task and will be treated as such.
- Relationships will be applied to the beginning and ending of the entire split tasks only and not to the individual pieces. The individual parts are not separate tasks and cannot have discrete relationships.
- When resources are assigned, the work will be distributed over the total task duration and task as a whole.
- Constraints are applied to the start or the finish of the entire task and cannot be applied to the individual parts.
- The parts of the task may be dragged back together when needed.
- Tasks may be split multiple times.
- Splitting will refine the workload and the duration of the task.

~~There is an option to turn off the viewing of split tasks. The option may be turned on or off as necessary. Below is an example of a two day task~~

~~which has been split. The work is now planned to be completed in three days.~~




Figure 1-19 PLACEHOLDER

To turn off the option to view split tasks:

- Click on Task → Gantt Chart
- Click on Format → Layout
- Remove the check mark from the Show bar splits option
- Click ok to close the box




Figure 1-20 PLACEHOLDER

~~Below is the same task with the task with the option to show the split turned off. Notice that the length of the task did not change but the split task indicators are concealed.~~



Figure 1-21 PLACEHOLDER



Split bars will occur during the tracking process ~~as actual work is updated to tasks.~~

Task Calendar

Applying Task Calendars

There will be times when a task must occur within a unique timeframe and outside of the project calendar parameters. In order to accommodate such instances, users can create a distinctive calendar that can be assigned to a task. In doing so the task will be scheduled in the unique timeframe and not affect the scheduling of the entire project.

Below are some examples of when a task calendar would be used:

- Testing at a bank can only occur after the bank is closed 9pm to 6 am
- A weekend cut over of a software package or upgrade
- Testing of a product that requires a 24/7 test
- A task that must occur on second shift
- Task applied to an resource in an alternate time zone

The first step in using task calendars is creating the calendar using the same process described in [Module 2](#) to create a base calendar. After the calendar is created, it then may be applied to task. **The resources assigned to the task will also be required to work in the unique timeframe.** There is an option to ignore the resource calendars and allow the scheduling of the resources to be directed by the task calendar for the specific task only.

~~To assign a calendar to a task:~~

- ~~• Double click on the task to open the Task Information dialog box~~
- ~~• Click the **Advanced** tab~~
- ~~• Click the down arrow next the Calendar option to view the list of calendars that may be assigned as task calendars. Select the appropriate calendar.~~
- ~~• If the “Scheduling will ignore resource calendars” option is needed — check the box~~
- ~~• Click ok to close the box.~~



Task Information

General

Predecessors

Resources

Advanced

Notes

Custom Fields

Name

Transfer insurance policies to your new address

Duration

1 day

☐ Estimated

Constrain task

Deadline

NA

Constraint type

As Soon As Possible

Constraint date

NA

Task type

Fixed Units

☒ Effort driven

Calendar

24 Hours

☒ Scheduling ignores resource calendars

WBS code

1.2.1.4

Earned value method

% Complete

☐ Mark task as milestone

Some of the fields above are not editable because the task is Manually Scheduled.

Help

OK

Cancel

Figure 1-22 PLACEHOLDER

A visual indicator will appear in the Indicator column the Gantt chart view.



Figure 1-23 PLACEHOLDER



Task calendars may only be applied to automatically scheduled tasks or manually scheduled tasks. When Task Inspector is opened, the task calendar that was used will be noted.

Task Inspector [X]

13 - Transfer insurance policies to your new address

Factors Affecting Task:

Auto Scheduled
Start: Sat 5/5/12
Finish: Sat 5/5/12

Predecessor Tasks:

| Name | Type | Lag |
|---|-----------------|-----|
| 12 - Appraise valuables specifically insured for the move | Finish To Start | 0d |

Calendars:
Task: Weekend

Figure 1-24 PLACEHOLDER

Move Project

Moving the Entire Project Timeline

Typically a project start date might change between the time the project is planned and the project actually starts. There are several methods available to change the project start date. It is important that the tasks are re-scheduled to adjust to the new start date.

The easiest way to change the project start date is use the Project Information box. Changing the start date using this method will move all tasks **without entered dates or constraints** to be rescheduled as of the new start date.

~~To change a project start date:~~



- ~~• Project → Project Information~~
- ~~• Enter new start date~~
- ~~• Click ok to close the box~~

Project Information for 'Project2'

Start date: 7/1/13 Current date: 7/12/10

Finish date: 7/8/13 Status date: NA

Schedule from: Project Start Date Calendar: Standard

All tasks begin as soon as possible. Priority: 500

Enterprise Custom Fields

Department:

| Custom Field Name | Value |
|-------------------|-------|
| | |

Help Statistics... OK Cancel

Figure 1-25 PLACEHOLDER

Changing the project start date will **not** reschedule tasks which have entered dates or constraints. Project 2010 provides a function called **Move Project** which will move **all** of the tasks to the new project start date. When tasks with constraints are moved using this function, the constraint dates will be adjusted based on the new project start date.

For example: if a task has a constraint 3 months from the start date of the project and the project start date is moved 6 months the constraint date will be re-scheduled 3 months from the new project start date.

The **Move Project** function also has an option to move project deadlines. If this option is not selected, the Deadlines will remain at the original dates and will need to be updated manually.

To the project start date and move tasks with dates to a new timeframe:



- Click ~~Project~~ → ~~Move Project~~
- Enter the new date and click ~~OK~~

Move Project

Original project start date: Mon 8/23/10

New project start date:

Mon 8/23/11

☒ Move deadlines

Help

OK

Cancel

Figure 1-26 PLACEHOLDER



Eritat optium eum earuptatiam remped quatur sitatur?
Tem non re, quiaspe ribusanis ini tores pratur aut maximi, corat
ium facero dolupta tempor sitibearchic tem lit esed quisit preptat
molorit rem faciatiate dus iunt.
Atae porem repra dit, viduntiasi cumqui odi anda illa sit, odion cus
voluptate omnihil mincium ra voluptatem et quo des alibeatur



Task Notes

Adding Notes to Tasks

Each task has a freeform notes field. This field has no character length limitations, allowing for very detailed task notations. The notes field may contain several types of information such as objects, hyperlinks, bulleted lists, etc. Notes may be printed on reports, exported to Excel and may be used as needed throughout the life of the project schedule.

To enter a task note:

- Double click on a task column to show the Task Information dialog box
- Click the **Notes** tab

OR

- Click on a task column while in the Gantt Chart
- Click **Task** → **Notes**




Figure 1-27 PLACEHOLDER

The notes view for a task is shown below:




Figure 1-28 PLACEHOLDER

The Indicator column provides a visual indicator that a task note exists. Hovering the pointer over the icon will display the first several characters of the note to give the reader an idea of its content.



Figure 1-29 PLACEHOLDER

Notes can be invaluable and should be used during the planning and execution of the project. After the project is completed and a post-project review is conducted, task note information will help in recalling details of what occurred during the performance of tasks.

Best Practice: Although the software allows users to insert images, documents and other objects and files into the notes, users should avoid doing so as it will significantly increase the file size. It is better to insert references or links to where the user can find associated and relevant files.