


The following exam will test you on components of the integumentary, muscular, and skeletal systems. Please note that there are three case studies throughout this exam that may require more time to work through. Good luck!

1. (4.00 pts) Which of the following statements is incorrect?
O A) Mucosal surfaces are better than skin surfaces at supporting colonization by commensal microorganisms
O B) The skin provides a larger surface area than mucosal surfaces for commensal microorganisms.
O C) Ceruminous glands open directly onto the surface of the ear canal or into sebaceous gland ducts.
O D) Gray hair results from a decline in tyrosinase
2. (4.00 pts) All of the following are associated with the skin except:
O A) blood vessels
O B) a low surface density of putative pathogens
O C) specialized lymphoid tissues
O D) lymphatics
O E) an impenetrable physical barrier to microorganisms
3. (6.00 pts) Vijay Kumar, a 19-year-old male who had emigrated to the United States from South India two years before, developed lesions in his nasal mucosa, and nodular skin lesions on his cheeks and buttocks. Examination of a stained biopsy of a skin lesion revealed numerous clumps of mycobacteria. T cells in the skin lesions were secreting IL-4, IL-5, and IL-10. What would be the most likely diagnosis?
○ A) tuberculosis
O B) lepromatous leprosy
O C) basal cell carcinoma
O D) vitiligo
4. (3.00 pts) Arrector pili extends from the dermis to the side of hair follicle
○ True ○ False
5. (3.00 pts) Eccrine sweat glands secrete sweat that is referred to as "cold sweat."
○ True ○ False


6. (3.00 pts)	Earwax is the combination of secretion of ceruminous and oil glands
O True O	False
7. (3.00 pts)	Eponychium is a narrow band of epidermis associated with growth of nails
O True O	False
8. (3.00 pts)	Streptococcus is a bacterial infection
O True O	False
9. (3.00 pts)	Excessive or chronic exposure to UV radiation, x-rays, radiation chemicals, or long-term physical trauma are predisposing factors to contact dermatitis.
O True O	False
10. (3.00 pts)	Squamous cell carcinoma consist of 1% of all skin cancers (very rare).
O True O	False
11. (4.00 pts)	Name all of the skin lesions that affect humans.
(Mark ALL correc	
☐ A) Depres	
☐ B) Elevate	
C) Cerum	inous
□ D) Acne	
☐ E) Sudori	ferous
☐ F) Flat	
12. (9.00 pts)	Name the skin Structures A, C, and J (give SCIENTIFIC terms, not casual ones)
	A,)
	C.)
	J.)



13. (9.00 pts) B.)


F.)

M.)



14. (9.00 pts) Match the following terms with the Structures (i.e. Papillary layer is D)

- 1.) Adipose Connective Tissue is
- 2.) Sensory Nerve Fiber is
- 3.) Reticular Layer is





16. (3.00 pts) Identify the following skin condition (become a med student!). Just type the name of the condition, that's it.



17. (5.00 pts) Identify the following skin condition (become a med student!). Just type the name of the condition in the first blank. In the second blank, provide the generic name of the drug that you would prescribe as a first-line treatment.
18. (3.00 pts) Paccinian corpsucles react to light touch and are located in the skin of your palms, soles, lips, eyelids, external genitals and nipples
○ True ○ False
19. (3.00 pts) A third - degree burn additionally involves injury to deeper tissues, such as muscle or bone
○ True ○ False
True False 20. (3.00 pts) Thermoreceptors are found all over the body, but cold receptors are found in greater density than heat receptors – most of the time our environment is colder than our body temperature
20. (3.00 pts) Thermoreceptors are found all over the body, but cold receptors are found in greater density than heat receptors – most of the time our environment is colder than our body
20. (3.00 pts) Thermoreceptors are found all over the body, but cold receptors are found in greater density than heat receptors – most of the time our environment is colder than our body temperature
20. (3.00 pts) Thermoreceptors are found all over the body, but cold receptors are found in greater density than heat receptors – most of the time our environment is colder than our body temperature True False 21. (10.00 pts) Case study: A teenaged patient arrives in your office presenting with moderate acne vulgaris on his face. The teenager is upset about it, and asks you what causes this. In terms that the teenager can understand, explain how the lesions on his face (pustules, whiteheads, and blackheads) most likely arose, and how they differ from each other. What is one
20. (3.00 pts) Thermoreceptors are found all over the body, but cold receptors are found in greater density than heat receptors – most of the time our environment is colder than our body temperature True False 21. (10.00 pts) Case study: A teenaged patient arrives in your office presenting with moderate acne vulgaris on his face. The teenager is upset about it, and asks you what causes this. In terms that the teenager can understand, explain how the lesions on his face (pustules, whiteheads, and blackheads) most likely arose, and how they differ from each other. What is one

22. (5.00 pts) A 21-year-old man falls from the attic and is brought to the emergency room. Examination and radiogram reveal that the lateral longitudinal arch of his foot is flattened. Which of the following bones is displaced?	
O A) Talus	
O B) Medial three metatarsals	
O C) Navicular	
O D) Cuneiform	
Cuboid	
23. (5.00 pts) A 78-year-old woman receives knee surgery because her lateral meniscus is torn. Before injury, the normal lateral meniscus of the knee joint:	
O A) Is C-shaped or forms a semicircle	
O B) Is attached to the fibular collateral ligament	
O C) Is larger than the medial meniscus	
O D) Lies outside the synovial cavity	
O E) Is more frequently torn in injuries than the medial meniscus	
24. (5.00 pts) A 17-year-old boy is involved in a group fight, and a stab wound lacerates a ventral root of his thoracic spinal nerve. Cell bodies of the injured nerve fibers are located in which of the following nervous structures?	
O A) Lateral horn of spinal cord and dorsal root ganglia	
O B) Dorsal root ganglia and sympathetic trunk	
O C) Anterior horn and lateral horn of spinal cord	
O D) Sympathetic trunk and lateral horn of spinal cord	
O E) Anterior horn of spinal cord and sympathetic trunk	
25. (3.00 pts) Smooth muscles produce movement by bending the skeleton at movable joints. Muscles work in antagonistic pairs.	
○ True ○ False	
26. (3.00 pts) Appositional cartilage occurs when lacunae-bound chondrocytes inside the cartilage divide and secrete new matrix, expanding the cartilage from within	
○ True ○ False	
27. (0.00 pts) Spongy bone helps by filling the interior of the organ is the spongy bone tissue which is composed of a network of rod- and plate-like elements that make the overall organ lighter and allowing room for blood vessels and marrow	
○ True ○ False	
28. (3.00 pts) Rheumatoid arthritis usually arises between the ages of 20 to 40, but may occur at any age	
○ True ○ False	
29. (3.00 pts) Which of the following does NOT describe gouty arthritis?	

A) The end result, ankylosis, produces bent, deformed fingers
O B) Deposition of uric acid crystals in joints and soft tissues, followed by an inflammation response
O C) Typically affects the joint at the base of the great toe
O D) If untreated, bone ends fuse and immobilize the joint
30. (3.00 pts) Which of the following is a treatment for OA? (you must know this abbreviation)
O A) Conservative Therapy
O B) Magnetic Therapy
O C) Progressive treatment
O D) Subluxation
○ E) SAM-e

31. (3.00 pts) Identify the following fracture:




A) CompoundB) ShatteredC) SpiralD) ComminutedE) Compressed


32. (9.00 pts) Name the following Structures 1,2,3.

1.)

2.) NOTE: General structure

3.) NOTE: The tiny dot on the jaw






34. (9.00 pts) Label the following structures 1, 16, and 17.

1.)

16.)

17.)



35. (1.00 pts) Diaphysis is composed of compact bone that surrounds the medullary cavity

○ True ○ False

36. (2.00 pts)

On the given MRI, there is a bright substance resting under a fractured spinal disc. Give the one-word medical term for the condition that appears bright on this MRI (see arrow), indicating that there is a **new** spinal fracture in this patient.



37. (7.00 pts)

Case study: You have a 22-year-old female come in presenting with severe chronic pain in the lower back for two years. You notice that this woman is hunching over slightly, and she states that this is a fairly recent development in her life. When asked about the pain, she indicates that it is typically worse in the mornings or after she has been sitting for extended periods of time. She has recently begun to experience pain when she breathes deeply as well. You also notice that she is blinking rapidly when she looks up, and when asked, she indicates that she's developed a bit of a sensitivity to bright light.


What is this patient's most likely diagnosis? Is there a way to conclusively prove this? If not, what are 3 tests that you could run that might support this diagnosis?

38. (5.00 pts)
A middle-aged coal miner injures his back after an accidental explosion. His magnetic resonance imaging (MRI) scan reveals that his spinal cord has shifted to the right because the lateral extensions of the pia mater were torn. Function of which of the following structures is most likely impaired?
actual shallost to the particular field to the field to the field med med med med med med med med med me
O A) Filum terminale internum
O B) Coccygeal ligament
O Denticulate ligament
'
On Discontinuous
Ce) Tectorial membrane
39. (5.00 pts)
A 25-year-old man with congenital abnormalities at birth has a lesion of the dorsal scapular nerve, making him unable to adduct his scapula. Which of the following muscles is most
likely paralyzed?
O A) Semispinalis capitis
O B) Rhomboid major
O C) Multifidus
O D) Rotator longus
○ E) Iliocostalis
40. (5.00 pts)
A 25-year-old soldier suffers a gunshot wound on the lower part of his back and is unable to move his legs. A neurologic examination and magnetic resonance imaging (MRI) scan reveal injury of the cauda equina. Which of the following is most likely damaged?
inaging (wrt) scar reveal injury of the cauda equina. Which of the following is most likely damaged?
O A) Dorsal primary rami
O B) Ventral primary rami
,
O C) Dorsal roots of the thoracic
O D) Ventral roots of the sacral spinal nerves
O E) Lumbar Spinal Nerves
41. (3.00 pts) List as many characteristics of muscle tissue below
(Mark ALL correct answers)
(Mark ALL correct answers) A) Extensibility
□ A) Extensibility
□ A) Extensibility□ B) Stability
 A) Extensibility B) Stability C) Excitability D) Contractibility
A) ExtensibilityB) StabilityC) Excitability

42. (3.00 pts)

The force producing the bending is always an insertion. Reversing the direction is produced by the contraction of a different set of muscles. As one group of muscles contracts, the other group stretches and then they reverse actions.

○ True ○ False
43. (3.00 pts) Only 60% of the energy released in muscle activity is useful as work
○ True ○ False
44. (3.00 pts) Atherosclerosis may block distal veins, leading to intermittent claudication and causing severe pain in leg muscles
○ True ○ False
45. (3.00 pts) Which of the following is not an effect of exercise on the muscular system?
A) Trained muscles have better tone or state of readiness to respond
B) Exercise promotes good posture enabling muscles to work effectively and helps prevent injury
C) The brain also tells the heart to beat faster so that more blood is pumped to the lungs for gaseous exchange
D) Low intensity exercise for short duration produces strength, size and power gains in muscles
The lungs and heart have to work harder to supply the extra oxygen and remove the carbon dioxide.
F) Tendons will become thicker and able to withstand greater force
© 1,
46. (3.00 pts) Which of the following is a sex-linked disorder?
A. Myoethonia gravie
A) Myasthenia gravis No No Myasthenia Brathanhu
B) Muscular Dystrophy
C) Tetanus
D) Poliomyelitis
© E) Muscle fatigue
O F) Ionic imbalance
47. (9.00 pts) Label Structures 1, 3, and 5
1.)
3.)
5.)




48. (6.00 pts) Label Structures D, E, and F

D.)


E.)

F.)



49. (6.00 pts) Match the following terms with the Structures (i.e. Muscle Fiber is 8)

- 1) Bone is
- 2) Perimysium is
- 3) Endomysium is



50. (3.00 pts)	Which of the following is not true?

- A) There are nearly 650 muscles attached to the skeleton. See muscle list for competitions
 B) Most muscles extend from one bone across a joint to another bone with one bone being more stationary than another in a given movement.
- b) wost muscles extend from one bone across a joint to another bone with one bone being more stationary than another in a given movement.
- O) When muscles contract the movable bone, the muscle's insertion moves toward the immovable bone the muscle's origin

O D)

The basic functional unit of the muscle fiber is the sarcomere which consists of thick filaments with myosin (protein) molecules and thin filaments with actin (protein) molecules plus smaller amounts of troponin and tropomysin

- O E) Muscle fibers from a motor unit are spread throughout the muscle; therefore, contraction of a single motor unit causes weak contraction of the entire muscle
- O F) There are nearly 750 muscles attached to the skeleton. See muscle list for competitions

51. (4.00 pts)	Briefly (2-3 sentences) describe how the botulinum toxin causes paralysis.	

52. (3.00 pts)	By age 50, 80% of muscle mass is lost (sarcopenia)

○ True ○ False	
----------------	--

53. (6.00 pts)

Case study: You are taking the history of a patient that is new to your clinic. He does not know the name of the condition that he has, but he can tell you the following about his medical history:

He wears glasses for myopia. He was diagnosed with pectus excavatum as a teenager, as well as stretch marks of an unknown source. Ever since he can remember, he has been unusually flexible - his previous primary care physician told him he exhibited hypermobility. He has suffered from joint pain for many years, something that he chalked up to his flat feet.

You also notice that this patient is unusually tall and thin, with a noticeable curvature to his back. When you ask him to wrap his fingers around his wrist, you notice that his pinky and thumb overlap comfortably.

He has never seen a specialist before. What is this patient's most likely diagnosis (blank #1), and to which specialty should you refer him for long-term management of this condition's most serious complications (blank #2)?

If you have any questions, please feel free to contact any event supervisor or SciOly administrator.	

© 2020 - powered by Scilympiad (https://scilympiad.com)

Support (/bearso/Support) | Contact (/bearso/Home/Contact)