Rajalakshmi Engineering College

Name: Afrin N

Email: 240701022@rajalakshmi.edu.in

Roll no: Phone: null Branch: REC

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20

Marks Obtained: 19

Section 1: MCQ

1. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

2. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

3. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct Marks: 1/1

4. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

- 5. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

6. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

```
John,21
Raj,20
Ouptput:
['John,21\n','Raj,20\n']
f = open("exp.txt", "w+")
print _____(2)
Answer
1) f.seek(0, 1)2) f.readlines()
Status: Correct
                                                                    Marks: 1/1
7. What will be the output of the following Python code?
f = None
for i in range (5):
  with open("data.txt", "w") as f:
    if i > 2:
      break
print(f.closed)
Answer
True
Status: Correct
                                                                    Marks: 1/1
8. How do you create a user-defined exception in Python?
Answer
By creating a new class that inherits from the Exception class
Status: Correct
                                                                    Marks: 1/1
```

9. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
lines = [
  "This is 1st line",
  "This is 2nd line",
  "This is 3rd line",
  "This is 4th line",
  "This is 5th line"
print("Name of the file: foo.txt")
# Print the first 5 lines from the predefined list
for index in range(5):
  line = lines[index]
  print("Line No %d - %s" % (index + 1, line.strip()))
Answer
Displays Output
Status: Correct
                                                                        Marks: 1/1
```

10. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

11. What is the output of the following code?

```
try:
    x = "hello" + 5
except TypeError:
    print("Type Error occurred")
finally:
    print("This will always execute")
```

Δ	n	S	и	/e	r
_		J	,,,		

Type Error occurredThis will	always	execute
------------------------------	--------	---------

Status: Correct Marks: 1/1

12. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

13. What is the output of the following code?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Caught division by zero error")
finally:
    print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

14. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

fo = open(_____(1), "wb") print("Name of the file: ",_____)(2)

Answer

1) "ex.txt"2) fo.name Status: Correct Marks: 1/1 15. What is the output of the following code? class MyError(Exception): pass try: raise MyError("Something went wrong") except MyError as e: print(e) Answer Something went wrong Status: Correct Marks: 1/1 16. What is the difference between r+ and w+ modes? Answer in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+ Status: Correct Marks: 1/1 17. Fill in the blanks in the following code of writing data in binary files.

import ______ (1)
rec=[]
while True:
 rn=int(input("Enter"))
 nm=input("Enter")
 temp=[rn, nm]
 rec.append(temp)
 ch=input("Enter choice (y/N)")
 if ch.upper=="N":

break f.open("stud.dat","")(2) dump(rec,f)(3) close()(4)				
Answer				
(pickle,wb,pickle,f)				
Status: Correct	Marks : 1/1			
18. What is the correct way to raise an exception in Python?				
Answer				
raise Exception()				
Status: Correct	Marks : 1/1			
19. What happens if no arguments are passed to the seek function?				
Answer				
error				
Status: Wrong	Marks : 0/1			
20. How do you rename a file?				
Answer				
os.rename(existing_name, new_name)				
Status: Correct	Marks : 1/1			