```
#include<stdio.h>
   int main()
        int T,d,i,j,k;
        scanf("%d",&T);
        for(i=0;i<T;i++){
6 ▼
            scanf("%d",&d);
            for(j=0;j<d;j++,puts(""))</pre>
8
            for(k=0; k<d; k++)
            printf("%c",(j\%2==k\%2)?'W':'B');
10
11
12
                                             GULZHAR AHAMAD VM
                                             ECE-B
                                             240801090
```

	Input	Expected	Got	
~	2	WBW	WBW	~
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Daccod all tootal

```
#include<stdio.h>
    int main()
 3 ▼
 4
        int T,d,i,i1,i2,o,z;
 5
        char s,c;
 6
        scanf("%d",&T);
 7 ▼
        for(i=0;i<T;i++){
 8
            scanf("%d %c",&d,&s);
 9
            for(i1=0;i1<d;i1++)
10 ▼
11
                z=(s=='W')?0:1;
                                                  GULZHAR AHAMAD VM
12
                o=(i1\%2==z)?0:1;
                                                  ECE-B
                for(i2=0;i2<d;i2++){
13 ▼
                                                  240801090
                c=(i2\%2==o)?'W':'B';
14
                printf("%c",c);}
15
```

```
0=(11\%2==Z)?U:1;
12
13 •
                for(i2=0;i2<d;i2++){
14
                c=(i2\%2==o)?'W':'B';
15
                printf("%c",c);}
16
                printf("\n");
17
18
                                          GULZHAR AHAMAD VM
19
                                          ECE-B
                                          240801090
```

	Input	Expected	Got	
~	2	WB	WB	~
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! 🗸

```
#include<stdio.h>
    int main()
 3 ▼
        int num,t;
        scanf("%d",&t);
        int st1=1;
 6
        int st2;
 8
        for(int k=1;k<=t;k++)</pre>
 9 •
                                            GULZHAR AHAMAD VM
             printf("Case #%d\n",k);
10
                                            ECE-B
             scanf("%d",&num);
11
                                            240801090
             st1=1;
12
             st2=num*(num+1);
13
14
             for(int i=0;i<num;i++)</pre>
15 ▼
             {
```

```
for(int j=0;j<i;j++){</pre>
16 •
                      printf("**");
17
18
                 for(int j=0;j<num-i;j++){</pre>
19 •
                      printf("%d",(st1++)*10);
20
21
22
                 st2=st2-(num-i-1);
23 •
                 for(int j=0;j<(num-i-1);j++){</pre>
                      printf("%d",(st2++)*10);
24
                 }printf("%d",st2);
25
                 st2=st2-(num-i);
26
                 printf("\n");
27
                                          GULZHAR AHAMAD VM
28
                                          ECE-B
29
30
         return 0;
                                          240801090
```

240801090

	Input	Expected	Got	
~	3	Case #1	Case #1	/
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	
		**50607014015016	**50607014015016	
		****809012013	****809012013	
		*****10011	*****10011	
		Case #3	Case #3	
		102030405026027028029030	102030405026027028029030	
		**6070809022023024025	**6070809022023024025	

Case #3
102030405026027028029030
**6070809022023024025
****10011012019020021
******13014017018
*******15016

Case #3
102030405026027028029030
**6070809022023024025
****10011012019020021
*****13014017018
*******13014017018

Passed all tests!

```
#include<stdio.h>
    #include<math.h>
    int main(){
        int n;
 5
        scanf("%d",&n);
        int x=0, n2=n;
 6
7 🔻
        while (n2!=0) {
                                              GULZHAR AHAMAD VM
8
            X++;
                                              ECE-B
            n2=n2/10;
                                              240801090
10
11
        int sum=0;
12
        int n3=n,n4;
13 ▼
        while(n3!=0){
            n4=n3%10;
14
15
            sum=sum+pow(n4,x);
```

```
16
            n3=n3/10;
17
        if(n==sum)
18
19 ▼
            printf("true");
20
                                              GULZHAR AHAMAD VM
21
                                              ECE-B
22
        else
23 ▼
                                              240801090
24
            printf("false");
25
26
        return 0;
27
```

	Input	Expected	Got	
~	153	true	true	~
~	123	false	false	~

Passed all tests! 🗸

```
#include<stdio.h>
2 v int main(){
        int n,rn,nt=0,i=0;
        scanf("%d",&n);
4
 5 ▼
        do{
6
            rn=0;nt=n;
            while(n!=0){
            rn=(rn*10+n%10);
8
                                                  GULZHAR AHAMAD VM
            n=n/10;
                                                  ECE-B
10
            n=nt+rn;
                                                  240801090
11
            i++;
        }while(rn!=nt||i==1);
12
        printf("%d",rn);
13
        return 0;
14
15
```

	Input	Expected	Got	
~	32	55	55	~
~	789	66066	66066	~

Passed all tests! <

```
#include<stdio.h>
    int main()
 3 ▼
    {
        int n=1,i=0,nt,co=0,e;
 4
        scanf("%d",&e);
        while(i<e)</pre>
 6
                                             GULZHAR AHAMAD VM
 7 ▼
                                             ECE-B
 8
            nt=n;
 9
                                             240801090
            while(nt!=0)
10 🔻
                 co=0;
11
                 if(nt%10!=3&&nt%10!=4)
12
13 ▼
14
                     co=1;
                     break;
15
```

	Input	Expected	Got	
~	34	33344	33344	~

Passed all tests! 🗸