



HTML

CSS

MORE ▾



# Python Strings

[< Previous](#)[Next >](#)

## String Literals

String literals in python are surrounded by either single quotation marks, or double quotation marks.

'hello' is the same as "hello" .

Strings can be output to screen using the print function. For example: `print("hello")` .

Like many other popular programming languages, strings in Python are arrays of bytes representing unicode characters. However, Python does not have a character data type, a single character is simply a string with a length of 1. Square brackets can be used to access elements of the string.

### Example

Get the character at position 1:

```
a = "hello"  
print(a[1])
```

[Run example >>](#)

## Example

Substring. Get the characters from position 2 to position 5:

```
b = "world"  
print(b[2:5])
```

[Run example »](#)

## Example

The strip() method removes any whitespace from the beginning or the end:

```
a = " Hello, World! "  
print(a.strip()) # returns "Hello, World!"
```

[Run example »](#)

## Example

The len() method returns the length of a string:

```
a = "Hello, World!"  
print(len(a))
```

[Run example »](#)

## Example

The lower() method returns the string in lower case:

```
a = "Hello, World!"  
print(a.lower())
```

[Run example »](#)

## Example

The upper() method returns the string in upper case:

```
a = "Hello, World!"  
print(a.upper())
```

[Run example »](#)

## Example

The replace() method replaces a string with another string:

```
a = "Hello, World!"  
print(a.replace("H", "J"))
```

[Run example »](#)

## Example

The split() method splits the string into substrings if it finds instances of the separator:

```
a = "Hello, World!"  
print(a.split(",")) # returns ['Hello', ' World!']
```

[Run example »](#)

# Command-line String Input

Python allows for command line input.

That means we are able to ask the user for input.

The following example asks for the user's name, then, by using the `input()` method, the program prints the name to the screen:

## Example

demo\_string\_input.py

```
print("Enter your name:")  
x = input()  
print("Hello, " + x)
```

Save this file as `demo_string_input.py`, and load it through the command line:

```
C:\Users\Your Name>python demo_string_input.py
```

Our program will prompt the user for a string:

```
Enter your name:
```

The user now enters a name:

```
Linus
```

Then, the program prints it to screen with a little message:

```
Hello, Linus
```

[< Previous](#)[Next >](#)

**Mobile Electronics** ⓘ  
devices | wearables | accessories


Import **watch  
phones**  
from China



[Get prices  
& compare](#)

[GlobalSources.com/  
MobileElectronics](http://GlobalSources.com/MobileElectronics)

## COLOR PICKER



## HOW TO

Tabs  
Dropdowns  
Accordions

Convert Weights  
Animated Buttons  
Side Navigation  
Top Navigation  
Modal Boxes  
Progress Bars  
Parallax  
Login Form  
HTML Includes  
Google Maps  
Range Sliders  
Tooltips  
Slideshow  
Filter List  
Sort List

SHARE



CERTIFICATES

HTML, CSS, JavaScript, PHP, jQuery, Bootstrap and XML.

[Read More »](#)

**Mobile Electronics**    
devices | wearables | accessories

Import **watch**  
**phones**  
from China



[Get prices  
& compare](#)

[GlobalSources.com/  
MobileElectronics](https://www.globalsources.com/MobileElectronics)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

---

## Top 10 Tutorials

[HTML Tutorial](#)

[CSS Tutorial](#)

[JavaScript Tutorial](#)

[How To Tutorial](#)

[W3.CSS Tutorial](#)

[Bootstrap Tutorial](#)

[SQL Tutorial](#)

[PHP Tutorial](#)

[jQuery Tutorial](#)

[Angular Tutorial](#)

## Top 10 References

[HTML Reference](#)

[CSS Reference](#)

[JavaScript Reference](#)

[W3.CSS Reference](#)

[Bootstrap Reference](#)

[SQL Reference](#)

[PHP Reference](#)

[HTML Colors](#)

[jQuery Reference](#)

[AngularJS Reference](#)

## Top 10 Examples

[HTML Examples](#)

[CSS Examples](#)

[JavaScript Examples](#)

[How To Examples](#)

[W3.CSS Examples](#)

[Bootstrap Examples](#)

[PHP Examples](#)

[jQuery Examples](#)

[Angular Examples](#)

[XML Examples](#)

## Web Certificates

[HTML Certificate](#)

[CSS Certificate](#)

[JavaScript Certificate](#)

[jQuery Certificate](#)

[PHP Certificate](#)

[Bootstrap Certificate](#)

[XML Certificate](#)



W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

