

ID607001: Introductory Application Development Concepts

Project 1: Node.js REST API Assessment Rubric

	10-9	8-7	6-5	4-0
Functionality	<p>REST API contains comprehensive & robust evidence on the following:</p> <ul style="list-style-type: none"> REST API is developed using Node.js & can run locally without modification. An appropriate number of collections & fields with different data types. Relationships between collections. Separate controller & route file for each collection. Custom validation when creating & updating a field. Collections are seeded with a JSON file. REST API version is v1. Appropriate status code & message returned when performing CRUD operations if a query does not return any API data & if an endpoint does not exist. Filter, sort & paginate REST API data. POST, PUT & DELETE routes are protected. Rate limit is 25 requests per minute. REST API is deployed to Heroku. REST API data is stored in a MongoDB Atlas database. 	<p>REST API contains clear & detailed evidence of functionality on the following:</p> <ul style="list-style-type: none"> REST API is developed using Node.js & can run locally without modification. An appropriate number of collections & fields with different data types. Relationships between collections. Separate controller & route file for each collection. Custom validation when creating & updating a field. Collections are seeded with a JSON file. REST API version is v1. Appropriate status code & message returned when performing CRUD operations if a query does not return any API data & if an endpoint does not exist. Filter, sort & paginate REST API data. POST, PUT & DELETE routes are protected. Rate limit is 25 requests per minute. REST API is deployed to Heroku. REST API data is stored in a MongoDB Atlas database. 	<p>REST API contains evidence on the following:</p> <ul style="list-style-type: none"> REST API is developed using Node.js & can run locally without modification. An appropriate number of collections & fields with different data types. Relationships between collections. Separate controller & route file for each collection. Custom validation when creating & updating a field. Collections are seeded with a JSON file. REST API version is v1. Appropriate status code & message returned when performing CRUD operations if a query does not return any API data & if an endpoint does not exist. Filter, sort & paginate REST API data. POST, PUT & DELETE routes are protected. Rate limit is 25 requests per minute. REST API is deployed to Heroku. REST API data is stored in a MongoDB Atlas database. 	<p>REST API does not, or does not fully contain evidence on the following:</p> <ul style="list-style-type: none"> REST API is developed using Node.js & can run locally without modification. An appropriate number of collections & fields with different data types. Relationships between collections. Separate controller & route file for each collection. Custom validation when creating & updating a field. Collections are seeded with a JSON file. REST API version is v1. Appropriate status code & message returned when performing CRUD operations if a query does not return any API data & if an endpoint does not exist. Filter, sort & paginate REST API data. POST, PUT & DELETE routes are protected. Rate limit is 25 requests per minute. REST API is deployed to Heroku. REST API data is stored in a MongoDB Atlas database.

Code Elegance	<p>REST API thoroughly demonstrates code elegance on the following:</p> <ul style="list-style-type: none"> • Intermediate variables, idiomatic control flow, data structures & in-built functions, & sufficient modularity. • Functions & variables are named appropriately. • Efficient algorithmic approach. • REST API groups are named with a plural. • Filer header & in-line comments. • Formatted code using Prettier. • Prettier installed as a dev dependency. • No dead or unused code. • Database configured for production environment. 	<p>REST API clearly demonstrates code elegance on the following:</p> <ul style="list-style-type: none"> • Intermediate variables, idiomatic control flow, data structures & in-built functions, & sufficient modularity. • Functions & variables are named appropriately. • Efficient algorithmic approach. • REST API groups are named with a plural. • Filer header & in-line comments. • Formatted code using Prettier. • Prettier installed as a dev dependency. • No dead or unused code. • Database configured for production environment. 	<p>REST API demonstrates code elegance on the following:</p> <ul style="list-style-type: none"> • Intermediate variables, idiomatic control flow, data structures & in-built functions, & sufficient modularity. • Functions & variables are named appropriately. • Efficient algorithmic approach. • REST API groups are named with a plural. • Filer header & in-line comments. • Formatted code using Prettier. • Prettier installed as a dev dependency. • No dead or unused code. • Database configured for production environment. 	<p>REST API does not or does not fully demonstrate code elegance on the following:</p> <ul style="list-style-type: none"> • Intermediate variables, idiomatic control flow, data structures & in-built functions, & sufficient modularity. • Functions & variables are named appropriately. • Efficient algorithmic approach. • REST API groups are named with a plural. • Filer header & in-line comments. • Formatted code using Prettier. • Prettier installed as a dev dependency. • No dead or unused code. • Database configured for production environment.
Documentation & Git Usage	<p>REST API documented in succinct detail using Postman.</p> <p>README file contains thorough evidence of:</p> <ul style="list-style-type: none"> • URL to the REST API on Heroku. • URL to the REST API documentation on Postman. • How to setup the environment for development & deploy the REST API. <p>Git branches are thoroughly named with convention & contain the correct code relating to the functional requirement.</p> <p>Git commit messages are comprehensively formatted & reflect the functionality changes in succinct detail.</p>	<p>REST API documented in substantial detail using Postman.</p> <p>README file contains clear evidence of:</p> <ul style="list-style-type: none"> • URL to the REST API on Heroku. • URL to the REST API documentation on Postman. • How to setup the environment for development & deploy the REST API. <p>Git branches are mostly named with convention & contain the correct code relating to the functional requirement.</p> <p>Git commit messages are clearly formatted & reflect the functionality changes in substantial detail.</p>	<p>REST API documented in detail using Postman.</p> <p>README file contains evidence of:</p> <ul style="list-style-type: none"> • URL to the REST API on Heroku. • URL to the REST API documentation on Postman. • How to setup the environment for development & deploy the REST API. <p>Some git branches are named with convention & contain the correct code relating to the functional requirement.</p> <p>Git commit messages are formatted & reflect the functionality changes in detail.</p>	<p>REST API not or not fully documented in detail using Postman.</p> <p>README file does not or does not fully contain evidence of:</p> <ul style="list-style-type: none"> • URL to the REST API on Heroku. • URL to the REST API documentation on Postman. • How to setup the environment for development & deploy the REST API. <p>Git branches are not or are not fully named with convention & do not or do not fully contain the correct code relating to the functional requirement.</p> <p>Git commit messages are not or are not fully formatted & do not or do not reflect the functionality changes.</p>

ID607001: Introductory Application Development Concepts

Project 1: Node.js REST API Marking Cover Sheet

Name:

Date:

Learner ID:

Assessor's Name:

Assessor's Signature:

Criteria	Out Of	Weighting	Final Result
Functionality	10	40	
Code Elegance	10	45	
Documentation & Git Usage	10	15	
Final Result			/100
This assessment is worth 30% of the final mark for the Introductory Application Development Concepts course.			

Feedback:

Functionality:

Code Elegance:

Documentation & Git Usage: