



College of Engineering, Construction & Living Sciences
Bachelor of Information Technology
IN607: Introductory Application Development Concepts
Level 6, Credits 15
In-Class Activity: PHP Basics 1

Instructions

The purpose of this in-class activity is to familiarise yourself with the **PHP** syntax as well as develop your problem-solving skills. The following 10 problems are commonly asked in coding interviews. You may come across one or two of these when you apply for software development/engineering positions in the future.

Code Review

You must submit all program files via **GitHub Classroom**. Here is the URL to the repository you will use for your code review – <https://classroom.github.com/a/P656imf2>. Checkout from the **main** branch to the **01-in-class-activity** branch by running the command - **git checkout 01-in-class-activity**. This branch will be your development branch for this activity. Once you have completed this activity, create a pull request & assign the **GitHub** user **grayson-orr** to a reviewer. **Do not** merge your own pull request.

Problem 1:

Declare two variables called **name** & **age** with the values John & 55. Use the two variables to display the expected output.

```
<?php
// Write your solution here

// Expected output:
// Hello my name is John & I am 55 years old.
?>
```

Problem 2:

Calculate the **sum** of the given **integers** & display the expected output.

```
<?php
```

```
$x = 1957452;
$y = 2975635;

// Write your solution here

// Expected output:
// The sum of 1957452 & 2975635 is 4933087
?>
```

Problem 3:

Calculate the **average** of the given **array** of **doubles** & display the expected output.

```
<?php
$numbers = array(45.3, 67.5, -45.6, 20.34, -33.0, 45.6);

// Write your solution here

// Expected output:
// Average: 16.69
?>
```

Problem 4:

Write a function called **fizzBuzz** which accepts an **integer num**. If **num** is a multiple of three, return **Fizz**, if **num** is a multiple of five, return **Buzz** & if **num** is a multiple of three & five, return **FizzBuzz**. Call the **fizzBuzz** function in the for loop to display the expected output.

```
<?php
// Write your fizzBuzz function here

for ($i = 1; $i <= 15; $i += 2) {
    // Write your solution here
}

// Expected output:
// 1
// Fizz
// Buzz
// 7
// Fizz
// 11
// 13
// FizzBuzz
?>
```

Problem 5:

You have been given an **array** of **floats** or **doubles**. Display **only** the odd numbers in the **array**. Sort from lowest to highest.

```
<?php
$numbers = array(21, 19, 68, 55, 42, 12);

// Write your solution here
```

```
// Expected output:  
// 19  
// 21  
// 55  
?>
```

Problem 6:

Write a function called **is_anagram** which accepts two parameters called **string_one** & **string_two**. In the function block, write some code that checks whether or not **string_one** & **string_two** are an anagram. An anagram is a word or phrase that made by arranging the letters of another word or phrase in a different order. If you are still unsure what an anagram is, here is an example:

```
Input: is_anagram("elvis", "lives");  
Output: true  
  
Input: is_anagram("cat", "sat");  
Output : false
```

Call the **is_anagram** function to display the expected output.

```
<?php  
// Write your solution here  
  
// Expected output:  
// true  
// false  
?>
```

Problem 7:

Write a function called **convert** which accepts two parameters called **hours** & **minutes**. In the function block, write some code that converts both **hours** & **minutes** to seconds, then adds them together.

```
<?php  
// Write your solution here  
  
convert(1, 3);  
  
// Expected output:  
// 3780  
?>
```

Problem 8:

Write a function called **palindrome** which accepts a single parameter called **string**. In the function block, determine whether or not **string** is a palindrome. The function should return a **boolean**.

```
<?php  
// Write your solution here  
  
palindrome("A man, a plan, a canal - Panama");  
palindrome("Hello, World!");  
  
// Expected output:  
// true  
// false  
?>
```

Problem 9:

Write a function called **is_five_letters** which accepts an **array** of **strings**. In the function block, return all words that are exactly **five** letters.

```
<?php
    // Write your solution here

    is_five_letters(["car", "bike", "truck"]);

    // Expected output:
    // ["truck"]
?>
```

Problem 10:

Write a function that accepts an **integer**. If the **integer** is prime, return **true**, otherwise return **false**.

```
<?php
    // Write your solution here

    is_prime(11);
    is_prime(18);

    // Expected output:
    // true
    // false
?>
```