

Name : Khaled Mohamed saleh elsaqaan

Section : 3

Quiz 1

20/2/2020

1-

In the Hypothetical Machine the contents of memory was as shown.
And PC contents is 300. Show the contents of memory and PC , AC ,
IR after execute three instructions (three fetch cycle and there
execute cycle)

Memory				
300	1	9	4	0
301	5	9	4	1
302	2	9	4	1
⋮				
940	0	0	0	3
941	0	0	0	2

Answer :

Load

Memory				
300	1	9	4	0
301	5	9	4	1
302	2	9	4	1
⋮				
940	0	0	0	3
941	0	0	0	2

PC : 300

AC : 0003

IR : 1940

Add

Memory				
300	1	9	4	0
301	5	9	4	1
302	2	9	4	1
⋮				
940	0	0	0	3
941	0	0	0	2

PC : 301

AC : 0005

IR : 5941

Store

Memory				
300	1	9	4	0
301	5	9	4	1
302	2	9	4	1
⋮				
940	0	0	0	3
941	0	0	0	2

PC : 302

AC : 0000

IR : 2941

2-

◀ Show the contents of PC , AC and IR and memory after the execution of each instruction of the following program on the Hypothetical Machine:

- ◀ 300 LOAD 550
- ◀ 301 ADD 551
- ◀ 302 STORE 600

◀

◀ Where the contents of memory at 550 is 3 and at 551 is 4.

Answer :

Load

300 : 1550

PC : 300

301 : 5551

AC : 0003

302 : 2600

IR : 1550

550 : 0003

551 : 0004

600 : 0000

Add

300 : 1550

PC : 301

301 : 5551

AC : 0007

302 : 2600

IR : 5551

550 : 0003

551 : 0004

600 : 0000

Store

300 : 1550

PC : 302

301 : 5551

AC : 0000

302 : 2600

IR : 2600

550 : 0003

551 : 0004


600 : 0007

◀ 3-

◀ The following figure provide the main characteristics of Hypothetical Machine.



(a) Instruction format



(b) Integer format

Program Counter (PC) = Address of instruction
Instruction Register (IR) = Instruction being executed
Accumulator (AC) = Temporary storage

(c) Internal CPU registers

0001 = Load AC from Memory
0010 = Store AC to Memory
0101 = Add to AC from Memory

(d) Partial list of opcodes

◀

◀

◀

◀

◀

The hypothetical machine also has two I/O instructions:

0011 = load AC from I/O

0111 =store AC to I/O

In these case, the 12-bi address identifies a particular I/O device.
Show the program execution for the following program:

1. Load AC from device 5.
2. Add contents of memory location 940.
3. Store AC to device 6.

Assume that the next value retrieved from device 5 is 3 and that location 940 contains a value of 2.

Answer :

300 : 3005

301 : 5940

302 : 7006

Device 5 : 0003

940 : 2

Device 6 : 0005