# **ICPC Assiut University Community**

**Newcomers Training**, Do Your Best

Ahmed Essam Yassin | Logout

HOME TOP CATALOG CONTESTS GYM PROBLEMSET GROUPS RATING EDU API CALENDAR HELP

PROBLEMS SUBMIT CODE MY SUBMISSIONS STATUS STANDINGS CUSTOM INVOCATION

#### K. Snacktower

time limit per test: 2 seconds memory limit per test: 256 megabytes input: standard input output: standard output

According to an old legeng, a long time ago Ankh-Morpork residents did something wrong to miss Fortune, and she cursed them. She said that at some time n snacks of distinct sizes will fall on the city, and the residents should build a Snacktower of them by placing snacks one on another. Of course, big snacks should be at the bottom of the tower, while small snacks should be at the top.

Years passed, and once different snacks started to fall onto the city, and the residents began to build the Snacktower.



However, they faced some troubles. Each day exactly one snack fell onto the city, but their order was strange. So, at some days the residents weren't able to put the new stack on the top of the Snacktower: they had to wait until all the bigger snacks fell. Of course, in order to not to anger miss Fortune again, the residents placed each snack on the top of the tower immediately as they could do it.

Write a program that models the behavior of Ankh-Morpork residents.

### Input

The first line contains single integer n ( $1 \le n \le 100000$ ) — the total number of snacks.

The second line contains n integers, the i-th of them equals the size of the snack which fell on the i-th day. Sizes are distinct integers from 1 to n.

### **Output**

Print n lines. On the i-th of them print the sizes of the snacks which the residents placed on the top of the Snacktower on the i-th day in the order they will do that. If no snack is placed on some day, leave the corresponding line empty.

## **Examples**

input	Сору
3	
3 1 2	
output	Сору
3	
2 1	
input	Сору
5 4 5 1 2 3	
output	Сору
5 4	
3 2 1	

## Note

In the example a snack of size 3 fell on the first day, and the residents immediately placed it. On the second day a snack of size 1 fell, and the residents weren't able to place it because they were missing the snack of size 2. On the third day a snack of size 2 fell, and the residents immediately placed it. Right after that they placed the snack of size 1 which had fallen before.

#### <u>Assiut University Training -</u> <u>Newcomers</u>

#### **Public**

**Participant** 



## → About Group



Group website

## → **Group Contests**



Sheet #9 (General medium)

• Sheet #8 (General easy)

Sheet #7 (Recursion)

• Sheet #6 (Math - Geometry)

Sheet #5 (Functions)

Sheet #4 (Strings)

Contest #3.1

Sheet #3 (Arrays)

• Contest #2

Sheet #2 (Loops)

Contest #1

• Sheet #1 (Data type - Conditions)

## Sheet #10 (General Hard)

## **Finished**

Practice



## → About Time Scaling

This contest uses time limits scaling policy (depending on a programming language). The system automatically adjusts time limits by the following multipliers for some languages. Despite scaling (adjustment), the time limit cannot be more than 30 seconds. Read the details by the <a href="link">link</a>.

## → Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ICPC mode for virtual contests. If you've seen these