
Rob J Hyndman George Athanasopoulos

FORECASTING PRINCIPLES AND PRACTICE





1. Getting started


1.7 The statistical forecasting perspective OTexts.org/fpp3/


A forecast is an estimate of the probabilities of possible futures.


A forecast is an estimate of the probabilities of possible futures.

















A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.




A forecast is an estimate of the probabilities of possible futures.



A forecast is an estimate of the probabilities of possible futures.





Statistical forecasting

- Thing to be forecast: a random variable, y_t .
- Forecast distribution: If \mathcal{I} is all observations, then $y_t|\mathcal{I}$ means "the random variable y_t given what we know in \mathcal{I} .
- The "point forecast" is the mean (or median) of $y_t | \mathcal{I}$
- The "forecast variance" is $var[y_t|\mathcal{I}]$
- A prediction interval or "interval forecast" is a range of values of y_t with high probability.
- With time series, $y_{t|t-1} = y_t | \{y_1, y_2, \dots, y_{t-1}\}.$
- $\hat{y}_{T+h|T} = E[y_{T+h}|y_1, \dots, y_T]$ (an *h*-step forecast taking account of all observations up to time *T*).