

---

# Investigating the Impact of SDOH and Chronic Disease Risk Factors in Underserved Communities with System Dynamics and Machine Learning

---

---

**PRESENTER:** Ahmeed A. Yinusa  
**SUPERVISOR:** Dr. Misa Faezipour

---





# TABLE OF CONTENTS

Introduction

01

Literature Review

06

Problem Statement

02

Methodology

07

Research Purpose

03

Results

08

Research Questions

04


Conclusions

09

Research Hypothesis

05

Chronic diseases are long-lasting conditions that usually can be controlled but not cured. People living with chronic illnesses often must manage daily symptoms that affect their quality of life and experience acute health problems and complications that can shorten their life expectancy.



As of 2021, 42% of all the people inside the US were from diverse ethnic backgrounds. This group included:

## Majority and Minority Populations

- 58% White
- 9% Hispanic
- 12% Black
- 6% Asian
- 1% of American Indians or Alaska Natives
- less than 1% were Native Hawaiians or Other Pacific Islanders
- 5% classified themselves as another racial category [2].




Figure 1: US Racial/Ethnicity Group by County [3].

Social determinants of health (SDOH) are non-medical conditions in which individuals are born, grow, live, work, learn, worship, and age. These conditions significantly influence their health and communities, shaping lifestyle decisions leading to health-related outcomes.

## Five Areas of SDOH Category [4]

- Economic Stability
- Education Access and Quality
- Healthcare and Quality Access
- Neighborhood and Built Environment
- Social and Community Context



Figure 2: SDOH Impact on Minority Populations [5]



Chronic disease risk factors enhance or increase the possibility of developing chronic disease. They initiate and further contribute to the incidence and prevalence of these chronic diseases, thereby negatively influencing individuals' health and quality of life.

## Types of Chronic Diseases Risk Factors

### Modifiable risk factors

Unhealthy Diet, High Tobacco Intake, Physical Inactivity, Obesity, High Blood Pressure, and High Alcohol Consumption

### Non-modifiable risk factors

Age, Gender, Genetic composition, and Race or race

- **Problem:** Chronic diseases disproportionately affect minority and underserved communities.
- **Complexity:** Chronic disease is influenced by interactions between Social Determinants of Health (SDOH) and risk factors.
- **Gap:** Existing approaches did not apply an integrated framework to understand these interactions.
- **Aim:** This research aimed to develop and validate a system dynamics model and machine learning approach.
- **Goals:** Uncover root causes, predict trends, and enhance healthcare access and equity in minority populations.

- **Aim:** Employ system dynamics to model and simulate interactions of SDOH and chronic disease risk factors, focusing on their impacts on health outcomes in minority populations in the US.
- **Priority Areas:** Economic Stability, Neighborhood and Physical Environment, Education, Community, and Social Contexts, and Healthcare System.
- **Goals:**
  - Assess the effectiveness of various healthcare interventions.
- **Machine Learning Aspect:** Develop algorithms to analyze numerical output data from the system dynamics model, finding patterns in how SDOH influences health outcomes.
- **Causal Understanding:** Illuminate causal pathways between significant population health risk factors and health outcomes.
- **Policy Focus:** Identify policy options impacting health outcomes like mortality, chronic diseases, disability, and unhealthy behavior.



Section	Key Themes	Findings and Contributions
Role of SDOH in Health Outcomes	Impact of non-medical factors on health	Bharmal et al.: Three methodologies for studying SDOH; Cockerham et al.: Four key SDOH theories [6].
SDOH in Minority Populations	Socioeconomic factors affecting minorities	Alcendor: Effects of COVID-19 on minorities; Russo et al.: SDOH and CVD in minorities [7].
Interactions of SDOH & Chronic Diseases	Complexity of interactions between SDOH & chronic diseases	Public health studies: Connection to unhealthy behaviors, and SES [8].
Prevalence of Chronic Diseases in Minorities	Sociocultural factors in self-care among ethnic minorities	Gallant et al.: Sociocultural aspects of chronic illness self-care [9].
Machine Learning in Chronic Disease Prediction	Use of machine learning algorithms for prediction	Battineni et al.: Review of ML in CDs; Chen et al.: CNN-based multimodal disease risk prediction [10].
System Dynamics Modeling in Healthcare	Application of system dynamics in healthcare scenarios	Loyo et al.: SD model of Cardiovascular Disease Risks; Ciplak and Barton: Istanbul's hospital waste management [11].
Gaps & Combined Approach	Need for fusion of research areas with ML & system dynamics modeling	Highlighting gaps and the need for a combined approach to deeply understand interplays between SDOH and chronic diseases

**Table 1: Research Literature**

## Integration of Approaches

Creating a unique methodological framework integrating system dynamics modeling with machine learning to study SDOH and chronic diseases in minority communities.

## System Dynamics Modeling

- Used as an exploratory tool to understand complex interactions and feedback loops.
- Focuses on the influence of SDOH factors on health outcomes in minority populations.
- Provides graphic representations of non-linear correlations and temporal time delays.
- Enables simulation of long-term effects and visualization of how changes in one factor can affect the entire system.

## Machine Learning

- Utilizes data patterns for prediction and decision-making.
- Employs algorithms trained on data to discover patterns and correlations.
- Uses simulation output data from system dynamics modeling as input.
- System dynamic modeling parameters are used as features, with one or two as targets for predictive processes.

Figure 3 shows the process design, which explains the research concepts, steps, and procedures employed. The interactions of SDOH and chronic disease risk factors are complicated and non-linear.




Figure 3: The Research Process Design

PySD is a Python library that converts system dynamics models from commercial tools like Stella® and Vensim® into Python. It was first developed and released by James Houghton in 2014.

## Functional Elements

- **Parsing:** Analyzing the structure of models.
- **Implementing:** Bringing models into function.
- **Building:** Creating models.
- **Solving:** Finding solutions or results for models.

## Features

- Importing and modifying model inputs.
- Breaking models into submodules.
- Isolating parts of a model for individual running.
- Storing intermediate simulation results.




Figure 4: PySD Parsing-Building Logic

Chronic disease risk factors enhance or increase the possibility of developing chronic disease. They initiate and further contribute to the incidence and prevalence of these chronic diseases, thereby negatively influencing individuals' health and quality of life.

## Types of Chronic Diseases Risk Factors

### Modifiable risk factors

Unhealthy Diet, High Tobacco Intake, Physical Inactivity, Obesity, High Blood Pressure, and High Alcohol Consumption

### Non-modifiable risk factors

Age, Gender, Genetic composition, and Race or race



System Dynamics (SD) is a computational technique employed to model and simulate the dynamics and challenges of complex systems over time.

## Building Components:

- **Stocks:** Accumulative quantities or states that take on specific values over time.
- **Flows:** Rates at which quantities change over time, including:
  - Inflow: Increases the stock over time.
  - Outflow: Decreases the stock over time.
- **Variables:** Intermediate calculations or values crucial to the model but not classified as stocks or flows.
- **Parameters:** Define the external circumstances of the simulation.

## Feedback Loops in SD

These represent different types of feedback that can occur in a system.

- Reinforcing Loop (Positive Feedback Loop (R))
- Balancing Loop (Negative Feedback Loop (B))





Figure 5: Visualization of SD Modeling Components

## Reinforcing Loop (Positive Feedback Loop (R)):


- **Behavior:** Amplifies system behavior, leading to changes in the same direction (e.g., exponential growth or decline).
- **Example:** Poor physical activity leads to obesity, resulting in more health issues. Lack of exercise and poor diet further increase health complications.
- **Visualization:** Represented by arrows in a clockwise direction, with a positive sign (+) indicating an increment in the forward direction.



**Figure 6:** The Reinforcement Loop  
Sample Visualization in SD

## Balancing Loop (Negative Feedback Loop (B)):

- **Behavior:** Seeks to maintain a desired state or balance, working to counteract any deviation from the goal.
- **Example:** Increased health awareness leading to efforts to improve air and water quality, thus reducing poor quality and chronic diseases.
- **Visualization:** Represented by arrows in an anticlockwise direction, with a negative sign (-) indicating a decrement in the forward direction.



**Figure 7:** Balancing Loop Sample Visualization in SD

This research applies system dynamics to address the complexity and dynamics of the interactions between SDOH and chronic disease risk factors, specifically in minority populations.

## Application Modes of SD in the Research:

- **Causal Loop Model or Diagram:** Helps understand and visualize how different factors are interrelated and influence each other.
- **Stock and Flow Model:** As explained in previous sections, this model represents accumulative quantities and rates of change, key to understanding the progression and interaction of factors over time.

## Data Sources and Variable Selection:

- **Objective:** Careful selection of research modeling variables, including SDOH and chronic disease risk factors.
- **Methods:**
  - Reviewing empirical studies and comprehensive literature.
  - Expert consultations.
  - Observations within the targeted population to understand relevant variables for specific communities.



## The Causal Loop Diagram of the Interplay between SDOH and Chronic Disease Risk Factors

Economic Stability	Neighborhood and Physical Environment	Education	Community and Social Context
Poverty	Air and Water Quality	School Completion	Social Associations
Unemployment	Residential Segregation	Inequalities in Education	Social Isolation
Health Expenditure	Access to Exercise Opportunities	Health Knowledge	School Segregation
Health Insurance	Housing Problems	School Enrollment	Health Disparities

Healthcare System	Health Behaviors
Chronic Diseases	Alcohol Consumption
Demand for Healthcare	Drug Abuse
Access to Care	Obesity
Provider Linguistic and Cultural Competency	Physical Inactivity
Awareness and Efforts to Improve Cultural Competency	-
Communication with Healthcare Providers	-
Health Disparities	-

Chronic Disease Risk Factors
High Blood Pressure/Cholesterol
Increased Rates of Low Birth Weight
Stress

Table 2: SDOH Variables in the Model

## COMPUTATIONAL AND DATA SCIENCE-MTSU



The Causal Diagram of the Interaction of the Chronic Disease Risk Factors

Chronic Disease Risk Factors	
High Alcohol Consumption	Physical Inactivity
Obesity	Higher Risk of Chronic Diseases
Poor Prevalence of Smoking	Physical Distress
Poor Food Environmental Index	Poor Physical Health
Poor Diet and Chronic Diseases	High-Stress Levels
Poor Mental Health	Poor Access to Exercise Opportunities
Further Limitation in Exercise	Limited Exercise and Obesity
High Blood Pressure	Increase in Heart Diseases
High Rates of Substance Abuse	Increased Use of Substances
High Hormone Levels	Genetic Susceptibility to Chronic Diseases
High Blood Cholesterol	Aging

Table 3: Chronic Disease Risk Factors Variables in the Model




Figure 9: Chronic Disease Risk Factors Interactions

Figure 10 shows the process design of the system dynamics model. This diagram presents how the SDOH factors influence the chronic disease risk factors in minority populations in the US.




Figure 10: The System Dynamics Model Design Process

Model Stocks	Model Flows	SDOH
Minority Population	Susceptibility Transition	Low School Completion
Susceptible Minority Population	Chronic Disease Onset	Increased Unemployment
Minority Population with Two or More Chronic Diseases	Susceptibility After Recovery	Low Income
Recovered Minority Population from Two or More Chronic Diseases	Recovery After from Two or More Chronic Diseases	Higher Poverty
Hospitalized Minority Population	Poor Quality of Life	Poor Access to Quality Care
Minority Population with Poor Mental Health	Mortality	Limited Access to Care
Proportion of the Minority Population with Mortality	Poor Mental Health Mortality	Poor Air and Water Quality
Minority Population with Poor Quality of Life	Hospitalization from Poor Mental Health	Health Issues
Minority Population with Disability	Disability Prevalence	Limited Access to Quality Food
	Mental Health Prevalence	Inadequate Provider Linguistic and Cultural Competency
Chronic Disease Risk Factors	Interventions	Limited English Proficiency
Alcohol Consumption Level (High)	Limited English Proficiency Interventions	Substandard or No Health Insurance
Physical Distress	Poor Air and Water Quality Interventions	School Segregation
High Blood Sugar	Health Issues Interventions	Increased Community Violent Crime
High Blood Pressure Incidence	Limited Access to Quality Food Interventions	Less School Enrollment due to Safety Concerns
High Cholesterol Incidence	Poor Communication with Healthcare Providers Interventions	Poor Communication with Healthcare Providers
Smoking (Tobacco Abuse)	Substandard or No Health Insurance Interventions	Poor Social Associations
Obesity	Increased Community Violent Crime Interventions	Residential Segregation
Physical Inactivity	Less School Enrollment due to Safety Concerns Interventions	Racial Discrimination
Age	Poor Access to Quality Care Interventions	
Poor Mental Health Status	School Segregation Interventions	
High Hormone Levels (Imbalance)	Inadequate Provider Linguistic and Cultural Competency Interventions	
Poor Diet (Malnutrition)	Racial Discrimination Interventions	
Drug/Substance Abuse	Smoking (Tobacco Abuse) Interventions	
	Physical Distress Interventions	
	Physical Inactivity Interventions	
	Alcohol Consumption Level (High) Interventions	
	Drug/Substance Abuse Interventions	
	Obesity Interventions	
	High Blood Sugar Interventions	
	Poor Mental Health Status Interventions	
	High Hormone Levels (Imbalance) Interventions	
	High Blood Pressure Incidence Interventions	
	High Cholesterol Incidence Interventions	
	Poor Diet (Malnutrition) Interventions	
	Limited Access to Care Interventions	

Table 4: Stock and Flow Model Variables




The research employs the stock and flow system dynamics model to explore the interactions between Social Determinants of Health (SDOH) and chronic disease risk factors in minority populations over 50 years from 2020 to 2070. Utilizing Vensim's settings and the Euler method, the model combines previous causal loop diagrams and stock and flow parameters to understand the complex dynamics of these interactions and potential interventions to mitigate adverse health outcomes.

Parameter	Value
INITIAL TIME	2020
FINAL TIME	2070
TIME STEP	0.0078125
Units of Time	Year
Integration Type	Euler

Table 4: Time boundaries for the model

Figure 8: The SD using Stocks and Flows








Figure 10: The SD using Stocks and Flows Section 2




Figure 11: The SD using Stocks and Flows Section 3




Figure 12: The SD using Stocks and Flows Section 4




Figure 13: The SD using Stocks and Flows Section 5



A system dynamics model's general differential and integral form equations are described below. These equations connect the concepts of stocks (S), flows (inflows I and outflows O), and time (t).

## SD Differential Form

Equation:

$$\frac{dS}{dt} = I - O$$

Explanation:

- $S$ : Stock or the state of the system at a given time.
- $I$ : Inflow, or how much is added to the stock per unit of time.
- $O$ : Outflow, or how much is subtracted from the stock per unit of time.
- $\frac{dS}{dt}$ : The rate of change of the stock over time, equal to the inflow minus the outflow.

## SD Integral Form

Equation:

$$S(t) = S(t_0) + \int_{t_0}^t (I(\tau) - O(\tau)) d\tau$$

Explanation:

- $S(t)$ : Stock at a given time  $t$ .
- $S(t_0)$ : Initial value of the stock at the starting time  $t_0$ .
- $I(\tau)$  and  $O(\tau)$ : Inflow and outflow at time  $\tau$  respectively.
- Integral  $\int_{t_0}^t (I(\tau) - O(\tau)) d\tau$ : Accumulated net inflow (inflows minus outflows) over the time period from  $t_0$  to  $t$ .
- Behavior: If inflows exceed outflows, the stock will increase; if outflows exceed inflows, the stock will decrease.

- **Equation Structure:** The model consists of equations for various parameters, including stocks, flows, auxiliary variables, and interventions.
- **Simulation Rendering:** Each component has its equation to enable error-free simulation.
- **Software:** Vensim system dynamics software is used, where stocks are generally in integral form, and other parameters have numerical equations.
- **Weight Representation:** The variable  $w_n$  represents the weight of the influence or impact of each variable in the model, where  $n$  is an integer (1, 2, 3, ...  $n$ ). For example,  $w_1$  represents a 10% impact of SDOH or chronic disease risk factors in the minority population.
- **Equation Categories:** The equations include demographic, susceptible, and chronic disease onset equations to indicate the incidence of chronic conditions in minority populations over time.

## SD Research Equation Samples

$$\begin{aligned}\text{Susceptibility Transition} &= w_1 \times \text{Minority Population} \\ &\quad \times w_2 \times \text{Social Determinants of Health (SDOH)} \\ &\quad \times w_3 \times \text{Chronic Disease Risk Factors}\end{aligned}$$

$$\begin{aligned}\text{Demographic Transition} &= w_1 \times \text{Social Determinants of Health (SDOH)} \\ &\quad \times w_2 \times \text{Chronic Disease Risk Factors}\end{aligned}$$

$$\begin{aligned}\text{Minority Population}(t) &= \text{Minority Population}(t_0) + \int_{t_0}^t \text{Demographic Transition}(\tau) \\ &\quad - \int_{t_0}^t \text{Susceptibility Transition}(\tau) d\tau\end{aligned}$$

## Majority and Minority Populations Distribution in the United States

Table 12 displays the population demography in 2022. The demography shows the population category based on the percentages and millions.

Race/Ethnicity	Percentage	Estimated Population
White alone	75.5%	251,591,802
Black or African American alone	13.6%	45,287,112
American Indian and Alaska Native alone	1.3%	4,332,738
Asian alone	6.3%	20,997,116
Native Hawaiian and Other Pacific Islander alone	0.3%	999,862
Two or More Races	3.0%	9,998,627
Hispanic or Latino	19.1%	63,677,974
White alone, not Hispanic or Latino	58.9%	196,202,392

Table 5: Population Distribution in the United States (2022)

The PySD library facilitates the efficient translation and initiation of the Vensim-based system dynamics model into a Python environment. It ensures interoperability with various powerful Python libraries such as Matplotlib, Pandas, Seaborn, and Numpy.

---

**Algorithm 1** Run System Dynamics Model and Save Output to CSV

---

```
1: procedure RUNSDMODEL  
2:   model  $\leftarrow$  read_vensim('SDOH-Chronic Disease Risk Factors.mdl')  
3:   output  $\leftarrow$  model.run()  
4:   PRINT(output)  
5:   OUTPUT.TO_CSV('SDOH-Chronic Disease Risk Factors.csv')  
6: end procedure
```

---

Figure 14: PySD Algorithm for SD Model

Figure 15 describes how the machine learning process is arranged in the research. After the PySD library has been utilized to translate the Vensim model into the Pythonic environment, the numeric outputs of the simulation were saved and then employed in the machine learning procedure.




Figure 15: The Research Machine Learning Procedure




Figure 16: Susceptible Minority Population

Figure 16 shows the trend of the susceptible minority population in the U.S. from 2020 to 2070. The graph indicates an increase to 5.5 million by 2030, then a decline to 2.2 million by 2070. This trend may reflect improvements in interventions like social justice or how vulnerability is defined and assessed.




Figure 17: Chronic Disease Onset

Figure 17 depicts the onset of chronic diseases in U.S. minority populations from 2020 to 2070. The graph shows a peak of 1.22 million new cases per year by 2030, then a decline to 1.19 million by 2070, reflecting changes in risk management and intervention measures.




Figure 18: Minority Population with Two or More Diseases

Figure 18 illustrates the trend of minorities with two or more chronic diseases in the U.S. from 2020 to 2070. The graph peaks at 350,000 by 2025, then gradually declines, possibly reflecting future efforts to reduce chronic diseases among these communities.

## Implementing Interventions' Effect on SDOH and Chronic Disease Risks Factors in Minority Populations Over Time (Sensitivity Analysis)




Figure 19: Health Issues Intervention Effect on Minority Population with Two or More Chronic Diseases

Figure 19 depicts the effects of health interventions on minority populations with two or more chronic diseases from 2020 to 2027. The graph reveals latent effects until 2025, peaking at 350,000, followed by a decline through 2070.




Figure 20: Health Issues Intervention Effect on Recovered Minority Population from Two or More Chronic Diseases

Figure 20 shows the effect of health interventions on recovery rates in minority populations with chronic diseases from 2020 to 2070. The graph illustrates an initial rise, followed by an increase and gradual decline, implying that increased interventions could enhance recovery rates.

The PySD library translates system dynamics modeling into Python scripts for the research. A regression machine learning model targeting the minority population with chronic diseases is created using three algorithms: Random Forest, Gradient Boosting, and Decision Tree.




Figure 21: Actual and Predicted Values for Gradient Boost Machine Learning Model




Figure 22: Actual and Predicted Values for Random Forest Machine Learning Model




Figure 23: Actual and Predicted Values for Decision Tree Machine Learning Model

Figure 21 depicts a scatter plot for the gradient boosting model, showing a positive correlation between actual and predicted values. Some data points away from the line indicate expected errors, possibly due to model fitting issues or data anomalies.

Figure 22 reveals a scatter plot of the random forest model, illustrating a positive correlation between actual and predicted values. The plot indicates better performance with fewer prediction errors than the gradient boosting model.

Figure 23 illustrates the decision tree model's scatter plot, showing a positive correlation between actual and predicted values. The model is effective but has some errors. It performs better than the gradient boosting model, but the random forest model outperforms it.






Figure 24: Gradient Boosting Learning Curve

Figure 24 illustrates a learning curve for the gradient boosting algorithm. As the training set size increases, training error decreases, but validation error gradually rises, indicating overfitting. This pattern suggests that the model might struggle with predictions on new, unseen data.




Figure 25: Random Forest Learning Curve

Figure 25 shows the random forest learning curve with training and validation errors decreasing as training data increases. The convergence of the errors suggests a well-balanced model, likely performing well on new data.




Figure 26: Decision Tree Learning Curve

Figure 26 depicts the decision tree learning curve, highlighting overfitting due to constant training errors. The model's performance is inferior to the random forest model but better than the gradient boosting model.

In this research, the performance of three regression models (Random Forest, Decision Tree, and Gradient Boosting) was evaluated using various metrics:

- **Mean Absolute Error (MAE):** Random Forest had the smallest error of 39.59, making it the best performer.
- **Mean Squared Error (MSE) & Root Mean Squared Error (RMSE):** Random Forest again had the smallest values with an MSE of 18091.15 and an RMSE of 134.50.
- **R-squared & Explained Variance:** Random Forest outperformed the others with a value of 0.999997 for both metrics, indicating that it explains most of the variance in the target variable.
- **Median Absolute Error (MedAE):** Random Forest also had the lowest median error at 14.83.
- **Mean Squared Logarithmic Error (MSLE):** Random Forest depicted the smallest value of 0.00001, making it the best model if the target variable experiences exponential growth.

Model	MAE	MSE	RMSE	R-Squared	Ex-plained Vari- ance	Me- dian AE	MSLE
De- cision Tree	93.76	72017.51	268.36	0.99999	0.99999	41.61	0.00011
Ran- dom Forest	39.59	18091.15	134.50	0.999997	0.999997	14.83	0.00001
Gra- dient Boost- ing	452.18	401176.45	633.38	0.99994	0.99994	325.79	0.00008

Table 6: Comparison of Regression Models

- **Chronic Disease Impact:** Chronic diseases lead to significant medical expenses, disability, and death in the US, disproportionately affecting people of color due to their environment and socioeconomic status.
- **Persistent Disparities:** Despite efforts, health disparities persist, particularly affecting low-income Americans and racial minorities, who often have restricted access to treatment and healthcare interventions.
- **Complex Interactions:** The incidence of chronic diseases is influenced by complex interactions between social determinants of health (SDOH) and risk factors.
- **Methodology Employed:**
  - **System Dynamics Modeling:** The study used this approach to explore the interacting factors affecting minority populations' health.
  - **Machine Learning Techniques:** Predictive analysis was performed, specifically using the Random Forest model, to predict possible health outcomes and develop proactive measures.
- **Results:**
  - **Random Forest Model Performance:** It outperformed other models with precise evaluation metrics like MAE of 39.59, MSE of 18091.15, and R-squared of 0.999997.
  - **Holistic View Provided:** The combined techniques provide a comprehensive view of risk factors and interventions, aiding in potential policy considerations for minority populations.

The research's future work includes avenues for expanding to diverse populations, integrating additional variables, ensuring quality data availability, collaboration with stakeholders, ethical considerations, interdisciplinary collaborations, and policy impact assessment.

1. Centers for Disease Control and Prevention. (2022). Health and Economic Costs of Chronic Diseases | CDC. Retrieved from <https://www.cdc.gov/chronicdisease/about/costs/index.htm>.
2. Hill, L., Ndugga, N., & Artiga, S. (2023, March 15). Key data on health and health care by race and ethnicity. KFF. <https://www.kff.org/racial-equity-and-health-policy/report/key-data-on-health-and-health-care-by-race-and-ethnicity/>
3. US Census Bureau. (2021). *2020 U.S. Population More Racially and Ethnically Diverse Than Measured in 2010*. The United States Census Bureau. <https://www.census.gov/library/stories/2021/08/2020-united-states-population-more-racially-ethnically-diverse-than-2010.html>
4. Healthy People 2030. (2023). Healthy People 2030. Health.Gov. <https://health.gov/healthypeople>
5. NACCHO. (2016). *Social determinants of health*. NACCHO Aboriginal Health News Alerts. <https://nacchocommunique.com/tag/social-determinants-of-health/>
6. Bharmal, Nazleen, et al. "Understanding the upstream social determinants of health." California: RAND (2015): 1-18.
7. Alcendor, Donald. "Racial Disparities-Associated COVID-19 Mortality among Minority Populations in the US." *Journal of Clinical Medicine*, vol. 9, no. 8, 2020, p. 2442, <https://doi.org/10.3390/jcm9082442>.
8. Lantz, Paula M., et al. "Socioeconomic Factors, Health Behaviors, and Mortality." *JAMA*, vol. 279, no. 21, June 1998, p. 1703, <https://doi.org/10.1001/jama.279.21.1703>
9. Gallant, Mary P., et al. "Chronic Illness Self-Care and the Family Lives of Older Adults: A Synthetic Review across Four Ethnic Groups." *Journal of Cross-Cultural Gerontology*, vol. 25, no. 1, Feb. 2010, pp. 21-43, <https://doi.org/10.1007/s10823-010-9112-z>
10. Battineni, Gopi, et al. "Applications of Machine Learning Predictive Models in the Chronic Disease Diagnosis." *Journal of Personalized Medicine*, vol. 10, no. 2, 2020, p. 21, <https://doi.org/10.3390/jpm10020021>.
11. Loyo, Heather Karina, et al. "From Model to Action." *Health Promotion Practice*, vol. 14, no. 1, Apr. 2012, pp. 53-61, <https://doi.org/10.1177/1524839910390305>.

THANK  
YOU

