














## Create a Package




Explanation	Screenshot
<p> Create an ABAP package in which you can store the development objects, which you will create during this class. Add the package to your favorites so you can easily access it anytime.</p> <p>To learn more about how to create a package, follow this interactive tutorial.</p>	
<p> In the following steps, you will create an ABAP package, ZS4D100_01. Assign the package to the software component, ZLOCAL. When you are prompted to assign the package to a transport request, create a new one.</p>	




Explanation	Screenshot
<p>1. Choose <i>File &gt; New &gt; ABAP Package</i>.</p>	
<p>2. In the <i>Name</i> field, enter <b>ZS4D100_01</b>.</p>	
<p>3. In the <i>Description</i> field, enter <b>ZS4D100 Package</b>.</p>	


Explanation	Screenshot
<p>4. Choose <i>Next</i>.</p>	 <p>The screenshot shows the 'New ABAP Package' dialog box with the 'Next &gt;' button highlighted by a yellow circle with the number 4. The dialog box contains fields for Project, Name, Description, Original language, Add to favorite packages, Superpackage, and Package Type.</p>
<p>5. In the <i>Software Component</i> field, enter <b>ZLOCAL</b>.</p>	 <p>The screenshot shows the 'New ABAP Package' dialog box with the 'Software Component' field highlighted by a yellow circle with the number 5. The field contains the text 'ZLOCAL'.</p>
<p>6. Choose <i>Next</i>.</p>	 <p>The screenshot shows the 'New ABAP Package' dialog box with the 'Next &gt;' button highlighted by a yellow circle with the number 6. The dialog box contains fields for Software Component, Application Component, and Transport Layer.</p>

Explanation	Screenshot
7. Select the <i>Create a new request</i> radio button.	
8. In the <i>Request Description</i> field, enter <b>ZS4D100 Package</b> .	
9. Choose <i>Finish</i> .	



Explanation	Screenshot
<p>12. Choose <i>Favorite Packages</i> with the right-click.</p>	
<p>13. Choose <i>Add Package</i>.</p>	
<p>14. In the <i>Enter the name or partial name of an ABAP package</i> field, enter <b>ZS4D100_01</b>.</p>	

Explanation	Screenshot
15. Choose ZS4D100_01 ZS4D100 Package.	
16. Choose OK.	
17. To expand the Favorite Packages items pane, choose the arrow.	

Explanation	Screenshot
<p> You have successfully created a package.</p> <p>This concludes the interactive tutorial.</p>	