1

$$P(X) = \frac{8}{7} \frac{1}{2}^{X}$$

$$cdf = F(a) = \sum_{n=1}^{a} f(n) = \sum_{n=1}^{a} \frac{8}{7} \frac{1}{2}^{n}$$

$$F(x) = \begin{cases} 0 & \text{for } x < 1\\ \frac{4}{7} & \text{for } x = 1\\ \frac{6}{7} & \text{for } x = 2\\ 1 & \text{for } x = 3 \end{cases}$$

A P(X < 1.5)

$$P(X < 1.5) = F(1) = \frac{4}{7}$$

B $P(X \le 3)$

$$P(X \le 3) = F(3) = 1$$

C P(X > 2)

$$P(X > 2) = F(3) - F(2) = \frac{1}{7}$$

D $P(1 < X \le 2)$

$$P(1 < X \le 2) = F(2) - F(1) = \tfrac{2}{7}$$

2

Α

$$f(X) = \begin{cases} 0.06 & \text{for} \quad x = 350\\ 0.1 & \text{for} \quad x = 450\\ 0.37 & \text{for} \quad x = 550\\ 0.47 & \text{for} \quad x = 650 \end{cases}$$

В

$$\mu = E(X) = \sum_{x} x f(x) = 0.06 * 350 + 0.1 * 450 + 0.37 * 550 + 0.47 * 650 = 575 \sigma = \sqrt{VAR(X)} = \sqrt{E(X^2) - \mu^2} = \sqrt{0.06 * 350^2 + 0.1 * 450^2 + 0.36 * 550^2 + 0.47 * 650^2 - 575^2} = \sqrt{7475} = 86.458$$

3

A Exactly 5 right

$$P(X=5) = C_5^{25}(0.25)^5(0.75)^{20} = \tfrac{25*24*23*22*21}{5*4*3*2}0.25^50.75^{20} = 0.16453$$

B More than 2

$$P(2 < X) = 1 - P(X \le 2) = 0.96789$$

C Fewer than 3

$$P(X < 3) = P(X \le 3) - P(X = 3) = 0.0321$$

D

```
A <- dbinom(5,25,0.25)
print(paste("A:", A))
```

[1] "A: 0.164537588198792"

```
print(paste("B:", (1-pbinom(2,25,0.25))))
```

[1] "B: 0.967891479118293"

```
print(paste("C", (pbinom(3,25,0.25)-dbinom(3,25,0.25))))
```

[1] "C 0.0321085208817067"

Ε

$$\mu = np = 6.25$$

$$\sigma = np(1-p) = 4.6875$$

4

12 per hour = 0.2 per minute, so $\lambda = 0.2, T = \text{minutes}$

Α

5 minutes, so
$$\lambda T = 1$$
 $P(X=0) = \frac{e^{-0.2(5)}(0.2*5)^0}{1} = \frac{1}{e} = 0.36788$

В

$$P(X \ge 3) = 1 - P(X \le 3) + P(X = 3) = 0.0803$$

C

10 mintes, so
$$\lambda T = 2$$
 $P(X=0) = \frac{e^{-2}(0.2*5)^0}{1} = \frac{1}{e^2} = 0.135335$

D

$$P(X=0)=0.001=\frac{e^{-0.2*T}(0.2T)^0}{1}\to 0.001=e^{-0.2T}\to 1000=e^{0.2T}=0.2T=\ln(1000)\to T=5\ln(1000)$$

Ε

[1] "A: 0.367879441171442"

[1] "B: 0.0803013970713942"