

# 1867. Orders With Maximum Quantity Above Average

## Description

Table: `OrdersDetails`

```
+-----+-----+
| Column Name | Type |
+-----+-----+
| order_id    | int  |
| product_id  | int  |
| quantity    | int  |
+-----+-----+

(order_id, product_id) is the primary key (combination of columns with unique values) for this table.
A single order is represented as multiple rows, one row for each product in the order.
Each row of this table contains the quantity ordered of the product product_id in the order order_id.
```

You are running an e-commerce site that is looking for **imbalanced orders**. An **imbalanced order** is one whose **maximum** quantity is **strictly greater** than the **average** quantity of **every order (including itself)**.

The **average** quantity of an order is calculated as `(total quantity of all products in the order) / (number of different products in the order)`. The **maximum** quantity of an order is the highest `quantity` of any single product in the order.

Write a solution to find the `order_id` of all **imbalanced orders**.

Return the result table in **any order**.

The result format is in the following example.

### Example 1:

**Input:**  
OrdersDetails table:

order_id	product_id	quantity
1	1	12
1	2	10
1	3	15
2	1	8
2	4	4
2	5	6
3	3	5
3	4	18
4	5	2
4	6	8
5	7	9
5	8	9
3	9	20
2	9	4

**Output:**

order_id
1
3

**Explanation:**  
The average quantity of each order is:  
- order\_id=1: (12+10+15)/3 = 12.3333333  
- order\_id=2: (8+4+6+4)/4 = 5.5  
- order\_id=3: (5+18+20)/3 = 14.333333  
- order\_id=4: (2+8)/2 = 5  
- order\_id=5: (9+9)/2 = 9

The maximum quantity of each order is:  
- order\_id=1: max(12, 10, 15) = 15  
- order\_id=2: max(8, 4, 6, 4) = 8  
- order\_id=3: max(5, 18, 20) = 20  
- order\_id=4: max(2, 8) = 8  
- order\_id=5: max(9, 9) = 9

Orders 1 and 3 are imbalanced because they have a maximum quantity that exceeds the average quantity of every order.

