# 3062. Winner of the Linked List Game

## Description

You are given the head of a linked list of even length containing integers.

Each odd-indexed node contains an odd integer and each even-indexed node contains an even integer.

We call each even-indexed node and its next node a pair, e.g., the nodes with indices 0 and 1 are a pair, the nodes with indices 2 and 3 are a pair, and so on.

For every pair, we compare the values of the nodes in the pair:

- If the odd-indexed node is higher, the "0dd" team gets a point.
- If the even-indexed node is higher, the "Even" team gets a point.

Return the name of the team with the higher points, if the points are equal, return "Tie".

#### Example 1:

```
Input: head = [2,1]
Output: "Even"
Explanation: There is only one pair in this linked list and that is (2,1). Since 2 > 1, the Even team gets the point.
Hence, the answer would be "Even".
```

#### Example 2:

```
Input: head = [2,5,4,7,20,5]

Output: "Odd"

Explanation: There are 3 pairs in this linked list. Let's investigate each pair individually:

(2,5) -> Since 2 < 5, The Odd team gets the point.

(4,7) -> Since 4 < 7, The Odd team gets the point.

(20,5) -> Since 20 > 5, The Even team gets the point.

The Odd team earned 2 points while the Even team got 1 point and the Odd team has the higher points.

Hence, the answer would be "Odd".
```

### Example 3:

```
Input: head = [4,5,2,1]

Output: "Tie"

Explanation: There are 2 pairs in this linked list. Let's investigate each pair individually:

(4,5) -> Since 4 < 5 , the Odd team gets the point.

(2,1) -> Since 2 > 1 , the Even team gets the point.

Both teams earned 1 point.

Hence, the answer would be "Tie" .
```

### Constraints:

- The number of nodes in the list is in the range [2, 100].
- The number of nodes in the list is even.
- 1 <= Node.val <= 100
- The value of each odd-indexed node is odd.
- The value of each even-indexed node is even.