

# 1527. Patients With a Condition

## Description

Table: `Patients`

```
+-----+-----+
| Column Name | Type   |
+-----+-----+
| patient_id  | int    |
| patient_name| varchar|
| conditions  | varchar|
+-----+-----+

patient_id is the primary key (column with unique values) for this table.
'conditions' contains 0 or more code separated by spaces.
This table contains information of the patients in the hospital.
```

Write a solution to find the `patient_id`, `patient_name`, and `conditions` of the patients who have Type I Diabetes. Type I Diabetes always starts with `DIAB1` prefix.

Return the result table in **any order**.

The result format is in the following example.

### Example 1:

```
Input:
Patients table:
+-----+-----+-----+
| patient_id | patient_name | conditions |
+-----+-----+-----+
| 1          | Daniel       | YFEV COUGH |
| 2          | Alice        |             |
| 3          | Bob          | DIAB100 MYOP |
| 4          | George       | ACNE DIAB100 |
| 5          | Alain        | DIAB201     |
+-----+-----+-----+

Output:
+-----+-----+-----+
| patient_id | patient_name | conditions |
+-----+-----+-----+
| 3          | Bob          | DIAB100 MYOP |
| 4          | George       | ACNE DIAB100 |
+-----+-----+-----+

Explanation: Bob and George both have a condition that starts with DIAB1.
```

