

# 584. Find Customer Referee

## Description

Table: Customer

| +-----+-----+ |         |  |
|---------------|---------|--|
| Column Name   | Type    |  |
| +-----+-----+ |         |  |
| id            | int     |  |
| name          | varchar |  |
| referee_id    | int     |  |
| +-----+-----+ |         |  |

In SQL, id is the primary key column for this table.  
Each row of this table indicates the id of a customer, their name, and the id of the customer who referred them.

Find the names of the customer that are **not referred by** the customer with id = 2 .

Return the result table in **any order** .

The result format is in the following example.

### Example 1:

**Input:**

Customer table:

| +----+-----+-----+ |      |            |  |
|--------------------|------|------------|--|
| id                 | name | referee_id |  |
| +----+-----+-----+ |      |            |  |
| 1                  | Will | null       |  |
| 2                  | Jane | null       |  |
| 3                  | Alex | 2          |  |
| 4                  | Bill | null       |  |
| 5                  | Zack | 1          |  |
| 6                  | Mark | 2          |  |
| +----+-----+-----+ |      |            |  |

**Output:**

| +-----+ |  |
|---------|--|
| name    |  |
| +-----+ |  |
| Will    |  |
| Jane    |  |
| Bill    |  |
| Zack    |  |
| +-----+ |  |

