### 1344. Angle Between Hands of a Clock



### **Problem Description**

In this problem, we are asked to find the smaller angle between the hour and minute hands of a clock based on the provided hour and minutes values. A clock is a circle, and a full circle is 360 degrees. As time progresses, both the hour and minute hands move around the clock at different speeds. The hour hand makes a complete rotation every 12 hours, while the minute hand does so every hour (60 minutes). The goal is to calculate the angle in degrees between the two hands, which could be thought of as two vectors originating from the center of the clock and pointing towards the current positions of the hands. Importantly, we want to find the smallest of the two possible angles created by these hands. The precision of the answer should be within 10^-5 degrees for it to be considered correct.

#### Intuition

To determine the angle between the hour and minute hands, we first calculate the angle of each hand relative to 12 o'clock, or 0 degrees. For the hour hand (h), it moves 30 degrees each hour (1/12 of a full circle) and an additional 0.5 degrees each minute (since it progresses 1/12 of an hour per 60 minutes). For the minute hand (m), it moves at a consistent pace of 6 degrees per minute (1/60 of a full circle).

Once we have the angles for each hand, we get the difference between them using abs(h - m). This gives us one of the angles created by the hour and minute hands—the larger one if it's over 180 degrees. To find the smaller angle, we simply subtract the larger angle from 360 degrees if necessary, since the sum of both angles is always 360 degrees (the full circle).

The use of min(diff, 360 - diff) gives us the smaller angle, as required by the problem statement. This is because the angle between the two hands must always be less than or equal to 180 degrees. If diff is greater than 180, 360 - diff gives us the smaller angle. If diff is less than or equal to 180, then it is already the smaller angle.

### Solution Approach

focuses on mathematics and geometry concepts applied to the context of a clock.

Here is the breakdown of the implementation steps:

The approach used in the provided solution is straightforward and does not involve complex data structures or patterns. It

1. Calculate the angle of the hour hand from 12 o'clock. This is done using the formula 30 \* hour + 0.5 \* minutes. Since there

- are 12 hours on a clock, the hour hand moves 360 degrees / 12 = 30 degrees every hour. Additionally, for every minute that passes, the hour hand will move an additional 0.5 degrees (30 degrees / 60 minutes), because it is gradually moving towards the next hour mark.
- Calculate the angle of the minute hand from 12 o'clock using the formula 6 \* minutes. The minute hand moves 360 degrees /
   60 = 6 degrees every minute.

Find the absolute difference between these two angles with abs(h - m). This difference is one of the two angles formed by

- the hour and minute hands.

  4. The last step is to determine the smaller of the two possible angles. If the difference calculated is greater than half a rotation
- (180 degrees), the smaller angle would be the supplement of that angle, which is 360 degrees diff. If it is less than 180 degrees, it is already the smaller angle. The min(diff, 360 diff) function returns the smaller angle.

  No further algorithms or complex data structures are used in this solution; the primary focus is on understanding the movement

of the clock hands and applying basic arithmetic to find the desired angle.

Example Walkthrough

### Let's walk through a small example. Assume that we have hour = 3 and minutes = 30. We want to find the smaller angle between

the hour and minute hands of a clock at 3:30.

1. Calculate the angle of the hour hand from 12 o'clock:

So, the angle for the hour hand from the 12 o'clock position is 105 degrees.

Using the formula 30 \* hour + 0.5 \* minutes:

 $\circ$  30 \* 3 + 0.5 \* 30 = 90 + 15 = 105 degrees.

```
Calculate the angle of the minute hand from 12 o'clock:

• Using the formula 6 * minutes:
```

- So, the angle for the minute hand from the 12 o'clock position is 180 degrees.
- abs(h m) = abs(105 180) = abs(-75) = 75 degrees.
   The difference between the two angles is 75 degrees.

Find the absolute difference between these two angles:

```
Determine the smaller angle:
```

Since the difference is less than 180 degrees, the smaller angle is the same as the difference.
 We use min(diff, 360 - diff) to confirm this:

 $\circ$  6 \* 30 = 180 degrees.

- o min(75, 360 75) = min(75, 285) = 75 degrees.
- The smaller angle between the hour and minute hands when the time is 3:30 is 75 degrees.

def angleClock(self, hour: int, minutes: int) -> float:

\* @param hour The current hour shown by the clock.

public double angleClock(int hour, int minutes) {

// The minute hand moves 6 degrees per minute

// Calculate the absolute difference between the two angles

// because the hands could be on either sides of each other

// Calculate the angle between the hour hand and the minute hand on a clock

// Each minute adds 0.5 degrees to the hour hand (30 degrees / 60 minutes)

// The angle should be the smaller one between angleDifference and 360 - angleDifference

double angleDifference = abs(hourAngle - minuteAngle);

return min(angleDifference, 360 - angleDifference);

// Each hour represents 30 degrees (360 degrees / 12 hours)

double minuteAngle = 6 \* minutes;

// Calculate the position of the hour hand

\* @param minutes The current minutes shown by the clock.

\* @return The smaller angle between the hour and minute hands.

// Calculate the angle of the hour hand from 12 o'clock.

hour\_angle = 30 \* hour + 0.5 \* minutes

# Calculate the angle of the hour hand relative to 12:00.

# The hour hand moves 30 degrees every hour, plus an additional 0.5 degrees every minute.

# Python class Solution:

Solution Implementation

```
# Calculate the angle of the minute hand relative to 12:00.
# The minute hand moves 6 degrees every minute.
minute_angle = 6 * minutes

# Calculate the difference between the two angles.
angle_diff = abs(hour_angle - minute_angle)

# The angle between the two hands may be the smaller of the two possibilities:
# either angle_diff directly, or the complementary angle, which is 360 - angle_diff.
return min(angle_diff, 360 - angle_diff)

Java

class Solution {
    /**
    * Calculates the smaller angle between the hour and minute hands of a clock.
```

```
// The hour hand moves 0.5 degrees per minute (30 degrees per hour and 1/60 of that per minute).
       double hourHandAngle = 30 * hour + 0.5 * minutes;
       // Calculate the angle of the minute hand from 12 o'clock.
        // The minute hand moves 6 degrees per minute.
       double minuteHandAngle = 6 * minutes;
       // Find the absolute difference between the two angles.
       double angleDifference = Math.abs(hourHandAngle - minuteHandAngle);
       // Calculate the smaller angle between the two clock hands.
       // It should be less than or equal to 180 degrees.
       return Math.min(angleDifference, 360 - angleDifference);
C++
class Solution {
public:
   double angleClock(int hour, int minutes) {
       // Calculate the angle of the hour hand
       // The hour hand moves 30 degrees per hour plus another 0.5 degrees per minute
       double hourAngle = 30 * hour + 0.5 * minutes;
       // Calculate the angle of the minute hand
```

```
// @param {number} hour - The hour on the clock
// @param {number} minutes - The minutes on the clock
// @returns {number} - The smallest angle between the hour and minute hands
function angleClock(hour: number, minutes: number): number {
```

**TypeScript** 

**}**;

```
const hourHandPosition: number = 30 * hour + 0.5 * minutes;
      // Calculate the position of the minute hand
      // Each minute represents 6 degrees (360 degrees / 60 minutes)
      const minuteHandPosition: number = 6 * minutes;
      // Calculate the absolute difference between the two hands
      const difference: number = Math.abs(hourHandPosition - minuteHandPosition);
      // The angle between the hands could be the difference or 360 - difference
      // We need the smallest angle
      return Math.min(difference, 360 - difference);
class Solution:
   def angleClock(self, hour: int, minutes: int) -> float:
       # Calculate the angle of the hour hand relative to 12:00.
       # The hour hand moves 30 degrees every hour, plus an additional 0.5 degrees every minute.
        hour_angle = 30 * hour + 0.5 * minutes
       # Calculate the angle of the minute hand relative to 12:00.
       # The minute hand moves 6 degrees every minute.
       minute_angle = 6 * minutes
       # Calculate the difference between the two angles.
        angle_diff = abs(hour_angle - minute_angle)
       # The angle between the two hands may be the smaller of the two possibilities:
       # either angle_diff directly, or the complementary angle, which is 360 - angle_diff.
        return min(angle_diff, 360 - angle_diff)
```

## Time and Space Complexity

The code consists of simple arithmetic operations and a minimum of two values. Here is the analysis of its complexities:

- **Time Complexity**: The algorithm computes the angle by performing a constant number of arithmetic operations, irrespective of the input size. Thus, the time complexity is 0(1).
- **Space Complexity**: It uses a fixed amount of space for the variables h, m, and diff and does not allocate any additional space that scales with the input size. Therefore, the space complexity is also 0(1).