NAME: Ajay Srinivas R REG NO: 230701017

EXP NO:2

# **DATA MANIPULATION**

Create the following tables with the given structure.

### **EMPLOYEES TABLE**

NAME	NULL?	TYPE
Employee_id	Not null	Number(6)
First_Name		Varchar(20)
Last_Name	Not null	Varchar(25)
Email	Not null	Varchar(25)
Phone_Number	26	Varchar(20)
Hire_date	Not null	Date
Job_id	Not null	Varchar(10)
Salary	19	Number(8,2)
Commission_pct	8	Number(2,2)
Manager_id	(V ):	Number(6)
Department_id	,	Number(4)

create table employees(employee\_id number(6),First\_Name varchar(20),Last\_Name varchar(25),Email varchar(25),Phone\_number varchar(20),hire\_date date,Job\_id varchar(10),Salary number(8,2),Commission\_pct number(2,2),Manager\_id

Column Name	Data Type	Nullable	Default	Primary Key
EMPLOYEE_ID	NUMBER(6,0)	Yes	-	-
FIRST_NAME	VARCHAR2(20)	Yes	<del>-</del>	-
LAST_NAME	VARCHAR2(25)	Yes	-	:=:
EMAIL	VARCHAR2(25)	Yes	-	-
PHONE_NUMBER	VARCHAR2(20)	Yes	<u></u> -	<b>1</b> =1
HIRE_DATE	DATE	Yes	-	-3
JOB_ID	VARCHAR2(10)	Yes	7	-
SALARY	NUMBER(8,2)	Yes	-	_
COMMISSION_PCT	NUMBER(2,2)	Yes	=	-
MANAGER_ID	NUMBER(6,0)	Yes	÷	-
DEPARTMENT_ID	NUMBER(4,0)	Yes	-	
				1 - 11

# Insert into employees

values(3,'Ralph','Patel','rpatel@gmail.com',9768403822,'11-12-2000',13,5000,.25,101,40);

# Insert into employees

values(4,'George','Austin','geaustin@gmail.com',9573268191,'09-10-2018',14,6000,.3,103,60);

# Insert into employees values

(1,'Ben','Chad','bchad@gmail.com',9493836325,'24-07-2022',11,4500,.15,100,70);

### Insert into employees values

(2, 'Bety', 'Dancs', 'bdancs@gmail.com', 9763467298, '19-05-2021', 12, 4800, .17, 100, 56);

# Insert into employees values

(5,'Audrey','Austin','audaustin@gmail.com',9684357377,'06-05-2017',15,7000,.35,104,80);

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPAR
3	Ralph	Patel	rpatel@gmail.com	768403822	11/12/2000	13	5000	.25	101	40
4	George	Austin	geaustin@gmail.com	9573268191	09/10/2018	14	6000	.3	103	60
1	Ben	Chad	bchad@gmail.com	9493836325	04/07/2022	11	4500	.15	100	70
2	Bety	Dancs	bdancs@gmail.com	9763467298	09/05/2021	12	4800	.17	100	56
5	Audrey	Austin	audaustin@gmail.com	9684357377	06/05/2017	15	7000	.35	104	80

(a) Find out the employee id, names, salaries of all the employees select employee\_id,first\_name,last\_name,salary from employees;

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
3	Ralph	Patel	5000
4	George	Austin	6000
1	Ben	Chad	4500
2	Bety	Dancs	4800
5	Audrey	Austin	7000

List out the employees who works under manager
 100 select \*from employees where
 manager\_id=100;

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPA
1	Ben	Chad	bchad@gmail.com	9493836325	04/07/2022	11	4500	.15	100	70
2	Bety	Dancs	bdancs@gmail.com	9763467298	09/05/2021	12	4800	.17	100	56

 Find the names of the employees who have a salary greater than or equal to 4800 select first\_name,last\_name from employees where salary>=4800;

FIRST_NAME	LAST_NAME
Ralph	Patel
George	Austin
Bety	Dancs
Audrey	Austin

 List out the employees whose last name is \_AUSTIN'select \*from employees where last\_name

='Austin';

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT
4	George	Austin	geaustin@gmail.com	9573268191	09/10/2018	14	6000	.3	103	60
5	Audrey	Austin	audaustin@gmail.com	9684357377	06/05/2017	15	7000	.35	104	80

• Find the names of the employees who works in departments 60,70 and 80.

select first\_name ,last\_name from employees where department\_id=60 or department\_id=70 or department\_id=80;

FIRST_NAME	LAST_NAME
George	Austin
Ben	Chad
Audrey	Austin

• Display the unique Manager\_Id.

MANAGER_ID
100
101
104
103

Create an Emp table with the following fields: (EmpNo, EmpName, Job, Basic, DA, HRA, PF, GrossPay, NetPay) (Calculate DA as 30% of Basic and HRA as 40% of Basic) create table emp1(empno number(4), empname varchar(25), job varchar(25), basic number(10), da number(10), hra number(10), pf number(10), grosspay number(10), netpay number(10));

Object Type TABLE Object EMP1

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP1	EMPNO	NUMBER       -       4       0       -       ✓       -       -         VARCHAR2       25       -       -       -       ✓       -       -         NUMBER       -       10       0       -       ✓       -       -	-						
	EMPNAME	VARCHAR2	25	12	-	- 3	/	17	4
	JOB	VARCHAR2	25	-	-		/	*	
	BASIC	NUMBER		10	0		/		-
	DA	NUMBER		10	0	-	/		4
	HRA	NUMBER	-	10	0	-	~	-	(3)
	PF	NUMBER		10		-	/	- :	
	GROSSPAY	NUMBER		10	0	i.e.	/	5.	-55
	NETPAY	NUMBER	-	10	0	-	~	-	-
								1	- 9

Insert Five Records and calculate GrossPay and NetPay.

insert into emp1 values(1,&#39

insert into emp1 values(2,'annnie','secretary',5000,1500,2000,1500,20,30 ); insert into emp1

values(3,'ralph','technician',8000,2400,3200,2000,30,40); insert into emp1 values(4,'linda','assistant',4000,1200,1600,1200,40,50); insert into emp1

values(5,'becky','manager',9000,2700,3600,2500,50,60);

Results	Explain	Describe	Saved	SQL	History
---------	---------	----------	-------	-----	---------

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
1	betty	manager	7000	2100	2800	1000	10	20
2	annnie	secretary	5000	1500	2000	1500	20	30
3	ralph	technician	8000	2400	3200	2000	30	40
4	linda	assistant	4000	1200	1600	1200	40	50
5	becky	manager	9000	2700	3600	2500	50	60

5 rows returned in 0.00 seconds <u>Download</u>

updat

е

emp1

set

grosspay=basic+da+

hra+ pf; set

netpay=basic-pf;

Results Explain	Describe	Saved SQL	History
-----------------	----------	-----------	---------

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
1	betty	manager	7000	2100	2800	1000	12900	6000
2	annnie	secretary	5000	1500	2000	1500	10000	3500
3	ralph	technician	8000	2400	3200	2000	15600	6000
4	linda	assistant	4000	1200	1600	1200	8000	2800
5	becky	manager	9000	2700	3600	2500	17800	6500

5 rows returned in 0.01 seconds Download

Display the employees whose
 Basic is lowest in each
 department. select \* from emp1

where basic=(select min(basic)
from emp1);

Results	Explain	Describe	Paked 2MT	HISTOTY
-				

rows reti	urned in 0.01:	seconds	Download							
4	linda	assistant	4000	1200	1600	1200	8000	2800		
EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY		

- · If Net Pay is less than select
  - \* from

emp1

where netpay=(select min(netpay)from emp1);

EMPNO	EMPNAME	JOB	BASIC	DA	HRA	PF	GROSSPAY	NETPAY
4	linda	assistant	4000	1200	1600	1200	8000	2800

1 rows returned in 0.00 seconds Download

2. Create the EMP table based on the following instance chart. Confirm that the table is created.

Column name	ID	LAST_NAME	FIRST_NAME	DEPT_ID
Key Type				
Nulls/Unique				
FK table				
FK column				
Data Type	Number	Varchar2	Varchar2	Number
Length	7	25	25	7

create table emp3(id number(7) primary key not null,last\_name varchar2(25) not null,first name

varchar2(25),dept\_id number(7));

### Object Type TABLE Object EMP3

Comment	Default	Nullable	Primary Key	Scale	Precision	Length	Data Type	Column	Table
	+		1	0	7	-	NUMBER	ID	EMP3
•	ω.	-		-	-	25	VARCHAR2	LAST NAME	
27	£	~	2	2	Ē.	25	VARCHAR2	FIRST NAME	
+	*	/		0	7		NUMBER	DEPT ID	
	1	~	•	0	7		NUMBER	DEPT ID	

3 Modify the EMP table to allow for longer employee last names. Confirm the modification.(Hint: Increase the size to 50).

alter table emp3 modify

last\_name varchar2(50);

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	<u>ID</u>	NUMBER	•	7	0	1	-	-	7
	LAST NAME	VARCHAR2	50	-	-	-	-	-	-
	FIRST NAME	VARCHAR2	25	=	-	7	/	-	-7
	DEPT ID	NUMBER	12	7	0	-2	/	-	4

4 Create the EMPLOYEES2 table based on the structure of EMPLOYEES table. Include Only the

Employee\_id, First\_name, Last\_name, Salary and Dept\_id coloumns. Name the columns Id, First\_name, Last\_name, salary and Dept\_id respectively.

create table employees2(employee\_id number(4),first\_name
varchar(25),last\_name varchar(20),salary number(10),dept\_id varchar(5));

Object Type TABLE Object EMPLOYEES2

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMPLOYEES2	EMPLOYEE ID	NUMBER		4	0		~	i.	¥.
	FIRST NAME	VARCHAR2	25		-	-	/	-	-
	LAST NAME	VARCHAR2	20		•	-	/	-	-
	SALARY	NUMBER		10	0		/	÷.	
	DEPT ID	VARCHAR2	5		·		/		
								1	- 5

5 Drop the EMP table. drop table emp3;

Table dropped.

# 0.38 seconds

6 Rename the EMPLOYEES2 table as EMP. alter table employees2 rename to emp3;

Object Ty	pe TABLE Object	EMP3							
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	EMPLOYEE ID	NUMBER	41	4	0	ů.	/	141	4
	FIRST NAME	VARCHAR2	25	-	:	÷	/	÷ :	-
	LAST NAME	VARCHAR2	20	( <del>2</del> )	5:	ē	/	· .	5 <del>7</del> (
	SALARY	NUMBER	14	10	0	12	~	-	12
	DEPT ID	VARCHAR2	5	-	-	7	/	-	*
								1	- 5

 $8 \ \mathsf{Drop} \ \mathsf{the} \ \mathsf{First\_name} \ \mathsf{column} \ \mathsf{from} \ \mathsf{the} \ \mathsf{EMP} \ \mathsf{table} \ \mathsf{and} \ \mathsf{confirm} \ \mathsf{it}.$ 

alter table emp3

drop column

first\_name;

Object Ty	pe TABLE Object	EMP3							
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
EMP3	EMPLOYEE ID	NUMBER		4	0	-	/		4
	LAST NAME	VARCHAR2	20		-	,	/	-	-
	SALARY	NUMBER	-	10	0	-	/	-	-
	DEPT ID	VARCHAR2	5	¥ <u>.</u>	₽	19	/	-	4
								1	- 4