

JDBC PART-2

Type - II Driver(JDBC Native API Driver):

Type - II Driver is also called as Partial Java Driver (or) Partly Java-Partly Native Driver

Type - II Drivers are developed in Java language and native languages.

Type - II Driver Class Name for Oracle Database:

oracle.jdbc.driver.OracleDriver

Driver Vendor:

Oracle Corporation

Driver Location:

ojdbc14.jar file in Oracle 10g Express Edition

ojdbc6_g.jar file in Oracle 11g Express Edition

ojdbc8_g.jar file in Oracle 21c Express Edition

URL to access Type-II Driver:

jdbc:oracle:oci8:@service-id

To get service-id, use the following SQL query:

SQL>select * from global_name;

Type - II Driver Functionality:

It converts Java calls into native calls.

Advantages:

- 1) It is little bit fast as compared to type - 1 driver

Disadvantages:

- 1) Separate driver required for every database.
- 2) All databases are not having type-2 drivers.
- 3) Database software needs to be installed on same system.
- 4) It is a platform dependant.

Steps to develop database application:

- 1) Loading a specific JDBC driver.
- 2) Establishing a connection.
- 3) Performing the task.
- 4) Closing a connection.

JDBC API:

JDBC API is a Java API, that can access any kind of tabular data and data especially stored in RDBMS(Relational DataBase Management System).

- 1) java.sql package
- 2) javax.sql package

java.sql package**Classes**

- 1) DriverManager
- 2) SQLException
- 3) Types
- 4) Date

Interfaces

- 1) Driver
- 2) Connection
- 3) Statement
- 4) PreparedStatement

- 5) Time
- 5) CallableStatement
- 6) ResultSet
- 7) ResultSetMetaData
- 8) DatabaseMetaData
- 9) Blob
- 10) Clob

Program to establish the connection between Java application and Oracle Database by using Type-2 Driver:

```
import java.sql.*;

class ConnectionDemo
{
    public static void main(String args[])
    {
        try{
            Class c=Class.forName("oracle.jdbc.driver.OracleDriver");
            Connection con=DriverManager.getConnection(
                "jdbc:oracle:oci8:@xe","system","manager");
            System.out.println("Connection Established Successfully");
        }catch(Exception e)
        {
            System.err.println(e);
        }
    }
}
```

```
}  
  
}
```

Type - III Driver (JDBC Network Protocol Driver):

It is also called as JDBC Net Pure Java Driver (or) Middleware Driver.

Type III Drivers are developed in Java language only.

Type - III Driver Functionality:

It passes the java instructions to middleware system.

Advantages:

- 1) Java calls are database independent from local system to middleware system.
- 2) It is a platform independent.
- 3) Database not needed on same system.

Disadvantages:

- 1) Extra layer added in this architecture.

Type - IV Driver (JDBC 100% Pure Java Driver):

It is also called as JDBC Native Protocol Driver (or) Thin Driver

Type - IV Driver Class Name for Oracle Database:

oracle.jdbc.driver.OracleDriver

URL to access driver:

jdbc:oracle:thin:@domain-name:port-no:service-id

Type - IV Driver Functionality:

It passes the java instructions directly to a database.

Advantages:

- 1) It is a highest performance driver as compared to all other drivers.
- 2) It is a platform independent.
- 3) Database not needed on same system.

Disadvantages:

- 1) Separate driver required for every database.

Program to establish a connection between Java application & oracle database by using type-iv driver:

```
import java.sql.*;

class ConnectionDemo
{
    public static void main(String args[])
    {
        try{
            Class.forName("oracle.jdbc.driver.OracleDriver");
            Connection
con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","system","manager");

            System.out.println("Connection Established Successfully");
        }catch(Exception e)
```

```
        {  
            System.err.println(e);  
        }  
    }  
}
```

Note: If the application requires more than one database then use Type 3 Driver otherwise use Type 4 Driver.

By

Mr. Venkatesh Mansani

Naresh i Technologies