


CENTRE FOR DEVELOPMENT OF ADVANCED COMPUTING

Advanced Computing Training School



Date: February 06, 2010

Software Engineering (60 Minutes)

- 1. The outcome of the analysis phase is
 - Sufficient understanding of the problem to write a design specification
 - Sufficient understanding of the problem to 2. write a formal description of it
 - 3. Sufficient understanding of the problem to suggest a solution (or solutions)
 - Sufficient understanding of the problem to 4. write a code specification
- 2. Corrective maintenance is related to:
 - 1. Making the system more functional.
 - 2. Correcting the fault that could not be found during testing
 - Making the system work in new environment. 3.
 - All of the above 4.
- Testing is done with the objective of 3.
 - Finding new errors in the software 1.
 - Correcting errors in the software 2.
 - 3. Both 1 and 2
 - 4. None of the above
- If a software had 5 failures in 100 tests during 10 4. days of testing (Assume 10 tests per day), what would be a good estimate of the reliability of the software over the next week? (Assume 5 working days in a week)
 - 0.0275 1.
 - 2. 0.5987
 - 3. 0.0769
 - 0.9500 4.
- A requirements specification is: 5.
 - A general list of things that the proposed software ought to do.
 - A precise and mathematical list of things that 2. the proposed software ought to do.
 - 3. A formal list of things that the proposed software must do.
 - A list of software and hardware resources 4. needed for completing the proposed system.
- 6. To achieve a good design, different modules should have
 - weak cohesion and low coupling
 - 2. weak cohesion and high coupling
 - strong cohesion and low coupling
 - strong cohesion and high coupling
- 7. Which of the following is the input to the feasibility study?
 - Outline description of the system 1.
 - 2. Set of preliminary business requirements
 - 3. How the system is intended to support business process
 - 4. All of the above
- Assuming that the tests are representative of the 8. operational situation, then calculate the reliability of a software system that has had 10 failures in 200 test cases.
 - 1. 0.95
 - 2. 0.9
 - 3. 0.1
 - 4. 1

- 9. A critical task is one with
 - Minimum slack time 1.
 - 2. Maximum slack time
 - 3. No slack time
 - None of the above 4.
- 10. Which of the following is identified as critical for success in software development process?
 - Adopting SDLC configuration management 1.
 - 2. Adopt Continuous risk management
 - 3. Both 1 and 2
 - 4. Choice 2 only
- 11. Quality control
 - focuses on inspections, testing and removal 1. of defects before release.
 - is to check the system for its interface errors. 2.
 - is checking and reviewing work that has not 3.
 - 4. is a set of planned and systematic actions to provide confidence that a product or service will satisfy given requirements for quality.
- How maintainability can be achieved? 12.
 - Through Error recovery. 1.
 - When the S/W process evolves to reflect 2. changed organizational requirements or identified process improvements.
 - 3. Both 1 and 2
 - None of the above 4.
- 13. A major emphasis of software design technique concerns
 - How to effectively decompose a large 1. problem into manageable parts.
 - 2. Handling complexity.
 - 3. Software reuse
 - 4. None of the above
- 14. Which testing methods are used by end-users who actually test software before they use it?
 - 1. White Box Testing
 - Alpha and Beta Testing 2.
 - Black Box Testing 3.
 - 4. Trial and Error Testing
- What do you mean by nonfunctional requirements? 15.
 - User requirements 1.
 - Requirements definition 2.
 - A timing constraint placed on the system or the 3. use of a specific language during development.
 - 4. None of the above
- 16. The project plan should be regularly revised during the project
 - 1. Yes
 - 2. No
 - 3. It cannot be changed, it is to be followed
 - 4. It is made only once at the start of project
- 17. A program's control flow structure indicates
 - Correct program 1.
 - 2. The sequence in which the program's instructions are executed.
 - 3. High-level language programming
 - All of the above. 4

DAC 0809 Re-Exam Page 1 of 1

| 18. | Bar charts and activity networks are graphical | 29. | Project quality management includes . |
|-----|---|-----|--|
| | notation which are used to illustrate the | 20. | All activities of the performing organization that |
| | Project Plan | | determines policies and responsibilities of a project. |
| | Project Dependencies | | 2. Performance quality control |
| | 3. Project Schedule | | 3. Error detection |
| | Project Risk Analysis | | 4. None of the above |
| 19. | Which factor is not contributing to software crisis? | 30. | Important distinction between the spiral model and |
| 10. | Larger problem sizes | 00. | other software process model is |
| | Skill shortage | | Explicit consideration of planning next phase |
| | Low productivity improvements | | Explicit consideration of Validation |
| | 4. None of the above | | Explicit consideration of Validation Explicit consideration of Risk Assessment |
| 20. | Spiral model | | and reduction |
| _0. | is an example of Exploratory programming. | | Explicit consideration of Objective setting |
| | 2. is characterized by the assessment of | 31. | Capability maturity model |
| | management risk items. | 01. | gives description for software process |
| | 3. Both 1 and 2 | | states what activities are necessary for success |
| | 4. None of the above | | describes how activities are to be performed |
| 21. | Cohesion is | | compare essential difficulties of software |
| | 1. measure of quality | 32. | What are the important characteristics of a |
| | concept related to testing | 02. | software product? |
| | 3. understandability | | Dependability, usability, reliability, robustness |
| | measure of closeness of the relationships | | Maintainability, dependability, efficiency, usability |
| | between the system's components. | | 3. Supportability, maintainability, visibility, rapidity |
| 22. | Which term defines the process of project | | 4. Visibility, rapidity, dependability, robustness |
| | compliance with policies and procedures? | 33. | Validation is to check . |
| | Quality control | 00. | whether we are building the product right |
| | Quality assurances | | whether we are building the right product |
| | Quality audits | | 3. the methodology of software development |
| | Quality control management | | 4. the methodology of software testing |
| 23. | The data items that are exchanged between the | 34. | Which lifecycle model would you use for |
| 20. | different functions are represented as | 01. | developing a commercial web site that requires |
| | Design phase | | about 8 months of effort from a team of 6 people? |
| | 2. DFDs | | Opportunistic |
| | 3. ER Diagram | | 2. Waterfall |
| | 4. Data Structures | | 3. Incremental |
| 24. | Which of these terms apply to identify quality | | 4. Spiral |
| | standards and how to satisfy them? | 35. | Which of the following software development life |
| | Quality projections | | cycle shows high amount of risk analysis? |
| | Quality management | | Water fall model |
| | 3. Quality overview | | 2. Spiral model |
| | 4. Quality planning | | 3. V – shaped model |
| 25. | Software engineering principles are based on | | 4. Incremental model |
| | 1. Error correction | 36. | Match the correct pair? |
| | 2. Error prevention | | 1. Embeded System a. Effort=3.6 KDLOC ^{1.20} |
| | 3. Error detection | | 2. Organic System b. Effort=2.4 KDLOC ^{1.05} |
| | 4. None of the above | | 3. Semidettached System c. Effort=3.0 KDLOC ^{1.12} |
| 26. | Pick up the correct sequence of processes | | 1. $1 - b$, $2 - a$, $3 - c$ |
| | Requirements, Analysis, Test case design, | | 2. $1-c$, $2-b$, $3-a$ |
| | Design | | 3. $1 - b$, $2 - c$, $3 - a$ |
| | 2. Requirements, Test case design, Analysis, | | 4. $1-a, 2-b, 3-c$ |
| | Design | 37. | Deliverables are usually milestones but milestones |
| | 3. Requirements, Analysis, Design, Test case design | | need not be deliverables |
| | 4. Requirements, Design, Analysis, Test case | | 1. True |
| | design | | 2. False |
| 27. | Acceptance test plan is | | 3. May be True |
| | most likely to arise form the requirements | | 4. None of the above |
| | specification process. | 38. | Design phase will usually be |
| | most likely to arise form the System integration. | | 1. bottom-up |
| | 3. Both 1 and 2 | | 2. top-down |
| | 4. None of the above | | 3. random |
| 28. | Visibility of design means | | 4. centre fringing |
| | Efficient design | | |
| | Less complex design | | |
| | Good quality, consistent document | | |
| | 4. None of the above | | |

DAC 0809 Re-Exam Page 2 of 2

सी डेक ©DCC

- 39. The execution of every possible test case is called as
 - 1. Static analysis
 - 2. Dynamic testing
 - 3. Structural testing
 - 4. Exhaustive testing
- 40. Configuration Management is not related with
 - 1. Controlling changes to the source code
 - 2. Choice of hardware configuration for an application
 - 3. Controlling documentation for an application
 - 4. Maintaining versions of software
- 41. Which of the following statement is correct?
 - 1. The project schedule is usually represented as a set of charts showing the work breakdown and staff allocations.
 - 2. The project schedule is usually represented as a set of charts showing the activities dependencies and staff allocations.
 - 3. The project schedule is usually represented as a set of charts showing the work breakdown and activities dependencies.
 - 4. The project schedule is usually represented as a set of charts showing the work breakdown, activities dependencies and staff allocations.
- 42. Which is true about Regression testing?
 - Regression testing is carried out if the system underline is an upgraded or corrected version
 - 2. Regression testing checks that there is no side effect after changes
 - 3. Both 1 and 2
 - 4. None of the above
- 43. Which of the following is true about integration testing?
 - 1. Integration testing aims to find out the errors related to various module interfaces.
 - 2. Integration testing is a kind of testing, which is carried out while constructing or integrating the system.
 - Integration testing is a kind of testing, which is carried out after constructing or integrating the system.
 - 4. Both 1 and 2
- 44. The Quality management is
 - 1. a set of software engineering actions that ensure that software is built in a way that achieves high quality.
 - 2. a set of software engineering actions that ensure that the software built is of high quality.
 - a set of software engineering actions that ensure that the software built is of high quality and cost effective.
 - 4. All of the above
- 45. The project scope is:
 - The set of hardware and software to be used for system proposed
 - 2. Total cost the proposed system may need
 - A set of statement of basic requirements of the software to be built is supposed to fulfil
 - 4. None of the above
- 46. A legacy system or software is one with
 - Legally approved applications.
 - 2. Law related applications.
 - 3. Poor maintainability.
 - 4. Both 1 and 2

- 47. Software re-engineering is
 - A series of activities that transform legacy systems into software that exhibits high quality
 - 2. A decision to cancel the development activities in the middle and restart all the processes with a new team.
 - 3. A set of activities to develop a new version
 - 4. None of the above
- 48. Deployment of a system refers to
 - 1. activities performed in system testing
 - 2. implementing the design into executable codes
 - 3. the transition of the system from its development phase to the operational phase.
 - 4. None of the above
- 49. White box testing refers to the
 - 1. Functional testing
 - Structural testing
 - 3. Performance testing
 - 4. None of the above
- 50. CASE tools aimed at supporting analysis and design are called
 - 1. Upper CASE tools
 - 2. Middle CASE tools
 - 3. Lower CASE tools
 - CASE tools

DAC 0809 Re-Exam Page 3 of 3