



R4 (a) The probability that Sam paid a no-panking  
 and got a parking ticket is 0.06, and the probability that  
 Sam can stay in a parking lot is 0.0. On Tuesday, Sam is  
 at the bank and has to park in a parking lot. The  
 probability that he will get a parking ticket.

Let  $A$  be the event that Sam paid a parking ticket  
 and  $B$  be the event that Sam got a parking ticket.

then,  
 $P(A \cap B) = 0.$   
 $P(A) = 0.06$

Nos,  
 $P(A \cap B) = 0.06$   
 $P(A) = 0.06$   
 $P(B) = 0.3$

The probability that Sam got a parking ticket is  
 0.3.

(b) Let  $A$  be the event that Sam paid a parking ticket  
 and  $B$  be the event that Sam got a parking ticket.  
 The probability that Sam paid a parking ticket and  
 got a parking ticket is 0.06.

Let  $A$  be the event that Sam paid a parking ticket  
 and  $B$  be the event that Sam got a parking ticket.  
 The probability that Sam paid a parking ticket and  
 got a parking ticket is 0.06.

Let  $A$  be the event that Sam paid a parking ticket  
 and  $B$  be the event that Sam got a parking ticket.

Nauw,

Prsbabilty not ing ace cand in 4 dra  
464x 46 S2 S2 /48)  
S2 S2 13

atleast 1 ace cand = 1-2 )  
Q8S6|-20436

S6I  
=024.

atlasst 1 au Cad k 0.27,

8.2 A certain mins inuk

the pnsn oloes not have e mius  
called a fabe positiva)

(a)ching ank poite, dlsmine  
Ae prsbahi bity that the pson ik

(b) Uhig

ket     A     be   the   enen   that  
 hen,     A     be   te   enent   that   a   pnsen   k   nst   meead  
                  He eunt   that   a   pson   lal   poitue.  
 hen     B     be   te   ent   that   a

$$P(a) = \frac{199}{200} = 0.94$$

$$p(e/A) = 0.8$$

$$e(BI) = 0.08$$

$$P(B/A) = 0.08$$

$$P(B/A) = 1 - 0.08 = 0.92$$

$$\text{Nozo, } P(3) = P(1A) \cdot P(e|A) + p(a)r(3|a)$$

$$P(a) = P(a) \cdot P(B/A) + P(A) \cdot r(B/a)$$

$$(0.005 \times 0.12) + (0.995 \times 0.95)$$

946

$$(a) \quad p(a/e) = \frac{P(a) \cdot P(e|a)}{P(a)}$$

0004  
00S3

007

-The probability that a person is

$$bplr/a) \quad P) \cdot p(3/)$$

$P(3)$

0446                      0q45  
                            0946

he probability that a person is not that

88 Suppose that the event in the normal distribution  
is a continuous  
random variable  $x$  having the probability density function

density

that  $f(x)$  is a

(6) Find  $P(0 < x < 4)$

(a)

to find that

(b)

$$P(0 < X < 1) = \frac{1}{2}$$

$$P(X < 2, Y < 1, 2) = \frac{1}{2}$$

Find all the conditional distributions

(P, Find the conditional distribution of X, when Y = 1,

Find  $P(X < 1), P(Y < 3), P(X < 2, Y < 3),$

$P(X < 1 / Y < 3)$  and  $P(X + Y < 4)$

$$X^2 \sim P(1)$$

4/21

$$P(\ast)$$

$$X \sim 1 \quad 3 \quad 2$$

$$P(\mathbf{x} = \mathbf{i} / Y = 2) = \frac{P(\mathbf{I}, 2)}{P(Y = 2)}$$

$$P(x=2/y=1/2) = \frac{P(x=2, y=1/2)}{P(y=1/2)}$$

$$P(X=2/Y=2) = \frac{P(2,2)}{P(Y=2)} \quad 2$$

$$P(x=3/y=) = \frac{P(3, )}{P(y=)}$$

$$P(x = 3 | y = 2) = \frac{P(x = 3, y = 2)}{P(y = 2)}$$

$$P(Y=t/x \leq z) = P(11, )$$

$$P(y_{ei}/x_2) = \frac{P_{11}, 2)}{P(x_2)} \quad 3/21$$

$$P(y: i/x) = \frac{P(0,3)}{P(x3)} = \frac{4/2}{4/21} = 4$$

$$P(y > 2/x) = \frac{P(2,)}{P(x \geq 1)} \quad /24$$

$$P(y_2/x_2=2) = \frac{P(2,2)}{P(x_2)} / 1$$

$$P(y=2/x=3) = \frac{P(2,3)}{P(x=3)}$$

$$P(X=1/Y=2) = \frac{P(1,2)}{P(Y=2)} = \frac{1}{3}$$

$$P(X=3/Y=1) = \frac{P(3,1)}{P(Y=1)} = \frac{4}{21}$$

$$P(X<1) = P(X=1) = \frac{5}{21}$$

$$P(Y<2) = P(Y=1) + P(Y=2) = \frac{12}{21} + \frac{5}{21} = 1$$

$$P(X<2, Y<3) = P(X=1, Y=1) + P(X=1, Y=2) + P(X=2, Y=1)$$

$$P(X<1 | Y<2) = \frac{P(X=1, Y=1) + P(X=1, Y=2)}{P(Y<2)} = \frac{\frac{1}{3} + \frac{4}{21}}{\frac{12}{21} + \frac{5}{21}} = \frac{7}{17}$$

$$P(X+Y < 4) = P(1,1) + P(1,2) + P(2,1) + P(3,1) = \frac{2}{21} + \frac{4}{21} + \frac{3}{21} + \frac{4}{21} = \frac{13}{21}$$

$$\frac{13}{21}$$



Rs      No      Gntilla chip      aficisnado

imponant      to      phoucton  
het pholuee ehips with an ppraling tnlne. The  
leta on x = ying time Csee) and Y= minbnu coant ( )  
appeared m th anlla -thema1 amd Phymcal Propntis  
of Tontilla Chips

Pno      ming      and Presevalon, 1945! 179-189)

X	S	20	2s	36	4S	60
16.3	42	3.4	2.9			

Fnd the conelaton cofiint      x      and      y

X      (x-\*) (y-) (x- ) (7-7) - ) (y-7)

-2 | 2S      1o.32      4sIS      IO6.S0      -Q193

9.7      -16.2s      3.72      264-0L      13-84

8.1      - ||.2 s      212      4.49      -23-8S

20      4.2      -6.2s      39-06      3.17

34      - | 2S      -2i1/2S8      I.SC      6.66      3.23

30      2:4      3.75      -308      |4:06      9.49

45      -4.08      3Sli1/2sG      166S      -76S

| 3      33.75      -468      139.06      21i1/290      -IST.9

2x-R)y.) sl-)z(v-)-)(y-)  
= 210=47.8 | = 0      =-004      2387.49      182i1/27

$$\text{Mean} \left( \right) = \frac{\sum_{i=1}^n x_i}{n}$$

$$\text{Moam} \left( \right) = \frac{478}{-S, 47} \quad S98$$

$$' \cdot \text{lornelaCon} \quad \text{lofcint}, .h \quad x(x-x) (y-)$$