

**LECTURE NOTES
ON
COMPUTER ARCHITECTURE
AND
ORGANIZATION**

AGNI DATTA

21st July 2021

Contents

1 INTRODUCTION TO SYSTEM ARCHITECTURE AND ORGANISATION	2
1.1 System Architecture	2
1.2 System Organisation	2
1.2.1 Importance of Computer Organization and Architecture	3
1.3 Types of Computers	3
1.3.1 Supercomputers	4
1.3.2 Mainframe Computers	4
1.3.3 Minicomputers	4
1.3.4 Microcomputers	4

Chapter 1

INTRODUCTION TO SYSTEM ARCHITECTURE AND ORGANISATION

1.1 System Architecture

A system architecture is a conceptual model that specifies the structure, behaviour, and additional perspectives of a system. An architectural description is a formal description and representation of a system that is arranged in such a manner that it allows for reasoning about the system's structures and actions. A system architecture can be made up of system components and created subsystems that will function together.

In summary,

1. The architecture of a computer system can be considered as a catalogue of tools or attributes that are visible to the user such as instruction sets, number of bits used for data, addressing techniques, etc.
2. Controls the logical aspects of a computer system.
3. The architecture refers to those attributes of the system visible to the programmer.

1.2 System Organisation

Organization of a computer system defines the way system is structured so that all those catalogued tools can be used. The significant components of Computer organization are ALU, CPU, memory and memory organization.

In summary,

1. Organization of a computer system defines the way system is structured so that all those catalogued tools can be used.
2. Physical aspects of computer system
3. Computer organization is used to study the basic computer hardware structure and behaviour of digital computers.

1.2.1 Importance of Computer Organization and Architecture

These are a few important points,

- Computer Architecture and Organisation is necessary to understand the designing and functioning of the various components to process information digitally.
- Computer Architecture and Organisation study focuses on the interface between hardware and software.
- Computer Architecture and Organisation tells the way of operating hardware components and their interconnections in computer.
- Computer Architecture and Organisation provides an organized way of working with different hardware components together in one place.
- Computer Architecture and Organisation provides detailed knowledge of the system components, Circuit designs, Structure of Instruction, Computer arithmetic, Assembly programming, processor control, logical design, and performance method.
- Computer Architecture and Organisation proves that different computer organizations can use the same architecture. For example, Intel and AMD make x86_64 CPU (processor is of 64 bits), but INTEL¹ makes its organization on x86_64, and AMD² makes its own, which means the processor is 64 bits. Still, internal circuits, working, interconnections will be different.
- Computer Architecture and Organisation subject helps the computer engineers to understand the components functioning, working, characteristics, performance, and their interactions.

1.3 Types of Computers

A computer is a machine that can be configured to automatically perform arithmetic or logical functions. Programs are general collections of operations that modern computers could do. These programmes allow computers to execute a variety of activities. A computer system is a "complete" computer that comprises the necessary hardware, operating system (main software), and peripheral devices for "full" functioning. This word can also apply to a collection of computers that are linked and work together, such as a computer network or a computer cluster.

¹<https://www.intel.com/>

²<https://www.amd.com/>

The four basic types of computers are as under:

1.3.1 Supercomputers

A supercomputer is designed to do activities that require extensive numerical computations, such as weather forecasting, fluid dynamics, nuclear simulations, theoretical astrophysics, and complicated scientific computations. A supercomputer is a computer that is at the cutting edge of current processing capability, notably computation speed. The word “supercomputer” is very flexible, and the speed of today’s supercomputers tends to become representative of tomorrow’s average computer. FLOPS, or floating-point calculations per second, are the units of measurement for supercomputer processing speeds.

Calculating complicated mathematical equations in real numbers is an example of a floating-point procedure. Supercomputers are the most powerful in terms of computing capabilities, memory capacity and speed, I/O technology, and topological concerns such as bandwidth and latency, but they are highly expensive and not cost-effective for batch or transaction processing. These computers were created in the 1970s and are the fastest and most powerful computers available.

1.3.2 Mainframe Computers

The term mainframe computer was used to distinguish between the conventional, big, institutional computer designed to serve numerous users and the smaller, single-user computers. These computers are capable of handling and processing massive volumes of data in a short period of time. Mainframe computers are utilised in big organisations such as the government, banks, and companies. They are measured in MIPS (million instructions per second) and can handle hundreds of millions of users concurrently.

1.3.3 Minicomputers

Minicomputers (abbreviated "minis") are a type of multi-user computer that falls somewhere in the centre of the computing spectrum, between the smallest mainframe computers and the largest single-user systems (microcomputers or personal computers). The name super-mini computer, or simply super-mini, was used to designate more powerful minicomputers with capabilities comparable to mainframes. At a period when most minicomputers (such as the PDP-11, Data General Eclipse, or IBM Series/1) were 16-bit, super-minis (such as the DEC VAX or Data General Eclipse MV/8000) were 32-bit. These traditional minicomputers, found throughout small to medium-sized businesses, laboratories, and embedded in (for example) medical facility CAT scanners for the last few decades of the 20th century, were mostly rack-mounted and connected to one or more terminals or tape/card readers, like mainframes and unlike most personal computers, but mandated less space and electrical power than a typical mainframe. The term "minicomputer" currently refers to higher-end SPARC, POWER, and Itanium-based systems from Oracle Corporation, IBM, and Hewlett-Packard, and the size is now generally smaller, such as a tower case.

1.3.4 Microcomputers

In the late twentieth century, microcomputers became the most popular form of computer. With the introduction of systems based on single-chip microprocessors, the term "microcomputer" was coined. The Altair 8800, released in 1975, was one of the most well-known early system. The word "microcomputer" has almost become obsolete.