

Experiment 2

Student Name: Akshara Chauhan UID: 23BCS11410

Branch: CSE
Semester: 5th
Subject Name: PBLJ
Subject Code: 23CSH-304
Section/Group: KRG_2B
Date of Performance: 13/08/25
Subject Code: 23CSH-304

1. Aim:

To design and implement Java programs for managing product details, library systems, and student information using classes, inheritance, and abstraction.

• Part A – Easy Level:

• To create a Product class with attributes and constructors, and display product details.

• Part B – Medium Level:

• To implement a library management system using a base class Book and derived classes Fiction and NonFiction.

• Part C – Hard Level:

• To design a student information system using abstraction with an abstract class Person, and subclasses Student and Teacher.

2. Objective:

- ✓ To understand the use of classes, objects, constructors, and methods in Java.
- ✓ To apply object-oriented concepts for modeling real-world entities like products, books, students, and teachers.
- ✓ To demonstrate inheritance by extending a base class (Book) into derived classes (Fiction and NonFiction).
- ✓ To implement dynamic method invocation (runtime polymorphism) through method overriding in subclasses.
- ✓ To apply abstraction using an abstract class (Person) and enforce implementation of abstract methods in derived classes.
- ✓ To strengthen Java programming skills by combining classes, inheritance, and abstraction into practical applications.

3. JAVA script and output:

EASY-LEVEL PROBLEM

```
import java.util.Scanner;
class Product {
  int id;
  String name;
  double price;
  Product(int id, String name, double price) {
     this.id = id;
    this.name = name;
     this.price = price;
  void displayDetails() {
     System.out.println("Product Details:");
     System.out.println("ID: " + id);
     System.out.println("Name: " + name);
    System.out.println("Price: " + price);
  }
public class ProductDemo {
  public static void main(String[] args) {
     Scanner sc = new Scanner(System.in);
     System.out.print("Product ID: ");
     int id = sc.nextInt();
     sc.nextLine();
     System.out.print("Name: ");
     String name = sc.nextLine();
     System.out.print("Price: ");
    double price = sc.nextDouble();
     Product p = new Product(id, name, price);
    p.displayDetails();
```

Output:

```
Product ID: 234
Name: Rice
Price: 230
Product Details:
ID: 234
Name: Rice
Price: 230.0
BUILD SUCCESSFUL (total time: 20 seconds)
```

Figure 1:Easy Problem Output

MEDIUM LEVEL PROBLEM:

```
class Book {
  String title, author;
  double price;
  Book(String title, String author, double price) {
    this.title = title;
    this.author = author;
    this.price = price;
  }
  void displayDetails() {
     System.out.println("Book Details");
  }
}
class Fiction extends Book {
  Fiction(String title, String author, double price) {
     super(title, author, price);
  }
  void displayDetails() {
     System.out.println("Fiction Book Details:");
     System.out.println("Title: " + title);
     System.out.println("Author: " + author);
     System.out.println("Price: " + price);
  }
}
```

```
class NonFiction extends Book {
  NonFiction(String title, String author, double price) {
    super(title, author, price);
  }
  void displayDetails() {
    System.out.println("Non-Fiction Book Details:");
    System.out.println("Title: " + title);
    System.out.println("Author: " + author);
    System.out.println("Price: " + price);
  }
}
public class LibrarySystem {
  public static void main(String[] args) {
     Fiction f = new Fiction("Harry Potter", "J.K. Rowling", 500);
     NonFiction nf = new NonFiction("A Room on the Roof", "Ruskin Bond", 700);
    f.displayDetails();
     nf.displayDetails();
  }
}
```

Output:

```
Fiction Book Details:
Title: Harry Potter
Author: J.K. Rowling
Price: 500.0
Non-Fiction Book Details: Figure 2:Medium Level Output
Title: A Room on the Roof
Author: Ruskin Bond
Price: 700.0
BUILD SUCCESSFUL (total time: 0 seconds)
```

HARD LEVEL PROBLEM

```
abstract class Person {
  String name;
  int age;
  Person(String name, int age) {
    this.name = name;
    this.age = age;
  }
  abstract void displayDetails();
}
class Student extends Person {
  int rollNumber;
  Student(String name, int age, int rollNumber) {
    super(name, age);
    this.rollNumber = rollNumber;
  }
  void displayDetails() {
    System.out.println("Student Details:");
    System.out.println("Name: " + name);
    System.out.println("Age: " + age);
    System.out.println("Roll Number: " + rollNumber);
  }
}
class Teacher extends Person {
  String subject;
  Teacher(String name, int age, String subject) {
    super(name, age);
    this.subject = subject;
  }
  void displayDetails() {
    System.out.println("Teacher Details:");
```

```
System.out.println("Name: " + name);
System.out.println("Age: " + age);
System.out.println("Subject: " + subject);
}

public class StudentInfoSystem {
  public static void main(String[] args) {
    Student s = new Student("Alice", 20, 101);
    Teacher t = new Teacher("Mr. Smith", 40, "Mathematics");
    s.displayDetails();
    t.displayDetails();
}
```

Output:

```
run:
Student Details:
Name: Akshara
Age: 20
Roll Number: 101
Teacher Details:
Name: Mrs. Deepa
Age: 40
Subject: IEEE
BUILD SUCCESSFUL (total time: 0 seconds)
```

Figure 3:Hard level Problem Output