

Q4 `<!doctype html>`

Control

```
<script src="https://ajax.googleapis.com/ajax/libs/angular.js/1.6.9/
angular.min.js"></script>
```

body

```
<div ng-app="" ng-init="items=[
```

```
{name: 'item1', price: 100},
```

{name: 'item 2', price: 200},

```
{name: 'item 3', price: 300}]")
```

$\langle p \rangle$  cloning the items:  $\langle 1, p \rangle$

End)

Cloning-repeat = "x in items")

$$\{ \{ x, \text{name} = "x \text{ in items}" \}$$
$$\{ \{ x.name + ',' + x.price \} \mid u \}$$

$\langle 1 \text{ unit} \rangle$

$\langle d_i \rangle$

$\langle \text{body} \rangle$

 $\Delta H_{\text{fms}}$



cloning the items:

- item1, 100
- item2, 200
- item3, 300



Q-2)

```
const http = require("http")
const server = http.createServer((req, res) => {
  if (req.url === "/")
    res.end("home page")
  else if (req.url === "/contact")
    res.end("contact")
  else
    res.writeHead(404)
    res.end()
})
server.listen(4002, "127.0.0.1", () => {
  console.log("listening to server")
})
```



File Edit Selection View Go Run Terminal Help

question2.js - Fsd - Visual Studio Code

EXPLORER

OPEN EDITORS

JS question2.js

FSD

JS question2.js

OUTLINE

JS question2.js

```
1  const http = require("http")
2  const server = http.createServer((req,res) =>{
3    if(req.url=="/")
4      res.end("You are at home page")
5    else if(req.url=="/contact")
6      res.end("You are at contacts")
7    else
8      res.writeHead(404)
9      res.end()
10  })
11  server.listen(4002,"127.0.0.1",()=>{
12    console.log("Listening to the server")
13  })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL CONSOLE

Code + - [ ] [X] ^ X

Windows PowerShell  
Copyright (C) Microsoft Corporation. All rights reserved.  
  
Try the new cross-platform PowerShell <https://aka.ms/pscore6>  
  
PS C:\Fsd> node "c:\Fsd\question2.js"  
Listening to the server

Ln 13, Col 3 Spaces: 4 UTF-8 CRLF {} JavaScript Go Live [ ] [X]