# Assignment-1

## AI24BTECH11002 - K.AKSHAY TEJA

# I. SECTION A - JEE ADVANCED/ IIT-JEE

# E. Subjective Problems

- 1) Evaluate the following  $\int \frac{dx}{x^2(x^4+1)^{\frac{3}{4}}}$  (1984 2*Marks*) 2) Evaluate the following  $\int \sqrt{\frac{1-\sqrt{x}}{1+\sqrt{x}}} dx$ . (1985  $2\frac{1}{2}Marks$ ) 3) Evaluate:  $\int [\frac{(\cos 2x)^{1/2}}{\sin x}] dx$  (1987 6*Marks*) 4) Evaluate  $\int (\sqrt{\tan x} + \sqrt{\cot x}) dx$  (1989 3*Marks*) 5) Find the indefinite integral  $\int (\frac{1}{\sqrt[3]{x}+\sqrt[4]{4}} + \frac{\ln(1+\sqrt[6]{x})}{\sqrt[3]{x}+\sqrt{x}})$ (1992 - 4Marks))
- 6) Find the indefinite integral  $\int \cos 2\theta \ln \frac{\cos \theta + \sin \theta}{\cos \theta \sin \theta} d\theta$ (1994 - 5Marks))
- (1996 2Marks)
- (2001 5Marks)
- (2001 5Marks)
- (1994 5*Marks*))
  7) Evaluate  $\int \frac{(x+1)}{x(1+xe^3)^2} dx$  (1996 8) Integrate  $\int \frac{x^3+3x^2}{(x^2+1)^2(x+1)} dx$  (2001 9) Evaluate  $\int \sin^{-1}(\frac{2x+2}{\sqrt{4x^2+8x+13}}) dx$  (2001 10) For any natural number m,  $\int (x^{3m} + x^{2m} + x^m)(2x^{2m} + 3x^m + 6)^{1/m} dx, x > 0$ (2002 - 5Marks)

## H. Assertion & Reason Type Questions

- 1) Let F(x) be an indefinite integral of  $\sin^2 x$ STATEMENT-1: The function F(x) satisfies  $F(x + \pi) =$ F(x) for all real x. because STATEMENT-2:  $\sin^2(x + \pi) = \sin^2 x$  for all real x. (2007 - 3marks)
  - a) Statement-1 is True, Statement-2 is True; Statement-2 is a correct explanation for Statement-1.
  - b) Statement-1 is True, Statement-2 is True; Statement-2 is NOT a correct explanation for Statement-1
  - c) Statement-1 is True, Statement-2 is False
  - d) Statement-1 is False, Statement-2 is True

#### II. SECTION-B JEE MAIN/AIEEE

- 1) If  $\int \frac{\sin x}{\sin(x-\alpha)} dx = Ax + B \log \sin(x-\alpha) + C$ , then value of (A, B) is
  - a)  $(-\cos\alpha, \sin\alpha)$
  - b)  $(\cos \alpha, \sin \alpha)$
  - c)  $(-\sin\alpha,\cos\alpha)$
  - d)  $(\sin \alpha, \cos \alpha)$
- 2)  $\int \frac{dx}{\cos x \sin x}$  is equal to [2004]
  - a)  $\frac{1}{\sqrt{2}} \log \left| \tan \left( \frac{x}{2} + \frac{3\pi}{8} \right) \right| + C$
  - b)  $\frac{1}{\sqrt{2}} \log \left| \cot \left( \frac{x}{2} \right) \right| + C$
  - c)  $\frac{1}{\sqrt{2}} \log \left| \tan \left( \frac{x}{2} \frac{3\pi}{8} \right) \right| + C$
  - d)  $\frac{1}{\sqrt{2}} \log \left| \tan \left( \frac{x}{2} \frac{\pi}{8} \right) \right| + C$
- 3)  $\int \left\{ \frac{(\log x 1)}{1 + (\log x)^2} \right\}^2 dx$  is equal to [2005]

a) 
$$\frac{\log x}{(\log x)^2 + 1} + C$$

- [2007]

- a)  $\log \tan \left(\frac{x}{2} + \frac{\pi}{12}\right) + C$ b)  $\log \tan \left(\frac{x}{2} \frac{\pi}{12}\right) + C$ c)  $\frac{1}{2} \log \tan \left(\frac{x}{2} + \frac{\pi}{12}\right) + C$ d)  $\frac{1}{2} \log \tan \left(\frac{x}{2} + \frac{\pi}{12}\right) + C$