H.C.F and L.C.M

(c) $\frac{20}{3}$ (d) $\frac{40}{27}$

1. Find the H.C.F. of 42, 63 and 140.

(a) 14

(b) 9

	(a)	21	(4)	7					<i>= :</i>	
_	(c) 21 (d) 7			10.	The greatest number that exactly divides					
2.	Find the H.C.F. of $a^2b^4c^6$, $b^3c^8a^4$ and $a^8b^6c^2$.				147, 168, 210 and 315 is-					
	(a)	$a^4b^4c^4$	(b)	$a^2b^2c^2$		(a)	7	(b)	21	
	(c)	$a^2b^3c^2$	(d)	$a^2b^3c^3$		(c)	441	(d)	4410	
3.	Find the H.C.F. of 0.63, 1.05 and 2.1			11.	The maximum number of students among them					
	(a)	0.21	(b)	0.021		1001 pens and 910 pencils can be distributed in such a way that each student gets the same				
	(c)	21	(d)	2.1		number of pens and same number of pens and				
4.	Find	I the H.C.F. of 2^3 ,	3^2 4	and 15.		sam	e number of pencil	s is-		
						(a)	91	(b)	910	
	(a)	-	(b)			(c)	1001	(d)	1911	
	(c)	1	(d)	360	12.		-		ngth of a scale that	
5.	Find the H.C.F. of $2^2 \cdot 3^3 \cdot 5^5, 2^3 \cdot 3^2 \cdot 5^2 \cdot 7$			$\cdot 5^5,2^3 \cdot 3^2 \cdot 5^2 \cdot 7$		can be used to measure exactly the following length of cloth 3m, 5m 10cm and 12m 90cm.				
	and	$2^4 \cdot 3^4 \cdot 5 \cdot 7^2 \cdot 11$	is:				30 cm	(b)		
	(a)	$2^2 \cdot 3^2 \cdot 5$	(b)	$2^2 \cdot 3^2 \cdot 5 \cdot 7 \cdot 11$			10 cm		1290 cm	
	(c)	$2^4 \cdot 3^4 \cdot 5$	(d)	$2^4 \cdot 3^4 \cdot 5^5 \cdot 7 \cdot 11$	13.	` /		` ′	ength of a scale to	
6.	Find the H.C.F. of $\frac{2}{3}, \frac{8}{9}, \frac{64}{81}$ and $\frac{10}{27}$			measure exactly the following lengths, 20 feet, 13 feet 9 inches, 17 feet, 6 inches and 21feet 3inches?						
	(a)	2	<i>(</i> 1.)	2		(a)	1 feet 6 inches	(b)	1 feet 3 inches	
	(a)	3	(b)	$\frac{2}{81}$		(c)	9 inches	(d)	2 feet 4 inches	
	(c)	$\frac{160}{3}$	(d)	160 81	14.	wate	er. 403 litres, 71	3 litr	nixture of milk and es and 496 litres itest measurement	
7.	Find the L.C.M. of 24, 36 and 40.				which can measure the mixture?					
	(a)	120	(b)	240		(a)	1 litre	(b)	7 litre	
	(c)	360	(d)	480		(c)	31 litre	(d)	41 litre	
8.		I the L.C.M. of 3, 2			15.	Find	d the minimum pos	ssibel	length of scale to	
	(a)			0.27		mea	sure exactly the fol	llowii	ng lengths.	
	(c)0.0		(d)	27		64 c	m, 80 cm and 96 c	m.		
9.	Find	the L.C.M. of $\frac{1}{3}$,	$\frac{5}{6}, \frac{2}{6}$	and $\frac{4}{27}$		(a)	0.96 m	(b)	9.60 m	
						(c)	19.20 m	(d)	96 m	
	(a)	1/54	(b)	10 27	16.	char	nging respectively	at 24,	ferent points are 48 and 72 second. together at 9:10:	

		ours, then when we together?	ill the next changes to	ake 23.	233	and 279 so as	number that will divide 187, s to leave the same remainder	
	(a)	9:12:25 hrs.	(b) 9:10:48 hrs.		in each case.			
	(c)	9:12:48 hrs.	(d) 9:12:40 hrs		(a) (c)	30 46	(b) 36 (d) 56	
17.	A, B and C start at the same time in the same direction to run around a circular stadium. A completes one around in 252 seconds, B in 308 seconds and C in 198 seconds, all starting at the				The numbers 2272 and 875 divided by a three digit number N, giving the same reaminder. The sum of the digits of N is-			
	same point. After what time will they meet again at the starting point?				(a)	13 14	(b) 10	
	(a)	26 minutes 18 sec	eonde	25	(c)		(d) 11	
	(b)			25.			5, 4665 and 6905 divided by a N, giving the same remainder.	
					The sum of the digits of N is-			
	(c)	45 minutes	1.		(a) 4	4	(b) 5	
10	(d)	46 minutes 12 sec			(c)	6	(d) 8	
10.	A, B and C start at the same time in the same direction to run around a circular stadium of length 12 km and speeds 3 km/h, 4 km/h and 6 km/h respectively. After what time will they meet			of 26. d 6	The greatest number which can divide 110 and 128 leaving the same remainder 2 in each case, is-			
	again at the starting point?			(a) 8	8	(b) 18		
	(a)	16 h	(b) 12 h		(c) 2	28	(d) 38	
	(c)	24 h	(d) 28 h	27.		_	er which can dividing 122 and	
19.	The smallest number from which if 7 subtracted,				243 leaves remainders 2 and 3 respectively, is-			
			2, 4, 3, 5, 6, 8 and 10 is	S-	(a)	12	(b) 24	
	(a)	113	(b) 120		(c) 3	30	(d) 120	
	(c)	127	(d) 137	28.			per which on dividing 989 and inders 5 and 7 respectively, is-	
20.			from which if 8 added	d is	(a) 8	8	(b) 53	
	exactly divisible by 10, 12, 15 and 20 is-				(c) 2	24	(d) 32	
	(a)	60	(b) 68	29.			, which when divided by 12,	
	(c)	52	(d) 38		15 and 16 leaves 7, 10 and 11 as remainder respectively, is-		7, 10 and 11 as remainders	
21.	Which is the smallest number that can be subtracted from 1936 so that on being divided				(a)]	•	(b) 235	
	by 9, 10, 15 the remainder is 7 everytime?			aca	(c) 2		(d) 475	
	(a)	93	(b) 46	20				
	(c)	76	(d) 39	30.			which when divided by 5, 6, 7 mainders 3, but divided by 9	
22.	The smallest number that will divide 4, 6, 8, 12			12		leaves no remainder, is-		
	and 16 leaving a remainder 2 in each case is-				(a) 1	1677	(b) 1683	
	(a)	46	(b) 50		(c) 2	2523	(d) 3363	
	(c)	48	(d) 56	31.			which when divided by 20, ves remainder 14, 19, 29 and	

	34 respectively, is-			(a) 215	(b) 220	
	(a) 1400	(b) 1394		(c) 225	(d) 235	
	(c) 1406	(d) 1388	40.	Product of two co-prime	numbers is 117. Their	
32.	Find the largest number of	-		L.C.M should be-		
	divisible by 12, 16, 18, 24, 32.) 117	
	(a) 99936	(b) 99963		(c) equal to HCF		
	(c) 99972	(d) 99982		(d) cannot bo calculated		
33.	Find the smallest number of five digits exactly divisible by 16, 24, 36 and 54.			The L.C.M of three different numbers is 120. Which of the following cannot be their HCF?		
	(a) 10432	(b) 10368		(a) 8	(b) 12	
	(c) 10064	(d) 10054		(c) 24	(d) 35	
34.	Find largest four-digit number which when divided by 12, 18, 21 and 24 leaves a remainder of 6 in each case, is-			The H.C.F. of two numbers is 8. Which one the following can never be their LCM?		
	(a) 9582 (b) 9423			(a) 24	(b) 48	
	(c) 9986	(d) 9982		(c) 56	(d) 60	
35		•	43.	H.C.F. of 3240, 3600 and		
35.	The LCM of two numbers is 1296 and HCF is 96. If one of the numbers is 864 then the other is-			and their LCM is $2^4 \cdot 3^5 \cdot 5^2 \cdot 7^2$. The third number is-		
	(a) 72	(b) 64		(a) $2^2 \cdot 3^5 \cdot 7^2$	(b) $2^2 \cdot 5^3 \cdot 7^2$	
	(c) 144	(d) 36		(c) $2^5 \cdot 5^2 \cdot 7^2$	(d) $2^3 \cdot 3^5 \cdot 7^2$	
36.	is 7700. If one of the number is 275, then the			The sum of two numbers is 216 and their HCF is 27. The nubers are:		
	other is:	4.202		(a) 27, 189	(b) 108, 108	
	(a) 279	(b)283		(c) 200, 16	(d) 100, 116	
	(c) 308	(d) 318	45.	The ratio of two numbers is 3:4 and their HCF		
37.	The L.C.M of two number H.C.F is 5. If the sum of			is 4. The numbers are-		
	then their difference is-			(a) 9, 12	(b) 12, 16	
	(a) 10	(b) 46		(c) 16, 18	(d) 20, 24	
	(c) 70	(d) 90	46.	The ratio of two numbers is 2. The LCM is-	is 4:5 and their HCF	
38.	The product of the L.C.M and H.C.F of two numbers is 24. The difference of two numbers is 2. Find the numbers-			(a) 20	(b) 10	
				(c) 40	(d) 60	
	(a) 2 and 4	(b) 6 and 4	47.	The ratio of two numbers	is 2:3 and their LCM	
	(c) 8 and 6	(d) 8 and 10		is 48. The number are-		
39.	The L.C.M of two number	•		(a) 16, 24	(b) 8, 6	
	H.C.F. If one of the numb			(c) 12, 18	(d) 12, 24	
	sum of H.C.F and L.C. M is 1150, the other 48. number is-			The ratio of two numbers is 3:2 and their LCM is 72. Their HCF is-		

(a) 24

(b) 3

(c) 6

(d) 12

49. The sum of two numbers is 36 and their HCF is 4. How many number of pairs may be possible-

(a) 1

(b) 2

(c) 3

(d) 4

(a) 31

(b) 1029

(c) 2519

(d) 1679

	ANSWER SHEET							
1. (d)	11. (a)	21. (d)	31. (b)	41. (d)				
2. (c)	12. (a)	22. (b)	32. (a)	42. (d)				
3. (a)	13. (b)	23. (c)	33. (b)	43. (a)				
4. (c)	14. (c)	24. (b)	34. (a)	44. (a)				
5. (a)	15. (b)	25. (a)	35. (c)	45. (b)				
6. (b)	16. (c)	26. (b)	36. (c)	46. (c)				
7. (c)	17. (d)	27. (d)	37. (a)	47. (a)				
8. (d)	18. (b)	28. (c)	38. (b)	48. (a)				
9. (c)	19. (c)	29. (b)	39. (c)	49. (c)				
10. (b)	20. (c)	30. (b)	40. (b)	50. (c)				