

GTA-Group

WaterMe
Use-Case Specification:
Change Settings

Version 1.2

Revision History

Date	Version	Description	Author
27/Okt/2016	1.0		Chris Todt Paul Giesa
01/Nov/2016	1.1		Olga Akymenko Chris Todt Paul Giesa
07/Dez/2016	1.1.1	Update UML + Mockups	Chris Todt
07/Dez/2016	1.2	Add Espresso test	Chris Todt

Table of Contents

Change Settings	4
Brief Description	4
Mockup	4
Flow of Events	5
Basic Flow	5
Alternative Flows	6
Enable notifications	6
Enable sounds	7
Enable LEDs	8
Espresso test	10
Special Requirements	12
Preconditions	12
Main screen	12
Postconditions	12
Changed buttons	12
Extension Points	12


Use-Case Specification: Change Settings

1. Change Settings

1.1 Brief Description


In “Settings” the user can activate/deactivate notifications, sounds, LEDs and change WLAN settings for the Pi.

1.2 Mockup




2. Flow of Events

2.1 Basic Flow




2.2 Alternative Flows


2.2.1 Enable notifications




2.2.2 Enable sounds



2.2.3 Enable LEDs



2.2.4 Set WLAN



3. Espresso test

```
package com.project.gta.demo;

import android.os.SystemClock;
import android.support.test.espresso.ViewInteraction;
import android.support.test.rule.ActivityTestRule;
import android.support.test.runner.AndroidJUnit4;
import android.test.suitebuilder.annotation.LargeTest;

import org.junit.Rule;
import org.junit.Test;
import org.junit.runner.RunWith;

import static android.support.test.espresso.Espresso.onView;
import static android.support.test.espresso.action.ViewActions.click;
import static android.support.test.espresso.action.ViewActions.closeSoftKeyboard;
import static android.support.test.espresso.action.ViewActions.replaceText;
import static android.support.test.espresso.matcher.ViewMatchers.isDisplayed;
import static android.support.test.espresso.matcher.ViewMatchers.withContentDescription;
import static android.support.test.espresso.matcher.ViewMatchers.withId;
import static android.support.test.espresso.matcher.ViewMatchers.withParent;
import static android.support.test.espresso.matcher.ViewMatchers.withText;
import static org.hamcrest.Matchers.allOf;
// -----Bluetooth muss aktiviert sein!-----
@LargeTest
@RunWith(AndroidJUnit4.class)
public class UCChangeSettings {

    @Rule
    public ActivityTestRule<MainMenu> mActivityTestRule = new
    ActivityTestRule<>(MainMenu.class);

    @Test
    public void ucChangeSettings() {
        ViewInteraction appCompatButton = onView(
            allOf(withId(R.id.BTNsettings), withText("Settings"),
                withParent(allOf(withId(R.id.mainmenu),
                    withParent(withId(R.id.activity_main_menu)))),
                isDisplayed()));
        appCompatButton.perform(click());

        ViewInteraction appCompatButton2 = onView(
            allOf(withId(R.id.BTNbluetooth), withText("Bluetooth"), isDisplayed()));
        appCompatButton2.perform(click());

        ViewInteraction appCompatButton3 = onView(
            allOf(withId(R.id.BTNconnect_bt), withText("connect"), isDisplayed()));
        appCompatButton3.perform(click());
        SystemClock.sleep(9000);

        ViewInteraction appCompatImageButton = onView(
            allOf(withContentDescription("Nach oben"),
```

```
        withParent(allOf(withId(R.id.action_bar),
            withParent(withId(R.id.action_bar_container)))),
            isDisplayed());
appCompatImageButton.perform(click());

ViewInteraction switch_ = onView(
    allOf(withId(R.id.SWnotifications), isDisplayed()));
switch_.perform(click());

ViewInteraction switch_2 = onView(
    allOf(withId(R.id.SWnotifications), isDisplayed()));
switch_2.perform(click());

ViewInteraction switch_3 = onView(
    allOf(withId(R.id.SWsounds), isDisplayed()));
switch_3.perform(click());

ViewInteraction switch_4 = onView(
    allOf(withId(R.id.SWsounds), isDisplayed()));
switch_4.perform(click());

ViewInteraction switch_5 = onView(
    allOf(withId(R.id.SWled), isDisplayed()));
switch_5.perform(click());

ViewInteraction switch_6 = onView(
    allOf(withId(R.id.SWled), isDisplayed()));
switch_6.perform(click());

ViewInteraction appCompatButton4 = onView(
    allOf(withId(R.id.BTNraspberrypi), withText("Raspberry WiFi"),
isDisplayed()));
appCompatButton4.perform(click());

ViewInteraction appCompatEditText = onView(
    allOf(withId(R.id.TXTwifi_id), isDisplayed()));
appCompatEditText.perform(click());

ViewInteraction appCompatEditText2 = onView(
    allOf(withId(R.id.TXTwifi_id), isDisplayed()));
appCompatEditText2.perform(replaceText("test"), closeSoftKeyboard());

ViewInteraction appCompatEditText3 = onView(
    allOf(withId(R.id.TXTwifi_password), withContentDescription("Password"),
isDisplayed()));
appCompatEditText3.perform(replaceText("passwort"), closeSoftKeyboard());

ViewInteraction appCompatButton5 = onView(
    allOf(withId(R.id.BTNsubmit), withText("Submit"), isDisplayed()));
appCompatButton5.perform(click());

ViewInteraction appCompatImageButton2 = onView(
    allOf(withContentDescription("Nach oben"),
```

```
        withParent(allOf(withId(R.id.action_bar),
            withParent(withId(R.id.action_bar_container)))),
            isDisplayed());
appCompatImageButton2.perform(click());

ViewInteraction appCompatImageButton3 = onView(
    allOf(withIdContentDescription("Nach oben"),
        withParent(allOf(withId(R.id.action_bar),
            withParent(withId(R.id.action_bar_container)))),
            isDisplayed());
appCompatImageButton3.perform(click());
    }
}
```

4. Special Requirements

(n/a)

5. Preconditions

5.1 Main screen

The user has to be in the main screen to be able to access the settings.

6. Postconditions

6.1 Changed buttons

The buttons will be transparent if the setting is disabled / colored if the setting is enabled.

7. Extension Points

To be determined