

Python Lists: what makes it “Pythonic”

February 14, 2022

Administrative Notes

Let's talk Homework!!!

What makes it “Pythonic?”

“Pythonic” means that you’re not just using the syntax of the language, but you’re writing code in the spirit of the language itself.

The first two things that make Python somewhat unique are ***lists*** and ***dictionaries***.

- Dictionaries come later in the semester; for now we’re talking lists.

Variables holding more than one value

All of these types are also immutable - remember what that means? Make sure I discuss this again before the end of the lecture. AND on Wednesday, because it's important.

Up until now, every type we've talked about is a **scalar** type. It holds one value.

- int variables contain one integer value
- float variables contain one floating point value
- boolean variables contain one Boolean value
- string variables contain one string value. (Yeah, it may have a lot of characters in it but it's a single value because it's treated as a whole.)


But what if you want to hold more than one value in a variable?

- You'll have 25 grades in this class this semester. You can use 25 different variables to store them, but that's ugly. Why not put them all in one place?

Lists


Lists are the fundamental way that Python manages multi-valued variables

- Warning: You might get the impression from lecture and the book that a list is a one-dimensional array. Don't believe that. Arrays are different.



Why?

Make a grocery list - before you knew Computer Science!



Example - my grocery list from this weekend

Milk
Eggs
Cereal
Coffee
Apples
Strawberries
Broccoli
Cucumber
Tomatoes
Green Onions
Half & Half

In this example,
everything will be a
string

Create a list variable in Python

1. Create an empty list so that we can later add items to it

```
grocery_list = []
```

#Square brackets mean “create an empty list”

2. Create a list with the values already inserted

```
grocery_list = ["Milk", "Eggs", "Cereal", "Coffee",  
"Apples", "Strawberries", "Broccoli", "Cucumber",  
"Tomatoes", "Green Onions"]
```

Square brackets mean “create a list.” Elements of the list are separated by commas. Double quotes mean the elements are strings.

We operate on lists using “methods”

“Method” is a term from object-oriented programming that defines an operation that can be performed on a object/variable

Invoked by putting a dot, and then the method name, after the variable name.

Methods for lists:

append - add an element to the end of the list

remove - remove a designated element from the list

Insert - put an element into a designated space in the list

So building the list

```
grocery_list = []    #create an empty list  
grocery_list.append("Milk")  
grocery_list.append("eggs")  
grocery_list.append("cereal")  
...  
grocery_list.append("green onions")
```

Indexing the list

In computer science, we *almost* always start numbering from 0. The first element in any list in Python is [0] - e.g., `grocery_list[0]` contains “Milk”

Then go up by one. My grocery list has 10 items on it. So the last item, “green onions” is stored in `grocery_list [9]`.

[illegible]

Adding to the list - My wife texts. Can I please pick up a half-dozen bagels, too?

```
grocery_list.append("bagels")
```

grocery_list

[0]	Milk
[1]	Eggs
[2]	Cereal
[9]	Green Onions
[10]	Bagels

```
grocery_list.insert(1, "bagels")
```

grocery_list

[0]	Milk
[1]	Bagels
[2]	Eggs
	Cereal
[10]	Green Onions

Python automatically pushes everything down for me - I don't have to do anything

Removing an item (by its value)

Suppose I want to remove each item from my list as I put it in the cart. When the list is empty I'm done. Use the `.remove` method: `grocery_list.remove("Eggs")`

grocery_list

[0]	Milk
[1]	Eggs
[2]	Cereal
[9]	Green Onions
[10]	Bagels

grocery_list

Python
automatically
pushes
everything
back up for
me - I don't
have to do
anything

[0]	Milk
[1]	Cereal
[2]	Coffee
[9]	Bagels

Removing an element by its index
uses a different method - `pop`

Useful tools to manipulate lists

How long is it? The “len” function.

```
len(grocery_list)
```

Note - this gives the total number of elements in the list. So it's always equal to one more than the last index. Or, the last index is `len(grocery_list) - 1`.

What happens if you try

```
grocery_list[len(grocery_list)]
```

What about `grocery_list[len(grocery_list) - 1]`

Is a particular value in a list?

The reserved word “in” is useful for this

“Eggs” in grocery_list returns a boolean value

Questions about lists

Do all elements of a list have to be the same type (all ints, all floats, all strings?)

- NO!! Python can sort the types out and manage them. But you'll generally make all of your list elements the same type because otherwise you get into really bad design, really fast

When should I use a list?

- When you have a collection of data elements of the same type that logically go together - *items on my grocery list!!*


When should I **not** use a list?

- When you have multiple data elements that really don't belong together - *name, birthdate, age, major, height, weight of a student*
 - You would use an array for this, and lists are not arrays!!

Mutability

A major way that lists are different from scalar types is that lists are ***mutable***. That means they can be changed after they're declared. Ints, floats, booleans and strings are ***immutable***. They cannot be changed after being assigned a value.


Remember how that works:



But with a list, it doesn't work that way


```
l = [1]
```

|



```
l.append(2)
```

|



So what?

This has big implications for how Python programs actually work

- We'll be exploring these throughout the semester