


## Section Handout #2: Welcome to Python

---

### Moonweight

Write a Python program that calculates a weight on the moon, given a weight on earth.



```
moonWeight — -bash — 43x7
[> python moonweight.py
Enter a weight on earth: 120
Equivalent weight on the moon: 19.8
>
```

The user (an earthling) enters a weight on earth. Your program will print the corresponding weight on the moon, which is 16.5% of the weight on earth.

### 8-Ball

The idea behind an 8-Ball is very simple. You ask the eight ball a yes or no question, and it tells you the answer. Except, that the answer it chooses is randomly selected from a set of prefabricated responses. Here is what a physical 8-ball looks like:



Write a program that continuously prompts the user for a yes or no question, and then **randomly** selects from a set of canned answers: The classic 8-ball responses were:

1. As I see it, yes.
2. Ask again later.
3. Better not tell you now.
4. Cannot predict now.
5. Concentrate and ask again.
6. Don't count on it.

- |                          |                            |
|--------------------------|----------------------------|
| 7. It is certain.        | 14. Reply hazy, try again. |
| 8. It is decidedly so.   | 15. Signs point to yes.    |
| 9. Most likely.          | 16. Very doubtful.         |
| 10. My reply is no.      | 17. Without a doubt.       |
| 11. My sources say no.   | 18. Yes.                   |
| 12. Outlook not so good. | 19. Yes – definitely.      |
| 13. Outlook good.        | 20. You may rely on it     |

You do not have to have so many responses. Instead choose at least 5, or make up your own. Here is a demo of the program running:

```
> python 8ball.py
Ask a yes or no question: Is Karel married?
Not a chance

Ask a yes or no question: Is my real name Chris?
Only Karel knows

Ask a yes or no question: 8-ball, are you using random numbers?
Without a doubt.
```

Milestone #1: For the basic version of the program, you only need to answer one question.

Milestone #2: If you have extra time, see if you can repeatedly answer questions until the user enters no question.

## Useful Syntax

```
x = random.randint(A, B)
```

`randint` is a function that gives you back a random number in the range A to B inclusive. A and B could be literal numbers, constants, or variables. You can chose any name for the variable that stores the result.

```
if x == y:
    body
```

Is an if statement (just like in Karel!) but it passes under the condition that the value of x is the same as the value for y. x and y could be literal numbers, constants, or variables