

# Problem I - Commutative Exponentiation

Philip Geißler

3 Points

$$p^q = q^p \quad p, q \in \mathbb{R}^+$$

Find the functions  $p(q)$  which satisfy the given equation. Where  $(p, q)$  do they intersect?

$$\begin{aligned} p^p &= p^p & p, q &\in \mathbb{R}^+ \\ p^q &= q^p & \text{with } q = p = p(q) \end{aligned}$$

$$\Rightarrow p_1(q) = q \quad (1)$$

$$p_1(c) = c \quad \text{and} \quad q_1(c) = c \quad (2)$$

If  $p(q) = q$ , then obviously  $p(q)^q = p^p = q^{p(q)}$ . But  $2^4 = 4^2$  and  $2 \neq 4$ , so what if  $p \neq q$ ?

$$\begin{aligned} p &\neq q & p, q &\in \mathbb{R}^+ \\ \Rightarrow p(q) &= c \cdot q & c &\in \mathbb{R}^+ \setminus 1 \end{aligned}$$

$$\begin{aligned} q^{p(q)} &= (cq)^q = (q^c)^q = q^{cq} = p(q)^q \\ c \cdot q &= q^c \\ c &= q^{c-1} \\ c^{\frac{1}{c-1}} &= q = q(c) \\ \Rightarrow p_2(c) &= c \cdot c^{\frac{1}{c-1}} = c^{\frac{c}{c-1}} \quad \text{and} \quad q_2(c) = c^{\frac{1}{c-1}} \end{aligned} \quad (3)$$

We know from (1) that  $p = q$  in the first function, so to get the intersection of the 2 possible functions, we would just set  $c = 1$ , but both functions are undefined in that case. So instead we are looking at limit of  $c$  going to 1.

$$\begin{aligned} \lim_{c \rightarrow 1} p_2(x) &= \lim_{c \rightarrow 1} c \cdot \lim_{c \rightarrow 1} c^{\frac{1}{c-1}} = 1 \cdot \lim_{c \rightarrow 1} c^{\frac{1}{c-1}} = \lim_{c \rightarrow 1} q_2(c) \\ &= \lim_{c \rightarrow 1} e^{\log c^{\frac{1}{c-1}}} = \lim_{c \rightarrow 1} e^{\frac{1}{c-1} \log c} \\ &= e^{\lim_{c \rightarrow 1} \frac{\log(c)}{c-1}} = e^{\lim_{c \rightarrow 1} \frac{1}{c}} \\ &= e^1 = e \end{aligned}$$

$$\Rightarrow P_i = (e, e) \approx (2.71, 2.71) \quad (4)$$