# Rajalakshmi Engineering College

Name: Aldrine Linjoe.s

Email: 240701033@rajalakshmi.edu.in

Roll no: 240701033 Phone: 7092049029

**Branch: REC** 

Department: I CSE FA

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 6\_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 18

Section 1: MCQ

1. Fill in the blanks in the following code of writing data in binary files.

```
import _______(1)

rec=[]

while True:

rn=int(input("Enter"))

nm=input("Enter")

temp=[rn, nm]

rec.append(temp)

ch=input("Enter choice (y/N)")

if ch.upper=="N":

break

f.open("stud.dat","______")(2)

_____.dump(rec,f)(3)

_____.close()(4)
```

# Answer

(pickle,wb,pickle,f)

Status: Correct Marks: 1/1

2. How do you create a user-defined exception in Python?

# Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

3. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

#### Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

4. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

- 5. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

# **Answer**

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

6. How do you rename a file?

### Answer


os.rename(existing\_name, new\_name)

Status: Correct Marks: 1/1

7. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
    if i > 2:
        break
print(f.closed)

Answer
```



11. What is the difference between r+ and w+ modes?

## Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Marks: 1/1 Status: Correct 12. What is the purpose of the except clause in Python? Answer To handle exceptions during code execution Status: Correct Marks: 1/1 13. What is the output of the following code? class MyError(Exception) pass try: raise MyError("Something went wrong") except MyError as e: print(e) Answer Something went wrong Status: Correct Marks : 1/1 14. What is the output of the following code? try: x = "hello" + 5except TypeError: print("Type Error occurred") finally: print("This will always execute") Answer Type Error occurredThis will always execute Status : Correct Marks : 1/1

```
# Predefined lines to simulate the file content
   lines = [
      "This is 1st line",
      "This is 2nd line",
      "This is 3rd line",
      "This is 4th line",
      "This is 5th line"
   print("Name of the file: foo.txt")
   # Print the first 5 lines from the predefined list
for index in range(5):
      line = lines[index]
      print("Line No %d - %s" % (index + 1, line.strip()))
   Answer
    None of the mentioned options
    Status: Wrong
                                                                        Marks: 0/1
   16. What is the default value of reference_point in the following code?
   file_object.seek(offset [,reference_point])
   Answer
    0
                                                                        Marks: 1/1
    Status: Correct
   17. Which clause is used to clean up resources, such as closing files in
   Python?
    Answer
   finally
Status : Correct
                                                                        Marks : 1/1
```

15. What will be the output of the following Python code?

18. What is the output of the following code? x = 1 / 0except ZeroDivisionError: print("Caught division by zero error") finally: print("Executed") Answer Caught division by zero errorExecuted Marks: 1/1 Status: Correct 19. What happens if no arguments are passed to the seek function? **Answer** error Marks: 0/1 Status: Wrong 20. Which of the following is true about fp.seek(10,1) Answer Move file pointer ten characters ahead from the current position Status: Correct Marks: 1/1

240707033

2,40101033

240701033

2,407010333