Event Sharing Android App
Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Bacister, Camille Grace
Lenon, Mikaela Jun
Ubias, Zachary James

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2015-2016

Unique Reference:

The documents are stored in the https://github.com/Zhalen/event-sharing-app

https://github.com/Zhalen/event-sharing-app/blob/master/02-Requirements%20Engineering/7%20-%20Modify_Event.pdf

Document Purpose:

The purpose of this document is to give a clear understanding on how the use-case Modify Event works for different possible alternative flows there are.

Target Audience:

This documents aim to target possible users of the project, the client, and developers interested in making a project similar to this.

Revision Control

History Revision:

| Revision Date	Person Responsible	Version Number	Modification
09/16/15	Camille Bacister	1.0	Initial Document; Flow of Events
09/16/15	Mika Lenon	1.1	Added and updated flow of events, and other conditions
09/16/15	Zachary Ubias	2.1	Created activity diagram
09/28/15	Zachary Ubias	2.2	Changed use-case numbering (Numberings moved with respect to the removal of the 'Create account' use case).

Use-Case Name: 6.0 Modify Event

Description: Modify Event only applies to publish events on the application and only the event owners who uploaded the said events can modify it. Modifications such as change of place of the event, time of the event and other specifics can be done through this use-case.

Preconditions: The user must be logged in.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) Save changes	1. The event owner changes any information of the published events. 2. The event owner confirmed his action. 3. Updates the system real time.
Scenario 2 Discard changes	1. The event owner changes any information of the published events. 2. The event owner opt not to confirm his action. 3. The system retains the original information of the published event. 4. If in case, some information are altered, the system ignores the changes.

Activity Diagram of the Flow of Events:

Postcondition: *Modifications have been applied to the selected event. [Inclusion of hash checksum may be included to avoid modifications with no changes]*

Relationships: *NONE*

Special Requirements: NONE