

# Title of Report

Libby Brill<sup>1</sup>, Sophia Freije<sup>1</sup>, Jett Palmer<sup>1</sup>, Alea Seifert<sup>1</sup>

<sup>1</sup>Department of Statistics, Cal Poly - SLO

May 30, 2024

## **Abstract**

Your abstract goes here (max ~250 words).

## **1 Introduction**

According to Tuan et al. (2015), it is said to xxx. Supported by this we found xyz (Wiwanitkit 2010).

Table 1: The table depicts the percentage of night-time animal rescues by the London Fire Brigade from 2009 to 2020 of pets and wild animals. The table also includes the total number of calls for each group.

Animal Type	% of Rescues Occuring at Night	Total Number of Animals
Pets	35.0%	4668
Wild Animals	30.0%	1898

## 2 Data and Methods

### 2.1 Data Collection

### 2.2 Statistical Analysis

## 3 Results




Figure 1: The figure represents the percentage of night-time animal rescues by the London Fire Brigade from 2009 to 2020. Grouped by pets (cat, dog, rabbit) and wild animals (bird, fox, deer), the plot reveals that the percent of pet night rescues is larger than wildlife night rescues across all years.

## 4 Discussion

Table 1 Figure 1

## 5 Conclusion

### References

- Tuan, Nguyen Minh, Ho Thi Nhan, Nguyen Van Vinh Chau, Nguyen Thanh Hung, Ha Manh Tuan, Ta Van Tram, Nguyen Le Da Ha, et al. 2015. “Sensitivity and Specificity of a Novel Classifier for the Early Diagnosis of Dengue.” Edited by Scott B Halstead. *PLOS Neglected Tropical Diseases* 9 (4): e0003638. <https://doi.org/10.1371/journal.pntd.0003638>.
- Wiwanitkit, Viroj. 2010. “Dengue Fever: Diagnosis and Treatment.” *Expert Review of Anti-Infective Therapy* 8 (7): 841–45.