London Fire Brigade Animal Rescues

Libby Brill[1], Sophia Freije[1], Jett Palmer[1], Alea Seifert[1]

[1]Department of Statistics, Cal Poly - SLO

June 6, 2024

Abstract

Even as the city sleeps, the London Fire Brigade is wide awake, answering calls to save pets and wild animals in night-time emergencies. The London Fire Brigade (LFB) is a firefighting and rescue organization that receives various calls regarding animal rescues from London citizens. Within the LFB's recorded rescues, spanning from 2009 to 2020, there was a noticeable difference observed in the number of wild animals (n = 4668) and pet calls (n = 1898). We analyzed data using statistical software to understand potential associations between time of day and the frequency of animal rescues based on animal type. Through a two-proportion z-test, we found a discernible difference in the percentage of night-time incidents comparing pets and wild animals. With a broad span of services conducted by the LFB, information regarding the frequency of rescues during the night-time is helpful when allocating resources and scheduling staff. This allows the LFB to be better equipped to handle animal rescues incidents during the night shift.

1 Introduction

Every year, hundreds of animals across London find themselves in need of rescue - ranging from cats trapped in a tree to ducklings fallen into storm drains. But who does one call when they find an animal in distress? Members of the public are encouraged to first call the Royal Society for the Prevention of Cruelty to Animals (RSPCA) when they encounter an animal in trouble. However, in situations where specialized equipment is required or when the caller forgoes reporting to RSPCA first, the London Fire Brigade (LFB) is summoned.

The London Fire Brigade has spent over 2.5 million pounds (~3.2 million US dollars) on animal rescues (Boyle 2023). Considering that the fire brigade's primary objective is safeguarding the people of London and protecting their property from fire, not animal safety, this is quite a substantial sum. While we believe the fire brigade should continue promoting animal welfare, we aim to reduce their burden and increase readiness by examining the most difficult time for animal rescue: night-time. Animal rescues made during the night are more

difficult because of the lower visibility and need for adherence to quiet hours as residents sleep.

The animal rescue calls from the LFB-collected data can be divided into two main categories, pets and wild animals. Overall, there were more calls made for pets compared to wild animals. Taking these unequal counts into consideration, we conducted a two-proportion z-test and found a discernible difference in the proportion of night-time rescues between pets and wild animals. This information can benefit the LFB, allowing them to better allocate their resources during the night shift.

2 Data and Methods

2.1 Data Description

Each observation represents one concerned citizen's call to the London Fire Brigade about an animal in distress. The only qualification for a phone call to be recorded was it had to concern an animal rescue within one of London's 32 boroughs - any incident involving or resulting in animal injury or death was not recorded. After each call, the time that the call was made (including the date and hour of the call) was documented. Then, after the firefighters performed the rescue, information pertaining to the incident's exact location within London, type of animal, type of rescue performed, and cost were recorded. For the purpose of answering if there is a significant difference in proportions between pets and wild animals night-time rescues, we will only examine the time of day, year, and type of animal.

The LFB collected data beginning January 2009 and updated monthly to the London Data Store (Brigade 2016) until May 2021. Considering the 2021 data does not cover the entire year, we only examined calls made up to the end of 2020. Over this twelve year period, 7,544 animal rescue calls were made.

2.2 Statistical Analysis

In order to compare different groups of animals, we needed to define some species as "wild" and others as "pets." While this process was ultimately subjective, we consulted online sources to guide the decision (Messmer 2020). We labeled cats, dogs, and rabbits as pets, and considered birds, foxes, and deer as wild animals. Similarly, we decided that incidents occurring from 6:00 pm to 5:59 am would be considered night-time rescues whereas the remaining times are day-time incidents

There was a sufficient number of night-time and day-time rescues for both groups, and we assumed that observations were independent from each other, with one animal rescue not influencing the next. Thus, we conducted a two-proportion z-test to investigate whether the proportion of night-time rescues is different between pets and wild animals.

Table 1: The table depicts the percentage of night-time animal rescues by the London Fire Brigade from 2009 to 2020 of pets and wild animals. The table also includes the total number of calls for each group.

Animal Type	% of Rescues Occuring at Night	Total Number of Animals
Pets	35.0%	4668
Wild Animals	30.0%	1898

We conducted the z-test in R version 4.4.0 (R Core Team 2024). We used tidyverse package (Wickham et al. 2019), ggtext (Wilke and Wiernik 2022), here (Müller 2020), writexl (Ooms 2024), and tinytex (Xie 2024).

3   Results

The proportion of night-time incidents for pets and wild animals are 35% and 30%, respectively (Table 1). We should note that a much larger number of pet incidents occurred overall, as compared to wild animals, when investigating sample sizes.

Figure 1 further illustrates these results while also indicating trends over time. Notably, there were several years in which the year-over-year trend was different between the two groups. For example, from 2017 to 2019, the proportion of night-time incidents for wild animals dipped, contrasting the pet proportions that showed continuous increases.

Pets exceed Wildlife in % of Night–time Rescues over Time

Figure 1: The figure represents the percentage of night-time animal rescues by the London Fire Brigade from 2009 to 2020. Grouped by pets (cat, dog, rabbit) and wild animals (bird, fox, deer), the plot reveals that the percent of pet night rescues is larger than wildlife night rescues across all years.

Figure 2 portrays 95% confidence intervals from the two-proportion z-test. There appears to be a wider interval for the wild animal group which may be a product of the lower comparative sample size. Importantly, we note that the margin of error does not overlap between the two groups, providing visual evidence of a significant difference in proportions of night-time incidents. Consequently, after running the two-proportion z-test, we found a discernible difference in the proportion of night-time incidents between pets and wild animals ($X^2 = 14.991$; df $= 1$; p-value < 0.0001).

Figure 2: The figure represents the 95% confidence interval for the difference in propotions of night-time rescues for each pets and wild animals.

4 Discussion

Based on our findings, we can draw a few observations about LFB animal rescues. Namely, we found there is a significant difference between the proportion of pet rescues and wild animal rescues during the night-time hour. This means that pets proportionally get into trouble at night more often than wild animals. A possible contributing factor to this observation is that most people remain inside at night to unwind and sleep. This means that unless a wild animal ventures directly to their homes, most people are unlikely to encounter one in need of rescue. However, should a pet need assistance, their owner would be more likely to notice because they are home. Conversely, during the day-time hours when pet owners are at work, it is less probable they will be in a position to call in about their pet.

To fully understand if this difference has any practical significance we recommend consulting with licensed wildlife rehabbers or other professional animal caretakers. These professionals might better understand how various external factors other than time of day influence animal incidents. For instance, time of year might be a factor to include in future studies as spring months that fall under "baby season" could potentially have more incidents.

Given the observational nature of the analysis, we may only draw associative conclusions about animals in London and are unable to claim a causal relationship between time of incidents and animal type. It is also important to note

that we can not generalize our findings to all types of animals. Domesticated animals including horses, goats, and guinea pigs were not included. The subjective categorization of animals into pet and wild groups is also a limitation of our findings. The data do not provide information to check the accuracy of our categorization and, thus, it is possible that some animals are incorrectly represented as in our analysis. For instance, domestic bird incidents may be tabulated in our results under wild animal incidents. Overall, the data only include rescues that were documented by the LFB, however, other agencies may have been responsible for additional rescues.

5 Conclusion

Our analysis of the London Fire Brigade's data on animal rescues provided valuable insights into the patterns of night-time incidents involving pets and wild animals. Our findings indicate that pets (defined as dogs, cats, and rabbits) have a discernably higher rate of night-time rescues compared to wild animals (foxes, deer, and birds). This suggests a need for increased public awareness regarding pet safety. Ensuring that pets are in secure locations overnight can potentially reduce the frequency of night-time rescues, enhancing both pet safety and the efficiency of rescue operations.

While our analysis specifically focused on the proportion of night-time rescues, it can be noted that the majority of incidents for both pets and wild animals occurred during the day, with night-time rescues making up less than 36% of the total incidents for both groups. This information is important for the LFB, as it highlights the periods when more resources and personnel are likely needed to effectively respond to animal rescue calls.

Future research might delve deeper into the specifics of these rescue incidents, such as the types of rescues (e.g., rescues from a height, water rescues, rescues below ground) that are most common for both pets and wild animals. Such analyses could further enhance the LFB's preparedness and response strategies, ensuring that they are well-equipped to handle the challenges presented by different rescue scenarios.

It is also important to acknowledge the limitations of our study. Given that our data disregards any animal injuries or death, our results can not be applied to calls where animals are life threatening predicaments. Additionally, our analysis encompasses the entire population of reported rescues by the LFB from 2009 to 2021, thus there is no larger population to which we can generalize our results. Nonetheless, our results provide a foundational understanding of animal rescue patterns in London, offering practical insights that can inform both public safety measures and the operational strategies of the LFB.

References

Boyle, Darren. 2023. "London Fire Brigade's £3.3M Animal Rescues." 2023. https://www.dailymail.co.uk/news/article-11994415/London-Fire-Brigades-3-3M-animal-rescues.html.

Brigade, London Fire. 2016. "Animal Rescue Incidents Attended by LFB." 2016. https://data.london.gov.uk/dataset/animal-rescue-incidents-attended-by-lfb.

Messmer, Terry. 2020. "Ask an Expert - Wild Animals Are Not Pets." 2020. https://extension.usu.edu/news_sections/general_news/wild-animals-are-not-pets.

Müller, Kirill. 2020. *Here: A Simpler Way to Find Your Files.* https://CRAN.R-project.org/package=here.

Ooms, Jeroen. 2024. *Writexl: Export Data Frames to Excel 'Xlsx' Format.* https://CRAN.R-project.org/package=writexl.

R Core Team. 2024. *R: A Language and Environment for Statistical Computing.* Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.

Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. https://doi.org/10.21105/joss.01686.

Wilke, Claus O., and Brenton M. Wiernik. 2022. *Ggtext: Improved Text Rendering Support for 'Ggplot2'.* https://CRAN.R-project.org/package=ggtext.

Xie, Yihui. 2024. *Tinytex: Helper Functions to Install and Maintain TeX Live, and Compile LaTeX Documents.* https://github.com/rstudio/tinytex.