

Colley 2.2.14, 2.3.22, 2.3.33, 2.3.38, 2.3.42, 2.3.44, 2.4.29(a),(c)

Colley 2.2.14 Explain why the limit fails to exist:

$$\lim_{(x,y) \rightarrow (0,0)} \frac{xy}{x^2 + y^2}$$

Colley 2.3.22 Find the gradient $\nabla f(\mathbf{a})$:

$$f(x, y) = e^{xy} + \ln(x - y), \mathbf{a} = (2, 1)$$

Colley 2.3.33 Find the matrix $Df(\mathbf{a})$ of partial derivatives:

$$\mathbf{f}(s, t) = (s^2, st, t^2), \mathbf{a} = (-1, 1)$$

Colley 2.3.38 Find an equation for the plane tangent to the graph of $z = 4 \cos xy$ at the point $(\pi/3, 1, 2)$.

Colley 2.3.42 Suppose that you have the following information concerning a differentiable function f :

$$f(2, 3) = 12, f(1.98, 3) = 12.1, f(2, 3.01) = 12.2$$

- (a) Give an approximate equation for the plane tangent to the graph of f at $(2, 3, 12)$.
- (b) Use the result of part (a) to estimate $f(1.98, 2.98)$.

Colley 2.3.44

$$f(x, y) = 3 + \cos \pi xy, f(0.98, 0.51)$$

- (a) Use the linear approximation $h(\mathbf{x}) = \mathbf{f}(\mathbf{a}) + D\mathbf{f}(\mathbf{a})(\mathbf{x} - \mathbf{a})$ to approximate the indicated value of the given function f .
- (b) How accurate is the approximation determined in part (a)?

Colley 2.4.29(a),(c) The three-dimensional **heat equation** is the partial differential equation

$$k \left(\frac{\partial^2 T}{\partial x^2} + \frac{\partial^2 T}{\partial y^2} + \frac{\partial^2 T}{\partial z^2} \right) = \frac{\partial T}{\partial t},$$

where k is a positive constant. It models the temperature $T(x, y, z, t)$ at the point (x, y, z) and time t of a body in space.

- (a) We examine a simplified version of the heat equation. Consider a straight wire “coordinatized” by x . Then the temperature $T(x, t)$ at time t and position x along the wire is modeled by the one-dimensional heat equation

$$k \frac{\partial^2 T}{\partial x^2} = \frac{\partial T}{\partial t}.$$

Show that the function $T(x, t) = e^{-kt} \cos x$ satisfies this equation. Note that if t is held constant at value t_0 , then $T(x, t_0)$ shows how the temperature varies along the wire at time t_0 . Graph the curves $z = T(x, t_0)$ for $t_0 = 0, 1, 10$, and use them to understand the graph of the surface $z = T(x, t)$ for $t \geq 0$. Explain what happens to the temperature of the wire after a long period of time.

- (c) Now show that $T(x, y, z, t) = e^{-kt}(\cos x + \cos y + \cos z)$ satisfies the three-dimensional heat equation.