

# Absolute Value Functions

by Sophia



## WHAT'S COVERED

In this lesson, you will learn about absolute value functions. Specifically, this lesson will cover:

### 1. The Absolute Value Function

#### 1a. The Piecewise Definition of Absolute Value

#### 1b. The Graph of the Basic Absolute Value Function

### 2. Graphing Absolute Value Functions

#### 2a. Shifting, Stretching, and Reflecting the Basic Absolute Value Function

#### 2b. Other Absolute Value Graphs

## 1. The Absolute Value Function

### 1a. The Piecewise Definition of Absolute Value

Recall that  $|x|$  means “the **absolute value** of  $x$ ”, which represents the distance that a number  $x$  is from 0 (on the number line).

Consider the number line shown below, with the numbers 3 and -6 marked.



Since the number 3 is a distance of 3 units from 0, we say that  $|3| = 3$ .

Since the number -6 is a distance of 6 units from 0, we say that  $|-6| = 6$ .

In general, evaluating  $|x|$  requires two different rules, depending on what  $x$  is.

- If  $x$  is nonnegative, then  $|x|$  and  $x$  are the same.
- If  $x$  is negative, then  $|x|$  is the opposite of  $x$  (turning a negative into a positive).

This leads to the piecewise definition for  $|x|$ .

$$|x| = \begin{cases} -x & \text{if } x < 0 \\ x & \text{if } x \geq 0 \end{cases}$$



#### TERM TO KNOW

##### Absolute Value


The distance that a number is from 0 on the number line.

### 1b. The Graph of the Basic Absolute Value Function

In the table below, you see several input-output pairs for  $f(x) = |x|$ .

$x$	-5	-4	-3	-2	-1	0	1	2	3	4	5
$f(x) =  x $	5	4	3	2	1	0	1	2	3	4	5

Here is the resulting graph:




## 2. Graphing Absolute Value Functions

### 2a. Shifting, Stretching, and Reflecting the Basic Absolute Value Function

From what you learned in the “Shifting and Stretching Graphs” section, you can apply these rules to the absolute value function.


Function	Graph	Shifts and/or Stretches from $f(x) =  x $
----------	-------	---

$$g(x) = |x| + 4$$




Up 4 units

$$h(x) = |x - 2|$$



Right 2 units



## 2b. Other Absolute Value Graphs

The function  $|f(x)|$  can be written in piecewise form by replacing “ $x$ ” with “ $f(x)$ .”

$$|x| = \begin{cases} -x & \text{if } x < 0 \\ x & \text{if } x \geq 0 \end{cases} \quad \rightarrow \quad |f(x)| = \begin{cases} -f(x) & \text{if } f(x) < 0 \\ f(x) & \text{if } f(x) \geq 0 \end{cases}$$


We can adapt this idea to graph a function of the form  $y = |f(x)|$ . In order to do this, think about what it means when we say  $f(x) \geq 0$  and  $f(x) < 0$ .

If  $f(x) < 0$ , this really means  $y < 0$ , indicating that the corresponding point on the graph is below the x-axis.

If  $f(x) \geq 0$ , this really means  $y \geq 0$ , indicating that the corresponding point on the graph is on or above the x-axis.



Recall from challenge 1.3.4 “Shifting and Stretching Graphs” that the graph of  $y = -f(x)$  reflects the graph of  $y = f(x)$  across the x-axis. Thus, if  $f(x) < 0$ , then the graph of  $y = |f(x)|$  reflects over the x-axis (to the positive side). Otherwise, the graphs of  $f(x)$  and  $y = |f(x)|$  are the same.

⇨ **EXAMPLE** The graph of  $f(x) = x^2 - 4$  is shown below:




To graph  $g(x) = |f(x)| = |x^2 - 4|$ , notice that the graph of  $f(x) = x^2 - 4$  is below the x-axis between  $x = -2$  and  $x = 2$ . This part reflects over the x-axis, while the rest of the graph remains the same.

On the left is the graph of  $g(x) = |f(x)| = |x^2 - 4|$  with the graph of  $f(x)$  shown as a dashed line for comparison. On the right is the graph of  $g(x) = |x^2 - 4|$ .




Consider the graph of  $y = f(x)$  as shown below.



Sketch the graph of  $y = |f(x)|$ .

+





## SUMMARY

In this lesson, you learned about **the absolute value function** of  $x$ , which represents the distance that a number  $x$  is from 0 on the number line. You learned about **the piecewise definition of absolute value**, given that in general, evaluating  $|x|$  requires two different rules, depending on what  $x$  is. It's important to remember that the absolute value function may look simple on the surface, but it has a more complicated definition beyond “turning things nonnegative.” You explored **the graph of the basic absolute value function**, applying rules you learned in a previous lesson to create graphs that illustrate the **shifting, stretching, and reflecting of the basic absolute value function**. Lastly, you learned about

**other absolute value graphs**, noting that while the basic absolute function is simply a “V” shape, graphing  $y = |f(x)|$  requires more thought and care.

SOURCE: THIS WORK IS ADAPTED FROM CHAPTER 0 OF *CONTEMPORARY CALCULUS* BY DALE HOFFMAN.



## TERMS TO KNOW

### **Absolute Value**

The distance that a number is from 0 on the number line.