# **SIMULADORES**

## TEST 1

Name		n on - 12 ago.,	'24 09:26 a.m.			Status	Passed 75%
Correct Answ						Total Questions	56
Time Taken	01:3					Total Time	01:59:28
Start Time		go. 24 09:26				Finish/Pause Time	12 ago. 24 11:01
Test Details p	erformand	e Report					
S Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note	
1	<b>~</b>	×	08 - Handling Excep	Tough	int[] dear = new int[7]:		
2	<b>/</b>		03 - Using Operator	Easy	int i;		
3	<b>/</b>	/	06 - Working with	Very Tough	static(		
4			05 - Using Loop Co	Tough			
5	~		02 - Working with J	Very Tough	long m = // 1		
6	~		02 - Working with J	Very Easy	public static void main(String args[]		
7	V	_	03 - Using Operator	Easy	default : System.out.println(		
8	~	~	02 - Working with J	Tough	Identify the valid code fragments when occur		
9	~	~	06 - Working with	Easy	processStacks (s1,s2);		
10	~	_	02 - Working with J	Very Easy	public class X{		
11	~	×	09 - Working with J	Real Brainer	'o', 'd' };		
12	<b>/</b>	~	05 - Using Loop Co	Very Easy	int 1;		
13	~	×	09 - Working with J	Tough	public static void main(String[] args) (		
14	~		04 - Creating and U	Very Easy	//i : insert bine or code nere		
15	V	_	04 - Creating and U	Very Easy			
16	~	×	02 - Working with J	Very Tough	οω <sub>]</sub> ττ;		
17	~	~	06 - Working with	Very Easy	public int setVar(int a, int b, float c)		
18	~	×	07 - Working with I	Easy	}		
19	<b>/</b>	_	07 - Working with I	Very Tough	//In file B.java		
20	~	~	09 - Working with J	Very Easy	abc.concat("abc"):		
21	~		07 - Working with I	Easy	class Base2 extends Base(		
22 🗸	~	×	08 - Handling Excep	Easy	Which of the following standard java exception		
23	~	~	07 - Working with I	Easy	static int y = 40;		
24	~	~	03 - Using Operator	Real Brainer	String strl = "one";		
25	~	~	05 - Using Loop Co	Easy	for(String s : sa){		
26			08 - Handling Excep	Very Easy	try{		
27 🗸			02 - Working with J	Very Tough	case 1 : System.out.print("World");		
28 🗸	~		08 - Handling Excep		abstract void calculate();		
29			07 - Working with I	· ·	7 cl = nov. C/ ) .		

View Questions Pause Test Evaluate Te

## TEST 2

Fime Start	ct Answ Taken Time	ers 45 01:5 14 a		., '24 12:31 p. m.			Status Total Questions Total Time Finish/Pause Time	Passed 80% 56 01:59:28 14 ago. 24 1
s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note	
1	<b>~</b>	<b>~</b>	~	01 - Java Basics	Tough	// 1		
2		~	~	05 - Using Loop Co	Tough	j++;		
3		~	~	06 - Working with	Very Easy	public class Test( publicpirtnidic co new		
4		~	~	08 - Handling Excep	Very Tough	ExceptionTest():		
5		~	~	06 - Working with	Very Easy	}		
6	<b>~</b>	~	×	07 - Working with I	Tough	public void moveBack(int by) {		
7		~	<b>✓</b>	07 - Working with I	Real Brainer	}		
8		~	~	04 - Creating and U	Tough	) {		
9		~	<b>✓</b>	06 - Working with	Very Easy	void ml(String x) {		
10		<b>~</b>	~	01 - Java Basics - O	Tough	<pre>private void computeAverage(){</pre>		
11	<b>~</b>	<b>~</b>	×	03 - Using Operator	Tough	System.out.println("Hello!");		
12		<b>~</b>	~	08 - Handling Excep	Tough	_static_void_doTest() throws		
13		<b>~</b>	~	03 - Using Operator	Very Easy	wnich of the bilowing code shippers will		
14		<b>~</b>	~	05 - Using Loop Co	Very Tough	compile without any errors?		
15		~	~	06 - Working with	Very Easy	package test;		
16		~	~	06 - Working with	Real Brainer	}		
17		~	×	08 - Handling Excep	Tough	Which of the following are standard Java exc		
18		~	~	06 - Working with	Tough	void probe(Long x) { System.out.printl:		
19	~	~	~	05 - Using Loop Co	Easy	JILL System Out println(c);		
20		~	~	05 - Using Loop Co	Tough	k++;		
21		~	~	07 - Working with I	Very Tough	+ enthu.trans.DataFlooding		
22		~	~	04 - Creating and U	Very Easy	String[] strArr = new String[5]:		
23		~	~	09 - Working with J	Very Easy	Which of the following are benefits of an array		
24	~	~	×	01 - Java Basics	Tough	and		
25		~	~	01 - Java Basics	Easy	Which of these statements are true?		
26		~	~	03 - Using Operator	Easy	case true :		
27		~	×	03 - Using Operator	-	}		
28	<b>/</b>	~	×	02 - Working with J	Real Brainer	Which of the following comparisons will yield f		
29		/		05 - Using Loop Co	Tough			

#### TEST 3

€rs Test Overview

Taken on - 15 ago., '24 12:29 p. m.

Correct Answers 44

**Time Taken** 01:36:56 Start Time 15 ago. 24 12:29 Test Details Performance Report

Passed 79% **Total Questions** 56

**Total Time** 01:59:28 Finish/Pause Time 15 ago. 24 15:46

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		<b>/</b>	~	07 - Working with I	Easy	}	
2		<b>~</b>	~	06 - Working with	Very Easy	public static word printSum/float a	
3		<b>✓</b>	~	06 - Constructors	Easy		
4	<b>~</b>	~	~	08 - Handling Excep	. Tough	}	
5	<b>/</b>	~	~	06 - Working with	Easy	System.out.println("In Integer	
6	~	~	×	09 - Working with J	Very Tough	LocalDate d2 = LocalDate.of(2015,	
7	~	~	~	04 - Creating and U	Easy	int i = 4;	

			07 - Working With I Easy	<u> </u>
	~	~	06 - Working with Very Easy	public static word printSum/float a
	<b>~</b>	~	06 - Constructors Easy	
<b>✓</b>	~	~	08 - Handling Excep Tough	1
<b>✓</b>	~	~	06 - Working with Easy	System.out.println("In Integer
~	~	×	09 - Working with J Very Tough	LocalDate d2 = LocalDate.of(2015,
~	~	~	04 - Creating and U Easy	int i = 4;
	~	×	09 - Working with J Easy	sl.add("sdfa");
	~	×	08 - Handling Excep Tough	Java's Exception mechanism helps in which of
	~	×	09 - Working with J Very Easy	You want to find out whether two strings are
	~	<b>~</b>	09 - Working with J Very Easy	StringBuilder sb = new
~	~	~	05 - Using Loop Co Very Tough	}
	~	~	07 - Working with I Tough	}
	~	~	06 - Working with Very Easy	Which of the following code fragments are val
~	~	×	08 - Handling Excep Tough	Checked exceptions are meant for
	<b>~</b>	~	03 - Using Operator Tough	x3:
<b>~</b>	~	×	02 - Working with J Very Tough	ArrayList <double> al = new ArrayLi</double>
	~	~	03 - Using Operator Easy	throws Exception {
	~	~	01 - Java Basics Easy	int_8://_(1)
	~	~	09 - Working with J Very Easy	public static void main(String args[]){
	~	~	06 - Working with Easy	public static double getAngle();  object obj! - new object();
	~	~	03 - Using Operator Very Easy	Object obj! = new object(), Object obj! = obil;
	~	~	03 - Using Operator Very Easy	bool = (bool2 & method1("1")): //1
	~	~	08 - Handling Excep Easy	public void myMethod() throws XXXX(
	~	~	05 - Using Loop Co Very Easy	for (int i = 0, 1 = 10; sum > 20; ++
	~	~	02 - Working with J Very Easy	
	<b>/</b>	~	06 - Working with Tough	a.rrnx - u; procebulaninā matīt (žechli u; )
	~	~	07 - Working with I Very Tough	procedured int mi()( recurs 0; )
	<b>V</b>	<b>V</b>	01 - Java Basics - O Easy	Which of the following are benefits of polymo
	· · · · · · · · · · · · · · · · · · ·		V V V V V V V V V V V V V V V V V V V	

**View Questions** 

Pause Test

Evaluate Test

#### TEST 4

**€**rs Test Overview

Taken on - 16 ago., '24 11:27 a. m.

Correct Answers 40 **Time Taken** 01:44:39 16 ago. 24 11:27 Start Time

Status Passed 71% **Total Questions** 56 Total Time 01:59:28 Finish/Pause Time 16 ago. 24 13:29

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		<b>/</b>	×	02 - Working with J	Tough	Which of the following are valid code snippets	
2	~	~	×	07 - Working with I	Real Brainer	public class B extends A{	
3			~	05 - Using Loop Co	Tough	for(String day : days){	
4		~	~	04 - Creating and U	Tough	What will the following lines of code print?	
5		<b>/</b>	~	02 - Working with J	Real Brainer	int i1 = 1, i2 = 2, i3 = 3;	
6	<b>✓</b>	<b>/</b>	_	09 - Working with J	Very Tough	Which of these expressions will return true?	
7		<b>/</b>	~	02 - Working with J	Tough	static final String CLASS_GUID; // 2	
8		<b>/</b>		01 - Java Basics	Tough	contents of a file.	
9		~	~	01 - Java Basics	Very Easy	System.out.println(harry);	
10		<b>/</b>	~	01 - Java Basics - O	Easy	Which of the following are correct about "enc	
11		<b>/</b>		01 - Java Basics	Very Easy	if (args.length == 0 ){	
12		~	~	05 - Using Loop Co	Easy	while(flag){	
13		<b>/</b>		06 - Working with	Very Easy	publicostatic quidosay@allor/\f+;	
14		<b>/</b>	_	05 - Using Loop Co	Tough	public void fun(); 10 hreak for	
15		<b>✓</b>	~	09 - Lambda Expre	Easy	public void run();	
16		<b>/</b>		04 - Creating and U	Real Brainer	int[] a = { 1, 2, 3, 4 };	
17		~	×	07 - Working with I	Easy	class B extends A{	
18		<b>/</b>	×	09 - Working with J	Easy	Identify the correct statements about	
19			~	07 - Working with I	Tough	B getB() { return new B(); }	
20		~	~	09 - Working with J	Tough	}	
21	<b>/</b>	<b>/</b>	×	07 - Working with I	Very Tough	interface PremiumAccount extends Account{	
22		<b>/</b>	<b>✓</b>	08 - Handling Excep	Tough	}	
23		<b>✓</b>	<b>✓</b>	06 - Working with	Tough	3	
24		<b>/</b>	<b>✓</b>	08 - Handling Excep	Very Easy	}	
25		<b>✓</b>	×	09 - Working with J	Tough	public static void main(string[] args) intlist, al = new ArrawList() · //l	
26		<b>✓</b>	<b>✓</b>	07 - Working with I	Easy	nublic SubClass( int m int n ) {	
27		<b>✓</b>	~	05 - Using Loop Co	Very Easy	public static void main(String[] args)	
28	<b>✓</b>	<b>✓</b>	×	03 - Using Operator	Very Tough	return	
29	V	V	×	06 - Working with	Very Easy	<pre>public void showTwo(int myValue){</pre>	

#### TEST 5

Failed 62%

01:57:20

€rs Test Overview Time Left - 00:07:36

Name Taken on - 18 ago, '24 12:16 AM Status **Total Questions** Correct Answers 34 Time Taken 01:49:44 Total Time 18 ago 24 00:16 Start Time Finish/Pause Time 18 ago 24 02:18

Test Details Performance Report

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note	
1		<b>~</b>	×	01 - Java Basics - O	Very Tough	Identify correct option(s)		^
2		<b>✓</b>	~	08 - Handling Excep	Very Easy	finally[coords]		
3		~	×	07 - Working with I	Easy	public static void main(String[] args) {		
4		<b>✓</b>	×	03 - Using Operator	Real Brainer	System out println( i<20 2 outl() :		
5		~	~	02 - Working with J	Very Easy	Object a, b, c ;		
6		~	~	05 - Using Loop Co	Tough	while (i <j) td="" {<=""><td></td><td></td></j)>		
7		<b>~</b>	×	09 - Lambda Expre	Very Easy	filterData(ArrayList <data> dataList,</data>		
8		<b>✓</b>	×	03 - Using Operator	Very Tough			
9		~	~	03 - Using Operator	Tough	else{		
10		<b>✓</b>	~	03 - Using Operator	Very Easy	which of the following implementations of a		
11		<b>✓</b>	~	01 - Java Basics	Very Easy	You have written some Java code in  MyFirstClass java file. Which of the following		
12		<b>~</b>	~	06 - Working with	Very Easy	public_class_QverloadTest{		
13		<b>✓</b>	×	09 - Working with J	Tough	args) throws Exception {		
14		~	~	09 - Working with J	Easy	Which of the following operators can be used		
15	<b>✓</b>	<b>/</b>	~	03 - Using Operator	Very Easy	While (checkit(k)) {		
16		~	×	07 - Working with I	Real Brainer	}		
17		<b>/</b>	×	06 - Working with	Very Tough	public RETURNTYPE methodX( byte by) {		
18		~	~	06 - Working with	Very Easy	}		
19		<b>~</b>	×	03 - Using Operator	Very Tough	case 1: System.out.printin		
20		<b>✓</b>	~	07 - Working with I	Easy	Runnable.)		
21	~	~	~	07 - Working with I	Tough	interface Tl		
		_	_	<del></del>	· · · -	// xx	I	

# **UNIQUE TEST 1**

Pause Test Evaluate Test

€rs Test Overview

Name Taken on - 16 ago., '24 05:28 p. m. Status Passed 77% Correct Answers 43 **Total Questions** 01:47:07 Time Taken Total Time 01:59:28 Start Time 16 ago. 24 17:28 Finish/Pause Time 16 ago. 24 19:16

View Questions

1	4arked	Atte	Result	Exam Objective	Difficulty Le		Note
L	<b>~</b>	<b>~</b>	~	08 - Handling Excep	Very Easy	high!");	
2	~	~	×	02 - Working with J	Tough	Given that the bit pattern for the amount	
3		~	~	06 - Constructors	Very Easy	<pre>public TestClass getInstance() { retur</pre>	
4	<b>/</b>	~	×	09 - Lambda Expre	Very Tough	Which of the following lambda expressions can	
5		~	×	01 - Java Basics	Tough	}	
5	<b>/</b>	~	×	09 - Lambda Expre	Tough	public static boolean	
7		~	~	06 - Constructors	Very Easy	public class Test Class(	
8		~		02 - Working with J	Very Easy		
9		~	~	03 - Using Operator	Tough	nublicageatic void main (String[] args) (	
LO	~	~	~	Miscellaneous	Easy	Identify the correct statements about ArrayLi	
11		<b>V</b>	<b>/</b>	03 - Using Operator	Very Easy	i++)	
12		~	<b>/</b>	04 - Creating and U		5tring[] v2 = { "a" "b" "c" }.	
13		~		07 - Working with I	Tough	abstract class MyIJ implements J , I { }	
ι4	<b>~</b>	~	×	01 - Java Basics - O	Tough	Which of the following is correct about Java b	
15				02 - Working with J	Easy	121 0240 2 > 10   // 1	
16		~	×	09 - Working with J	Easy	Which of the following are valid ways to creat	
17				03 - Using Operator	Tough	boolean flag = false;	
18				06 - Working with	Very Easy	public TestClass(){	
19		~	_	03 - Using Operator		System.out.println(1 + 5 < 3 + 7):	
20				06 - Working with		avs.em.ouorintin(1 + 5 < 3 + /1:	
21		~	_	02 - Working with J	_	boolean x = false;	
22				07 - Working with I	Very Easy	public class TestClass {	
23	~	~	<b>/</b>	07 - Working with I		}	
24				01 - Java Basics - O	Easy	Which of the following are features of Java?S	
25		~		03 - Using Operator	Easy	case 'a': // 1	
26				09 - Working with J		}	
27			×	06 - Working with	_	Which of the following correctly defines a	
28		~		07 - Working with I	Very Easy	class w ( public void periorm_work() ()	
29		~		07 - Working with I		ICLRES BIOX + Public woid perform	