SIMULADORES

TEST 1

Name		n on - 12 ago.,	'24 09:26 a.m.			Status	Passed 75%
Correct Answ						Total Questions	56
Time Taken	01:3					Total Time	01:59:28
Start Time		go. 24 09:26				Finish/Pause Time	12 ago. 24 11:01
Test Details p	erformand	e Report					
S Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note	
1	~	×	08 - Handling Excep	Tough	int[] dear = new int[7]:		
2	/		03 - Using Operator	Easy	int i;		
3	/	/	06 - Working with	Very Tough	static(
4			05 - Using Loop Co	Tough			
5	/		02 - Working with J	Very Tough	long m = // 1		
6	~		02 - Working with J	Very Easy	public static void main(String args[]		
7	V	_	03 - Using Operator	Easy	default : System.out.println(
8	~	~	02 - Working with J	Tough	Identify the valid code fragments when occur		
9	~	~	06 - Working with	Easy	processStacks (s1,s2);		
10	~	_	02 - Working with J	Very Easy	public class X{		
11	~	×	09 - Working with J	Real Brainer	'o', 'd' };		
12	/	~	05 - Using Loop Co	Very Easy	int 1;		
13	~	×	09 - Working with J	Tough	public static void main(String[] args) (
14	~		04 - Creating and U	Very Easy	//i : insert bine or code nere		
15	~	_	04 - Creating and U	Very Easy			
16	~	×	02 - Working with J	Very Tough	οω _] ττ;		
17	~	~	06 - Working with	Very Easy	public int setVar(int a, int b, float c)		
18	~	×	07 - Working with I	Easy	}		
19	/	_	07 - Working with I	Very Tough	//In file B.java		
20	~	~	09 - Working with J	Very Easy	abc.concat("abc"):		
21	~		07 - Working with I	Easy	class Base2 extends Base(
22 🗸	~	×	08 - Handling Excep	Easy	Which of the following standard java exception		
23	~	~	07 - Working with I	Easy	static int y = 40;		
24	~	~	03 - Using Operator	Real Brainer	String strl = "one";		
25	~	~	05 - Using Loop Co	Easy	for(String s : sa){		
26			08 - Handling Excep	Very Easy	try{		
27 🗸			02 - Working with J	Very Tough	case 1 : System.out.print("World");		
28 🗸	~		08 - Handling Excep		abstract void calculate();		
29			07 - Working with I	· ·	7 cl = nov. C/) .		

View Questions Pause Test Evaluate Te

TEST 2

Fime Start	ct Answer Taken Time Details Pe	Status Total Questions Total Time Finish/Pause Time	Passed 80% 56 01:59:28 14 ago. 24 1					
s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note	
1	✓	~	~	01 - Java Basics	Tough	// 1		
2		~	~	05 - Using Loop Co	Tough	j++;		
3		~	~	06 - Working with	Very Easy	public class Test(
4		~	~	08 - Handling Excep	Very Tough	ExceptionTest():		
5		~	~	06 - Working with	Very Easy	}		
6	~	~	×	07 - Working with I	Tough	public void moveBack(int by) {		
7		~	✓	07 - Working with I	Real Brainer	}		
8		~	~	04 - Creating and U	Tough) {		
9		~	✓	06 - Working with	Very Easy	void ml(String x) {		
10		~	~	01 - Java Basics - O	Tough	<pre>private void computeAverage(){</pre>		
11	~	~	×	03 - Using Operator	Tough	System.out.println("Hello!");		
12		~	~	08 - Handling Excep	Tough	_static_void_doTest() throws		
13		~	~	03 - Using Operator	Very Easy	wnich of the bilowing code shippers will		
14		~	~	05 - Using Loop Co	Very Tough	compile without any errors?		
15		~	~	06 - Working with	Very Easy	package test;		
16		~	~	06 - Working with	Real Brainer	}		
17		~	×	08 - Handling Excep	Tough	Which of the following are standard Java exc		
18		~	~	06 - Working with	Tough	void probe(Long x) { System.out.printl:		
19	~	~	~	05 - Using Loop Co	Easy	JILL System Out println(c);		
20		~	~	05 - Using Loop Co	Tough	k++;		
21		~	~	07 - Working with I	Very Tough	+ enthu.trans.DataFlooding		
22		~	~	04 - Creating and U	Very Easy	String[] strArr = new String[5]:		
23		~	~	09 - Working with J	Very Easy	Which of the following are benefits of an array		
24	~	~	×	01 - Java Basics	Tough	and		
25		~	~	01 - Java Basics	Easy	Which of these statements are true?		
26		~	~	03 - Using Operator	Easy	case true :		
27		~	×	03 - Using Operator	-	}		
28	/	~	×	02 - Working with J	Real Brainer	Which of the following comparisons will yield f		
29		/		05 - Using Loop Co	Tough			

TEST 3

€rs Test Overview

Taken on - 15 ago., '24 12:29 p. m.

Correct Answers 44

Time Taken 01:36:56 Start Time 15 ago. 24 12:29 Test Details Performance Report

Passed 79% **Total Questions** 56

Total Time 01:59:28 Finish/Pause Time 15 ago. 24 15:46

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		/	~	07 - Working with I	Easy	}	
2		~	~	06 - Working with	Very Easy	public static word printSum/float a	
3		✓	~	06 - Constructors	Easy		
4	~	~	~	08 - Handling Excep	. Tough	}	
5	/	~	~	06 - Working with	Easy	System.out.println("In Integer	
6	~	~	×	09 - Working with J	Very Tough	LocalDate d2 = LocalDate.of(2015,	
7	~	~	~	04 - Creating and U	Easy	int i = 4;	

			07 - Working With I Easy	<u> </u>
	~	~	06 - Working with Very Easy	public static word printSum/float a
	~	~	06 - Constructors Easy	
✓	~	~	08 - Handling Excep Tough	1
✓	~	~	06 - Working with Easy	System.out.println("In Integer
~	~	×	09 - Working with J Very Tough	LocalDate d2 = LocalDate.of(2015,
~	~	~	04 - Creating and U Easy	int i = 4;
	~	×	09 - Working with J Easy	sl.add("sdfa");
	~	×	08 - Handling Excep Tough	Java's Exception mechanism helps in which of
	~	×	09 - Working with J Very Easy	You want to find out whether two strings are
	~	~	09 - Working with J Very Easy	StringBuilder sb = new
~	~	~	05 - Using Loop Co Very Tough	}
	~	~	07 - Working with I Tough	}
	~	~	06 - Working with Very Easy	Which of the following code fragments are val
~	~	×	08 - Handling Excep Tough	Checked exceptions are meant for
	~	~	03 - Using Operator Tough	x3:
~	~	×	02 - Working with J Very Tough	ArrayList <double> al = new ArrayLi</double>
	~	~	03 - Using Operator Easy	throws Exception {
	~	~	01 - Java Basics Easy	int_8://_(1)
	~	~	09 - Working with J Very Easy	public static void main(String args[]){
	~	~	06 - Working with Easy	public static double getAngle(); object obj! - new object();
	~	~	03 - Using Operator Very Easy	Object obj! = new object(), Object obj! = obil;
	~	~	03 - Using Operator Very Easy	bool = (bool2 & method1("1")): //1
	~	~	08 - Handling Excep Easy	public void myMethod() throws XXXX(
	~	~	05 - Using Loop Co Very Easy	for (int i = 0, 1 = 10; sum > 20; ++
	~	~	02 - Working with J Very Easy	
	~	~	06 - Working with Tough	a.rrnx - u; procebulaninā matīt (žechli u;)
	~	~	07 - Working with I Very Tough	procedured int mi()(recurs 0;)
	V	V	01 - Java Basics - O Easy	Which of the following are benefits of polymo
	· · · · · · · · · · · · · · · · · · ·		V V V V V V V V V V V V V V V V V V V	

View Questions

Pause Test

Evaluate Test

TEST 4

€rs Test Overview

Taken on - 16 ago., '24 11:27 a. m.

Correct Answers 40 **Time Taken** 01:44:39 16 ago. 24 11:27 Start Time

Status Passed 71% **Total Questions** 56 Total Time 01:59:28 Finish/Pause Time 16 ago. 24 13:29

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		/	×	02 - Working with J	Tough	Which of the following are valid code snippets	
2	~	~	×	07 - Working with I	Real Brainer	public class B extends A{	
3			~	05 - Using Loop Co	Tough	for(String day : days){	
4		~	~	04 - Creating and U	Tough	What will the following lines of code print?	
5		/	~	02 - Working with J	Real Brainer	int i1 = 1, i2 = 2, i3 = 3;	
6	✓	/	_	09 - Working with J	Very Tough	Which of these expressions will return true?	
7		/	~	02 - Working with J	Tough	static final String CLASS_GUID; // 2	
8		/		01 - Java Basics	Tough	contents of a file.	
9		~	~	01 - Java Basics	Very Easy	System.out.println(harry);	
10		/	~	01 - Java Basics - O	Easy	Which of the following are correct about "enc	
11		/	_	01 - Java Basics	Very Easy	if (args.length == 0){	
12		~	~	05 - Using Loop Co	Easy	while(flag){	
13		/		06 - Working with	Very Easy	publicostatic quidosay@allor/\f+;	
14		/	_	05 - Using Loop Co	Tough	public void fun(); 10 hreak for	
15		✓	~	09 - Lambda Expre	Easy	public void run();	
16		/		04 - Creating and U	Real Brainer	int[] a = { 1, 2, 3, 4 };	
17		~	×	07 - Working with I	Easy	class B extends A{	
18		✓	×	09 - Working with J	Easy	Identify the correct statements about	
19			~	07 - Working with I	Tough	B getB() { return new B(); }	
20		~	~	09 - Working with J	Tough	}	
21	/	/	×	07 - Working with I	Very Tough	interface PremiumAccount extends Account{	
22		/	✓	08 - Handling Excep	Tough	}	
23		✓	✓	06 - Working with	Tough	3	
24		/	✓	08 - Handling Excep	Very Easy	}	
25	~	✓	×	09 - Working with J	Tough	public static void main(string[] args) intlist, al = new ArrawList() · //l	
26		✓	✓	07 - Working with I	Easy	nublic SubClass(int m int n) {	
27		✓	~	05 - Using Loop Co	Very Easy	public static void main(String[] args)	
28	✓	✓	×	03 - Using Operator	Very Tough	return	
29	V	V	×	06 - Working with	Very Easy	<pre>public void showTwo(int myValue){</pre>	

UNIQUE TEST 1

Name Taken on - 16 ago., '24 05:28 p. m.
Correct Answers 43
Time Taken 01:47:07
Start Time Start Time 16 ago. 24 17:28

Status Total Questions Total Time Passed 77%

01:59:28 Finish/Pause Time 16 ago. 24 19:16

·	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1	✓	~	~	08 - Handling Excep	Very Easy	high!");	
2	✓	~	×	02 - Working with J	Tough	Given that the bit pattern for the amount	
3		~	~	06 - Constructors	Very Easy	<pre>public TestClass getInstance() { retur</pre>	
4	~	~	×	09 - Lambda Expre	Very Tough	Which of the following lambda expressions can	
5		~	×	01 - Java Basics	Tough	}	
6	~	~	×	09 - Lambda Expre	Tough	nublic static boolean	
7		~	~	06 - Constructors	Very Easy	public class TestClass(
8		~		02 - Working with J	Very Easy	nublic static void main (String[] args) (
9		~	~	03 - Using Operator	Tough	YYY amount = 1 - rate/100*1 - rate/100.	
10	V	~	~	Miscellaneous	Easy	Identify the correct statements about ArrayLi	
11		~	~	03 - Using Operator	Very Easy	i++)	
12		~		04 - Creating and U	Tough	String[] v2 = { "a" "b" "c" }.	
13		~	~	07 - Working with I	Tough	abstract class MyIJ implements J , I { }	
14	~	~	×	01 - Java Basics - O	Tough	Which of the following is correct about Java b	
15	V	~		02 - Working with J	Easy	11 0140 2 > 10 / //1	
16		~	×	09 - Working with J	Easy	Which of the following are valid ways to creat	
17	~	~	~	03 - Using Operator	Tough	boolean flag = false;	
18		~	~	06 - Working with	Very Easy	<pre>public TestClass() {</pre>	
19		~	~	03 - Using Operator	Tough	System.out.println($l + 5 < 3 + 7$):	
20		~	~	06 - Working with	Tough		
21		~	~	02 - Working with J	Very Tough	boolean x = false;	
22	~	~	~	07 - Working with I	Very Easy	public class TestClass {	
23	~	~	~	07 - Working with I	Very Tough	}	
24		~	~	01 - Java Basics - O	Easy	Which of the following are features of Java?S	
25		~	~	03 - Using Operator	Easy	case 'a': // 1	
26		~	~	09 - Working with J	Tough	}	
27		~	×	06 - Working with	Very Easy	Which of the following correctly defines a	
28	✓	~	~	07 - Working with I	Very Easy	Class A (public void perform work()()	
29		~		07 - Working with I	Very Tough	TOEXCEPTION	