

Assessments Efficiency Report

Report Summary

Pumps

2 pumps with a

\$25,053.60

MAXIMUM ANNUAL COST SAVINGS

00.00 MWh

MAXIMUM ANNUAL ENERGY SAVINGS

\$85,147.20

ANNUAL COST

1,953.48 MWh

ANNUAL
ENERGY

July 24th, 2017



Example PSAT

Last Modified Jul 24, 2017, 9:27:42 AM

ASSESSMENT RESULT DATA

	Baseline	Modification 4	Modification 3	Modification 2	Opportunities Modification
Percent Savings (%)	— —	20 %	0 %	0 %	8 %
Pump efficiency (%)	80.26	56.71	80.26	80.26	86.75
Motor rated power (hp)	200.00	200.00	200.00	200.00	100.00
Motor shaft power (hp)	101.19	101.19	101.19	101.19	93.61
Pump shaft power (hp)	101.19	101.19	101.19	101.19	93.61
Motor efficiency (%)	94.36	94.36	94.36	94.36	95.03
Motor power factor (%)	76.46	76.46	76.46	76.46	85.98
Motor current (amps)	125.86	125.86	125.86	125.86	102.81
Motor power (hp)	80.00	80.00	80.00	80.00	73.49

	Baseline	Modification 4	Modification 3	Modification 2	Opportunities Modification
Annual Energy (MWh)	700.80	700.80	700.80	700.80	643.78
Annual Energy Savings (MWh)	— —	00.00	00.00	00.00	57.02
Annual Cost	35,040.00	\$28,032.00	\$35,040.00	\$35,040.00	\$32,188.86
Annual Savings	— —	\$7,008.00	\$00.00	\$00.00	\$2,851.14
					*Optimized
Use for Summary		<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

ASSESSMENT INPUT DATA

	Baseline	Modification 4	Modification 3	Modification 2	Modification Opportunities
					Modification
Pump & Fluid					
Pump Type	End Suction ANSI/API	End Suction ANSI/API	End Suction ANSI/API	End Suction ANSI/API	End Suction ANSI/API
Pump RPM	1,780.00	1,780.00	1,780.00	1,780.00	1,780.00
Drive	Direct Drive	Direct Drive	Direct Drive	Direct Drive	Direct Drive
Kinematic Viscosity (cST)	01.00	01.00	01.00	01.00	01.00
Specific Gravity	01.00	01.00	01.00	01.00	01.00
Stages	02.00	02.00	02.00	02.00	02.00
Fixed specific speed?	No	No	No	No	No
Motor					
Line Frequency	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
Horse Power	200 hp	200.00 hp	200.00 hp	200.00 hp	200.00 hp
Motor (RPM)	1,780.00	1,780.00	1,780.00	1,780.00	1,780.00
Efficiency Class	Specified	Specified	Specified	Specified	Specified
Voltage	460.00	460.00	460.00	460.00	460.00
Full-Load Amps	225.00	225.00	225.00	225.00	225.00
Size Margin	00.00	00.00	00.00	00.00	00.00

	Baseline	Modification 4	Modification 3	Modification 2	Opportunities Modification
Field Data					
Operating Fraction	01.00	01.00	01.00	01.00	01.00
Cost (kW/hr)	00.05	00.04	00.05	00.05	00.05
Flow Rate (gpm)	1,840.00	1,300.00	1,840.00	1,840.00	1,840.00
Head (ft)	174.85	174.85	174.85	174.85	174.85
Load Estimated Method	Power	Power	Power	Power	Power
Motor Power (kW)	80.00	80.00	80.00	80.00	80.00
Voltage	480.00	480.00	480.00	480.00	480.00

New Assessment

Last Modified Jul 24, 2017, 9:28:51 AM

ASSESSMENT RESULT DATA

	Baseline	Modification 3	Modification 2	Opportunities Modification
Percent Savings (%)	— —	-365 %	-21 %	33 %
Pump efficiency (%)	47.02	75.71	82.17	47.02
Motor rated power (hp)	200.00	50,000.00	11,000.00	200.00
Motor shaft power (hp)	183.51	493.75	105.02	183.51
Pump shaft power (hp)	183.51	493.75	105.02	183.51
Motor efficiency (%)	95.73	45.88	44.36	95.73
Motor power factor (%)	86.34	06.89	06.79	86.34
Motor current (amps)	207.87	14,528.30	3,195.65	207.87
Motor power (hp)	143.00	798.08	172.86	143.00
Annual Energy (MWh)	1,252.68	6,991.20	1,514.22	1,252.68
Annual Energy Savings (MWh)	— —	-5,738.52	-261.54	00.00
Annual Cost	75,160.80	\$349,559.83	\$90,853.10	\$50,107.20
Annual Savings	— —	-\$274,399.03	-\$15,692.30	\$25,053.60
		*Optimized	*Optimized	
Use for Summary		<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

ASSESSMENT INPUT DATA

	Baseline	Modification 3	Modification 2	Opportunities Modification
Pump & Fluid				
Pump Type	End Suction ANSI/API	End Suction ANSI/API	End Suction ANSI/API	Large End Suction
Pump RPM	1,780.00	1,780.00	1,780.00	1,780.00
Drive	Direct Drive	Direct Drive	Direct Drive	Direct Drive
Kinematic Viscosity (cST)	01.00	01.00	01.00	01.00
Specific Gravity	01.00	01.00	01.00	01.00
Stages	01.00	01.00	01.00	01.00
Fixed specific speed?	Yes	Yes	Yes	Yes
Motor				
Line Frequency	60 Hz	60 Hz	60 Hz	60 Hz
Horse Power	200 hp	200.00 hp	200.00 hp	200.00 hp
Motor (RPM)	1,780.00	1,780.00	1,780.00	1,780.00
Efficiency Class	Energy Efficient	Energy Efficient	Energy Efficient	Energy Efficient
Voltage	460.00	460.00	460.00	460.00
Full-Load Amps	225.80	225.80	225.80	225.80
Size Margin	100.00	100.00	100.00	100.00
Field Data				
Operating Fraction	01.00	01.00	01.00	01.00
Cost (kW/hr)	00.06	00.05	00.06	00.04
Flow Rate (gpm)	1,234.00	1,234.00	1,234.00	1,234.00
Head (ft)	277.00	1,200.00	277.00	277.00
Load Estimated Method	Power	Power	Power	Power
Motor Power (kW)	143.00	143.00	143.00	143.00
Voltage	460.00	460.00	460.00	460.00
