

SE 4367 Homework #9, BOR-MI

Use the BOR-MI-CSET procedure to derive the constraint set for the following predicate

$p_r: ab(c + !cd)$

where a,b,c,d are Boolean variables.

Show all the steps in generating T_{BOR-MI} .

Draw the abstract syntax tree (AST) and label the nodes N1 to Nm (for the BOR part of the problem).

Explicitly list the true and false constraint sets for each node in the AST for the BOR part of the problem.

Remember to generate a test set T_{BOR-MI} corresponding to the root node in the AST.

Grading Rubric

**Setting up the AST wrong or not having an AST,
-10 points**

Not generating the $T_{\text{BOR-MI}}$ test set, -5 points
- don't care whether you use true/false or t/f

**For the individual steps in the BOR-MI
procedure, if you get the wrong answer, it
cascades (usually) through the rest of the
problem...**

- **TA should try to use your wrong answer in the following steps**

Using the BOR-MI-CSET procedure

- **not breaking the equation into the correct mutually singular components, -50 points**
 - **don't grade the rest of the problem**
- **getting the wrong t/f sets for e_1 , -5 points**
- **getting the wrong T sets for e_2 , -5 points**
- **getting the wrong TS sets for e_2 , -5 points**
- **getting the wrong S^t sets for e_2 , -5 points**
- **getting the wrong F sets for e_2 , -5 points**
- **getting the wrong FS sets for e_2 , -5 points**
- **getting the wrong S^f sets for e_2 , -5 points**

Formatting Submissions

In the file name, include:

- **class**
- **assignment identifier**
- **your name (or team's name)**
 - e.g., se4367hw01jdoe

In the file (or hardcopy) submitted, include the class, assignment, and name information at the top.

Minus 5 points per violation. Potentially 30 points off for formatting mistakes!

BOR-MI-CSET Step 1

Consider the nonsingular Boolean expression

$$E = ab(c + !cd)$$


Step 1. Partition E into a set of n mutually singular components $E = \{E_1, E_2, \dots E_n\}$

Mutually singular components of E

$$e_1 = ab$$

$$e_2 = c + !cd$$

AST for $ab(c + !cd)$




BOR-MI-CSET Step 2

Step 2. Generate the BOR-constraint set for each singular component in E using the BOR-CSET procedure

Use the BOR-CSET procedure to generate the constraint set for the singular component $e_1 = ab$


$$S_{N1}^t = S_{N2}^t = \{(t)\}$$

$$S_{N1}^f = S_{N2}^f = \{(f)\}$$



N3 is an AND-node for f(a,b).

$$\begin{aligned} S_{N3}^t &= S_{N1}^t \otimes S_{N2}^t \\ &= \{(t)\} \otimes \{(t)\} \\ &= \{(t,t)\} \end{aligned}$$



$$\begin{aligned} S_{N3}^f &= (S_{N1}^f \times \{t_{N2}\}) \cup (\{t_{N1}\} \times S_{N2}^f) \\ &= (\{(f)\} \times \{(t)\}) \cup (\{(t)\} \times \{(f)\}) \\ &= \{(f,t)\} \cup \{(t,f)\} \\ &= \{(f,t), (t,f)\} \end{aligned}$$

For component $e_1 = ab$ we get

$$\mathbf{S_{e_1}^t = \{(t,t)\}}$$

$$\mathbf{S_{e_1}^f = \{(f,t), (t,f)\}}$$

$S_{e_1}^t$ is the true constraint set for e_1

$S_{e_1}^f$ is the false constraint set for e_1

BOR-MI-CSET Step 3

Step 3. Generate the MI-constraint set for each nonsingular component in E using the MI-CSET procedure

Use the MI-CSET procedure for the DNF nonsingular component $e_2 = c + !cd$

**e_2 can be written as $e_2 = u + v$
where $u = c$, $v = !cd$**

Apply the MI-CSET procedure to obtain the BOR constraint set for e_2

$$T_u = \{(t,t), (t,f)\} \quad T_v = \{(f,t)\}$$

MI-CSET Step 2

MI-CSET Step 2. Let $TS_{ei} = T_{ei} - \bigcup_{j=1, i \neq j}^n T_{ej}$

- $T_u = \{(t,t), (t,f)\}$
- $T_v = \{(f,t)\}$

There are no duplicate Ts.

$$TS_u = T_u = \{(t,t), (t,f)\}$$

$$TS_v = T_v = \{(f,t)\}$$

MI-CSET Step 3

MI-CSET Step 3. Construct S_E^t by including one constraint from each TS_e

- $TS_u = \{(t,t), (t,f)\}$
- $TS_v = \{(f,t)\}$

$$S_{e_2}^t = \{(t,t), (f,t)\}$$

MI-CSET Step 4

MI-CSET Step 4. Let e_i^j denote the term obtained by complementing the j^{th} literal in term e_i , for $1 \leq i \leq n$ and $1 \leq j \leq l_i$

- $u = c, v = !cd$

$$u_1 = !c$$

$$v_1 = cd$$

$$v_2 = !c!d$$

Construct $F_{e_{ij}}$ as the set of constraints that make e_i^j false

$$F_{u1} = \{(f,t), (f,f)\}$$

$$F_{v1} = \{(t,t)\}$$

$$F_{v2} = \{(f,f)\}$$

MI-CSET Step 5

MI-CSET Step 5. Let $FS_{eij} = F_{eij} - \bigcup_{k=1}^n T_e$

- $T_u = \{(t,t), (t,f)\}$
- $T_v = \{(f,t)\}$

Eliminate candidate Fs that are really true.

$$FS_{u1} = F_{u1} = \{(\overline{(f,t)}), (f,f)\}$$

$$FS_{v1} = F_{v1} = \{(\overline{(t,t)})\}$$

$$FS_{v2} = F_{v2} = \{(f,f)\}$$

MI-CSET Step 6

MI-CSET Step 6. Construct S_E^f that is minimal and covers each FS_{eij} at least once

- $FS_{u1} = \{(f,f)\}$
- $FS_{v2} = \{(f,f)\}$

$$S_{e2}^f = \{(f,f)\}$$

MI-CSET Step 7

MI-CSET Step 7. Construct the desired constraint set for E

as $S_E = S_E^t \cup S_E^f$

- $S_{e2}^t = \{(t,t), (f,t)\}$
- $S_{e2}^f = \{(f,f)\}$

$$S_{e2} = \{(t,t), (f,t), (f,f)\}$$

BOR-CSET and MI-CSET

Recap

From Step 2 of BOR-MI-CSET, for component $e_1 = ab$

$$S_{e_1}^t = \{(t,t)\}$$


$$S_{e_1}^f = \{(f,t), (t,f)\}$$

From Step 3 of BOR-MI-CSET, for component $e_2 = c + !cd$

$$S_{e_2}^t = \{(t,t), (f,t)\}$$

$$S_{e_2}^f = \{(f,f)\}$$

AST for $ab(c + !cd)$



BOR-MI-CSET Step 4

Step 4. Combine the constraints generated in steps 2 and 3 using Step 2 from the BOR-CSET procedure to obtain the constraint set for E

N5 is an AND Node

$$\begin{aligned} S_{N5}^t &= S_{e1}^t \otimes S_{e2}^t = \{(t,t)\} \otimes \{(t,t), (f,t)\} \\ &= \{(t,t,t,t), (t,t,f,t)\} \end{aligned}$$

$$\begin{aligned} S_{N5}^f &= (S_{e1}^f \times \{t_{e2}\}) \cup (\{t_{e1}\} \times S_{e2}^f) \\ &= (\{(f,t), (t,f)\} \times \{(t,t)\}) \cup (\{(t,t)\} \times \{(f,f)\}) \\ &= \{(f,t,t,t), (t,f,t,t)\} \cup \{(t,t,f,f)\} \\ &= \{(f,t,t,t), (t,f,t,t), (t,t,f,f)\} \end{aligned}$$

Test Set for BOR-MI

$$\mathbf{S}_{N5} = \{(t,t,t,t), (t,t,f,t), (f,t,t,t), (t,f,t,t), (t,t,f,f)\}$$

$$\begin{aligned} \mathbf{T}_{\text{BOR-MI}} = \{ & t_1: \langle a=\text{true}, b=\text{true}, c=\text{true}, d=\text{true} \rangle, \\ & t_2: \langle a=\text{true}, b=\text{true}, c=\text{false}, d=\text{true} \rangle, \\ & t_3: \langle a=\text{false}, b=\text{true}, c=\text{true}, d=\text{true} \rangle, \\ & t_4: \langle a=\text{true}, b=\text{false}, c=\text{true}, d=\text{true} \rangle, \\ & t_5: \langle a=\text{true}, b=\text{true}, c=\text{false}, d=\text{false} \rangle \} \end{aligned}$$

Comparing to the Test Set for MI

Note that $ab(c+!cd) = abc+ab!cd$

**MI $S_E = \{(t,t,t,t), (t,t,f,t),$
 $(t,t,f,f), (f,t,f,t), (t,f,f,t), (f,t,t,t), (t,f,t,t)\}$**

**BOR-MI $S_{N5} = \{(t,t,t,t), (t,t,f,t),$
 $(f,t,t,t), (t,f,t,t), (t,t,f,f)\}$**

The BOR-MI test set has 5 test cases.

The MI test set has 7 test cases.