



EXERCISES — My first variable

version #f6de30ca5ee18fb9a30e5fbfc9eb9a1de8e13354



**The way is lit. The path is clear.
We require only the strength to follow it.**

Copyright

This document is for internal use at EPITA ([website](#)) only.

Copyright © 2022-2023 Assistants <assistants@tickets.assistants.epita.fr>

The use of this document must abide by the following rules:

- ▷ You downloaded it from the assistants' intranet.*
- ▷ This document is strictly personal and must **not** be passed onto someone else.
- ▷ Non-compliance with these rules can lead to severe sanctions.

Contents

1 Goal

3

*<https://intra.assistants.epita.fr>

File Tree

```
my_first_variable/  
├─ create.sh  (to submit)  
├─ edit.sh    (to submit)  
└─ use.sh     (to submit)
```

Reminder : Grant execution permission to your scripts before pushing them

1 Goal

For this exercise, every script **must** be executable.

Create a script named *create.sh* that prints “My frais is “ followed by their name. To do so, you will create a variable named `my_local_frais`, set its value to “Javotte” and print it.

```
42sh$ MY_ENV_FRAIS=Fripouille ./create.sh | cat -e  
My frais is Javotte$
```

Now that you have created your first variable, you can create another script named *use.sh* that will only print the variable `MY_ENV_FRAIS` after “My frais is “. If you want to print your frais’ name, you can execute the script like this:

```
42sh$ MY_ENV_FRAIS=Fripouille ./use.sh | cat -e  
My frais is Fripouille$  
  
42sh$ ./use.sh | cat -e  
My frais is $
```

Finally, create a script named *edit.sh*. It will first print your frais’ name the same way as *create.sh*, then it will print another line containing “My frais is now “ followed by “Pulpa”. You should not create another variable, but edit the value of `my_local_frais`.

```
42sh$ ./edit.sh | cat -e  
My frais is Javotte$  
My frais is now Pulpa$
```

The way is lit. The path is clear. We require only the strength to follow it.